VAID F



WSW-SE-1

Engine Record General Information			
Manufacturer TEXTVUN LY(C) Serial RL-34741-36A	M) Model _	0-360-A4M Type Certificate	
This engine is currently installed in aircraft:	N5162F	172 N	
Minimum Octane Fuel	Oil Grade: Summer _	Winter	
Magneto Time	Point Setting	Firing Order	
Spark Plug Gap			
Manufacturer's Recommended Overhaul at	hour	s	

DATE	20	YEAR
	TACH	RECORDING
	FLIGHT	TODAY'S
	SERVICE	TOTAL
Repair Facility. (See back pages for other specific entries.)	Entries must be endorsed with Name, Rating and Certificate Number of Technician	Description of Inspections, Tests, Repairs and Alterations

N5162F 1979 Cessna 172N SN#172-73120 Date: 11-17-2022

Tach: 4333.8 Lycoming O-360-A4M s/n RL-34741-36A

Engine Since New: 490.4 TTAF: 4333.8

Prop: Sensenich s/n 30559K PTT: 490.4

inspected-no metal debri found. Replaced oil filter with new PN#48110-2. Inspected oil screen and gascolator-results Inspected IAW FAR43 appendix D Checklist. Compressions #1 78 #2 78 #3 78 #4 79. Drained oil, cut open filter and

normal. Refilled with

phillips XC 7 qts. 20W50. Conducted Exh. Press. Test for leaks- no leaks found! Checked Magneto Timing and re Inspected for leaks-none found. Tightened oil return lines. Tightened Valve Cover Screws. Bent oil Return line slightly to torqued Hold down nuts to 200 inch lbs. Inspected, cleaned, gapped, and spark tested plugs. Cleaned engine and prevent rubbing of baffle spring on #1 Cylinder.

Ops check good!

"I certify this Engine has been inspected in accordance with an Annual inspection and was determined to be in

airworthy condition.

Carlos E Santos III

AP 3534160 IAx

Adrenaline Aviation, Inc., 333 W. Jack London Blvd, Ste 249 Livermore, CA 94551

Ph. 925-895-1757 Email: ADRENALINAVIATIONI@YAHOO.COM