

D-8297

2/18/84 : Left Side N-7803R

NUMBER EF5

COPYRIGHT 1945

BY

AIR ASSOCIATES, INC.

PRINTED IN U. S. A.

AIR ASSOCIATES INCORPORATED

Van Dusen AIRCRAFT SUPPLIES

EVERY AIRCRAFT NEED . . . FROM ONE SOURCE

ATLANTA, GA.	BOSTON, MASS.	CHARLOTTE, N. C.	CHICAGO, ILL.	DALLAS, TEX.
DENVER, COLO.	GLENDALE, CALIF.	HOUSTON, TEX.	KANSAS CITY, KANS.	
MIAMI, FLA.	MINNEAPOLIS, MINN.	OKLAHOMA CITY, OKLA.	PHOENIX, ARIZ.	
SAN FRANCISCO, CALIF.	ST. LOUIS, MO.	TETERBORO, N. J.	TULSA, OKLA.	
VANDALIA, OHIO			WICHITA, KANS.	

ENGINE DESCRIPTION

Mfgr. <u>Continental</u>	Place <u>Muskegon, Mich.</u>	Date
Type	Model <u>IO-520-B</u>	Serial No. <u>121097-6-B / 166</u>
Rated H. P.	Maximum H. P.	Weight (Dry)
Rated R. P. M.	Maximum R. P. M.	Oil Pressure
Bore	Stroke	Displacement
		Cu. In.
Compression Ratio	Supercharger Ratio	Gear Ratio
<u>See Aircraft Log For Propeller Data:</u>		
Propeller <u>BEECH BY McCADLEY</u>	Hub Design <u>3A32C76</u>	Hub Serial No. <u>662517</u>
Blade Design <u>S82NB2</u>	Blade Serial No. <u>F1089YS</u>	Blade Serial No. <u>F1120YS</u>
Maximum Hub H. P.	Maximum Blade H. P.	
Pitch	Diameter	Length
Owners Name		
Address	City	State

ENGINE LOG

DATE

Date

6-1-67

SIGNATURE

LICENSE
NUMBER

Inspection Performed on Powerplant in Compliance with Car 43: Directives

Oil Changed ☒ Screens Cleaned ☒Sparkplugs Checked and Gapped ☒ Compression ☒Magnetos and Points ☒ Harness Checked ☒Fuel System Checked ☒ Filter Cleaned ☒Propeller and Spinner ☒ Engine Washed ☒Cowling Checked ☒ Engine Controls ☒Engine-Run-Up and Checked for Security and Leaks ☒

All AD's Thru 67-16 CW See Last Page For a Complete

List of AD's ☒

Total Time in Service 98.0 Tach Reading 98.0

I Certify that this Powerplant has been inspected in accordance
with a ~~visual~~ inspection and was found to be in airworthy
condition.

Signature

AP# 654397

BROUGHT FORWARD

TOTALS

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
									6-19-68	169 hrs.	
									Oil change.		
									6-19-68 I certify that this <u>Engine</u> has been inspected in accordance with a <u>Annual</u> inspection and found to be in an <u>airworthy</u> condition. <u>John B. Shuck</u> MECHANIC OF OMAHA, INC., NEBRASKA		
9-10-68									Tach - Total Time 290-hr-	2 certify that this engine has been inspected in accordance with a 100 hr inspection and was determined to be in airworthy condition - Ben Nelson - ACP1533563	
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
6-17-20											
tall time 87 T.T. 933.5 I certify that this aircraft engine has been inspected in accordance with 9100 hrs inspection and was determined to be in an airworthy condition Keith Berg ACP 1612018											
7-3-20											
Tall time 102 Hrs Differen. l.a (compression checked High $7\frac{1}{8}$ and low cyl. $7\frac{1}{8}$ David Fortenbacher AACP 535589 I.H.											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>100 H.</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION DATE <u>8-1-41</u> <u>3:15</u> Hrs <u>7</u> Time <i>Changed Oil & filter</i> <i>Compression test good</i> <i>Oil 40 W 1 gal</i> <i>Ward Fosterbacher</i> <i>No 1535549 J.A.</i>											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

SE ER	DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
		GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
		No. 3 cylinder removed due to low compression, piston found burnt behind rings. Cylinder overhauled, new ex. valve installed, new rings installed on V.R.S. piston, Cyflicks installed and torqued to spec. with new gaskets and seals. Oil was drained, oil and filter checked for metal particles, aluminum from piston found in filter. Rod bearing checked no evidence of any particles in bearing. All safety devices installed 100 regular oil. Sump gta installed. Engine runup carried out for 1.5 hrs.										
		Engine installed onworthy, Small C. 7.111										
		Aug. 13/1961 KM 783										
		TOTALS										

BROUGHT FORWARD
TOTALS

The aircraft and/or component identified below was repaired and inspected in accordance with current Civil Air Regulations and was found airworthy for return to service. Pertinent details of the repair are on file at this agency under Work Order No.

7533

Date

August 27th, 1971

Signed

Fred Moench

For

G & N AIRCRAFT, INC.

GRIFFITH AIRPORT

GRIFFITH, INDIANA 46319

C. R. S. NO. 3125

Continental 10-520-BA

S/N 121097-6-B

Tach: 1100

Engine overhauled to manufacturers specifications, magnafluxed all steel parts overhauled magnetos, starter alternator, fuel injection and installed the following parts.

Engine Parts

T-#632429-A1 Gasket Set, 1-#630752-A2 +015

Ring Set, 1-#635439-A2 Bearing Set, 1-#63861

Seal, 4-#634080 Screw, 2-#634021 Lock Plate,

ENGINE LOG

Continental 10-520-BA

S/N 121097-6-B

Tach: 1100

Engine overhauled to manufacturers specifications, magnafluxed all steel parts overhauled magnetos, starter alternator, fuel injection and installed the following parts.

Engine Parts

T-#632429-A1 Gasket Set, 1-#630752-A2 +015
 Ring Set, 1-#635439-A2 Bearing Set, 1-#633861
 Seal, 4-#634080 Screw, 2-#634021 Lock Plate,
 8-#632443-4 Marsden Nut, 4-#632443-6 Nuts
 Marsden, 2-#630261-4 Roller, 16-#629104 Cir-
 clip, 16-#635623 Plate, 6-#350997 Bushing,
 3-#350998 Bushing, 6-#536379 Screw, 12-#628-
 750 Bearing, 12-#628109 Nut, 12-#629340 Bolt
 6-#530658 Bushing, 4-#631088-44 Screw, 12-#
 628488 Lifter, 6-#631475 +015 Piston, 6-#630-
 046 Pin, 24-#536033 Bushing, 12-#539740 Shaft
 1-#634150 Spring, 1-#632399 Filter, 1-#X13-
 041 Bearing, 1-#534685 Bearing, 1-#539800
 U015 Spring, 1-#501867 Tablock, 1-#534625
 Felt, 8-#36151-L Clamp, 4-#531179 Bushing,
 12-#RHB32E Sparkplug, 1-#631650 Tach Shaft,
 CWT order modified as per S/BM 71-3

1-#AN280H405 Key, 1-#M-1740 Harness, 1-#075-
 0117-31 Baffle, 1-#539023 Hose, 12-# 631496
 Guide, 5-#635720 Valve, 12-#631520 Spring,
 24-#401893 +003 Stud.

Magneto Parts

2-#10-382584 Point, 1-#10-382585 Point, 2-#
 10-353056 Bearing, 2-#10-92815-37 Clip, 2-#

TOTALS

BROUGHT FORWARD

ENGINE LOG

48-51
427 1000-1055-50

2-#10-382584 Point, 1-#10-382585 Point, 2-#
10-353056 Bearing, 2-#10-92815-37 Clip, 2-#
10-92815-62 Clip, 2-#10-160844 Brush, 2-#10-
349248 Slinger, 6-#10-349652 Screw, 6-#10-
53397 Washer, 1-#10-349212 Block, 2-#10-507-
52 Washer.

Alternator Parts

1-#1964682 Brush holder and Brush Assembly
1-#7451326 Bearing, 1-#1959790 Felt Retainer
1-#1952241 Collector, 1-#99503 Bearing, 1-#
1967650 Oil Seal.

Starter Parts

4-#811553 Brush, 1-#1883730 Bushing, 1-#186-
7150 Oil Seal, 1-#1936938 Armature.

Fuel Injection Parts

1-#HA Cont. F.I. Repair Kit, 2-#625542 Rod
End, 1-#625538 Rod Link, 1-#625228 Lever,
1-#626813 Pin, 1-#625217-A1 Housing, 1-#6304-
55 Bushing, 1-#15489 Seal, 1-#13507 Seal,
1-#628178 Seal, 1-#539959 Screen Assembly,
1-#631172 Needle, 1-#631282 Plunger, 1-#631-
426 Spring, 1-#632394 Retainer, 1-#630332
Diaphragm, 1-#635607 Shaft, 1-#625293 Bush-
ing, 1-#625952 Pin, 4-#303-4 Hose.

LICENSE
NUMBER

429 Toadology 50

[illegible]

ENGINE LOG

ENSE
BER

DATE

R. P. M.

TIME ON
GROUND

TIME IN AIR

TOTAL TIME

GROUND

AIR

HRS. MIN.

HRS. MIN.

HRS. MIN.

REPAIRS - ADJUSTMENTS

SIGNATURE

LICENSE
NUMBER

4/4/72. C/H Vacuum pump
installed see (maintenance
Release) Lines Replaced.
Engine ground checked
E. Fredendall for.

G & N AIRCRAFT, INC

GRIFFITH AIRPORT

GRIFFITH, INDIANA

C. R. S. No. 3125

PHONE 838-7110, 7111

Tach Reads - 550:20

4-21-7 T.T. 552

Changed Oil Aeroshell 50 wt

BROUGHT FORWARD

TOTALS

Andrew P. Sorrells

GTP 1938121


ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
11/8/73									Tach 851.8 Annual Insps Completed Changed oil & Filter - replace spark plugs Replaced several exhaust pipe gaskets		
I certify that this <u>engine</u> has been inspected in accordance with a <u>annual</u> inspection and was determined to be in <u>airworthy</u> condition.											
 Kenneth A. Fryling A&P 143568 ID											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

LICENSE NUMBER	DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
		GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
6/24/74	Totals	912.7	Changed oil & filter shell 50W changed Air maze (New) washed engine ran up check performed. <i>Shawn B. Felippin</i> RAC. R.S. 2069									
11/16/74	Tach Time 1019.33	Change oil & filter Shell 40W changed fuel screens Replaced pushrod tube seals Cyl no 1 cleaned injector Nozzles Checked Compression No 1 $\frac{7}{8}$ No 2 $\frac{7}{8}$ No 3 $\frac{7}{8}$ No 4 $\frac{7}{8}$ No 5 $\frac{7}{8}$ No 6 $\frac{7}{8}$ Washed & Cambled Engine I certify that this Aircraft Engine has been inspected in accordance with a 100hr inspection and was found to be Airworthy 11/16/74 <i>Donna Zeller</i>										
BROUGHT FORWARD												
TOTALS												

ENGINE LOG

[illegible]

SE
ER[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
2 June 75									Tach reads: 1189.9 25 ⁵⁰ hr. insp. completed Drained oil and changed oil filter. Added 12 qts. Aeroshell 50w. Cleaned and serviced air mass filter. Washed engine. Leroy S. Blaney Rich Air Co. CKS 72069		
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
24 July 75									Tach Reads 1239.25 - 100 hr Inspection completed in accordance with Beach Inspection guide 98-32227C change oil & filter, Clean Air Mizer, cleaned & gapped spark plugs, cleaned (seems) Injector nozzles, check Mag timing replace 2 fuel lines, step drill Petrol compression check #1 $7\frac{1}{8}$ #2 $7\frac{1}{8}$ #3 $7\frac{1}{8}$ #4 $7\frac{1}{8}$ #5 $7\frac{1}{8}$ #6 $7\frac{1}{8}$ serviced with 11 qts Shell 50w. Run-up & checked for leaks		
BROUGHT FORWARD											
TOTALS											

Jason L. Smith
 Rich Air CO
 RS #2069

Abstract

TOTALS

ENGINE LOG

ENSE
MBER

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
10-01-75									1339.82 Performed		
									100hr. insp. in accordance with Beechcraft Insp.		
									guide. Changed oil, installed 12 qts. Arco Shell		
									50w oil, Changed & checked oil filter, Checked & cleaned		
									air maze, fuel injection system, fuel injector magnet		
									Ignition leads. Cleaned, gapped, tested spark plugs and		
									checked magneto timing. Compression test #1 $\frac{76}{80}$, #2 $\frac{75}{80}$		
									#3 $\frac{74}{80}$, #4 $\frac{74}{80}$, #5 $\frac{74}{80}$, #6 $\frac{74}{80}$. Had Right hand		
									crank shaft welded & replaced crank gaskets all		
									6 cpls., stopped & drilled & crooked for #2 cyl. Head. Replaced		
									pushrod seals #2 & #5 cpls. Insured Prop blades.		
									George H. Harn		
BROUGHT FORWARD									RICH AND CO.	over next Page	
TOTALS									FAA APPROVED		
									REPAIR STATION NO. 2069		

Number of hauls	<i>P. setiferus</i> (%)	<i>P. setiferus</i> + <i>P. setiferus</i> + <i>P. setiferus</i> (%)	<i>P. setiferus</i> + <i>P. setiferus</i> + <i>P. setiferus</i> (%)
1	~10	~20	~70
2	~15	~25	~60
3	~20	~30	~50
4	~25	~35	~40
5	~30	~40	~30
6	~35	~45	~20
7	~40	~50	~10
8	~45	~55	~5
9	~50	~60	~2
10	~55	~65	~1

6-637781 Exhaust Valve; 12-539740 Rocker Shafts; 24-24802 Valve Keepers; 6-630046 Piston Pins; 12-629340 Rod Bolts; 12-628104 Rod Nuts; 1-MS357356-8 Cam Gear Key; 4-634080 Bolt, Alt. Drive Gear; 2-634021 Lock Plate; 1-635437A2 Bearing Set; 12-628750 Rod Bearing; 1-521647 Snap Ring; 12-628488 Lifters; 4-J10520-1 Lord Mounts; 1-MNJ4715 Bearing; 2-10-382554 Points; 1-6203 Bearing; 1-633834AZ + .015 Ring Set; 1-629748 Gear, Governor Drive; 6-536379 Bolt, Crankshaft Gear; 4-631088-44 Bolt, Cam Shaft Gear; 1-629726A3 Cam Shaft; Bendix Ignition Harness; All Flexible Hoses

[illegible][illegible]

Bolt, Crankshaft Gear; 4-631088-44 Bolt,
Cam Shaft Gear; 1-629726A3 Cam Shaft;
Bendix Ignition Harness; All Flexible Hoses
To Engine.

The powerplant was repaired and inspected in
accordance with current Civil Air Regulation
and was found airworthy for return to service.

MID-AERO SERVICE

Midland, Texas

By:

Lee Beckus
ATP 1211649

Tach replaced at	836.5
Tach time at overhaul	<u>1,425.0</u>
Total time	2,261.5

ENSE
MBER

[illegible]

ENGINE LOG

[illegible]

SE
ER[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICEN NUMB
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
ENGINE — Drained oil, cleaned screens, checked & cleaned spark plugs, checked compression, checked fuel system, drained sumps, checked starter & generator brushes, checked mag & timed properly, checked prop for leaks and grease, functionally checked Engine.											
Date <u>10-24-76</u> Tach reads <u>1654.0</u> Total <u>2490.5</u>											
I certify that this engine has been inspected in accordance with a 100 hr. inspection and was determined to be in air worthy condition.											
Signature <u>Harry R. Hall</u> No. <u>2176572 AM</u>											
COMPRESSION CHECK											
1	2	3	4	5	6						
75	76	76	76	77	75						
80	80	80	80	80	80						
BROUGHT FORWARD											
TOTALS											

CENSE
UMBER

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
2-12-79	Tot.		17	19.0			Eng. T.T.	2575.0			
					SMAH		294.0				
Oil changed & oil filter renewed. Screens cleaned.											
AD 77-13-22 Gm by insp. of the crankcase											
See A/F log for propeller & str.											
Compression											
#1.	78/80	#2.	78/80				Date	2-12-79	Total Time	2575.0	
#3.	78/80	#4.	78/80				"I certify that this aircraft has been inspected in accordance with a FAA Form 441				
#5.	78/80	#6.	78/80				inspection and was determined to be in airworthy condition." WO. 2597				
FAA REP. STA. NO. 4340 Mercury Aviation Phoenix, Ariz											
AIRFRAME CLASS 3											
<i>[Signature]</i>											
Insp.											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
3-10-79			17	32	18						
Changed the oil & oil filter Shell 30 James J. Miller ND A & P 8998											
MAY 1-1979			17	69	16				- Clean & gap all oil & filter.		
BROUGHT FORWARD											
TOTALS											

SE
ER[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
6/8/54											
CHRYSLER AIR VENTURE CUTTER AVIATION, INC. REPAIR STATION NO. 1001 AIR FRAME CLASS 1 & 3 SKY HARBOR AIRPORT PHOENIX, ARIZONA											
25 HOUR INSPECTION ACCOMPLISHED — ENGINE — DATE: 6/8/54 TACH READS: 1277 ☒ OIL CHANGED - GRADE 50 ☒ OIL FILTER CHANGED. ☒ OIL SCREENS SERVICED. ☒ FUEL SCREENS SERVICED. ☒ AIR FILTER SERVICED. ☒ ENGINE VISUAL INSPECTED. ☒ ENGINE CONTROLS CHECKED. ☒ ENGINE WASHED. ☒ PROP BLADE NICKS REMOVED. ☒ ENGINE RUN. ☒ LUBRICATION CHECKED AFTER RUN.											
OTHER SERVICE & RECOMMENDATIONS:											
MECH: 37 NO:											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

ENSE
MBER

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
25 HOUR INSPECTION ACCOMPLISHED											
— ENGINE —											
DATE <u>1-24-79</u>	TACH READS <u>1877</u>		25 HOUR INSPECTION ACCOMPLISHED								
— ENGINE —											
1 OIL CHANGED - GRADE <u>50</u>	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
2 OIL FILTER CHANGED <u>50</u>	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
3 OIL SCREENS SERVICED.	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
4 FUEL SCREENS SERVICED.	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
5 AIR FILTER SERVICED.	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
6 ENGINE VISUAL INSPECTED.	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
7 ENGINE CONTROLS CHECKED.	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
8 ENGINE WASHED.	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
9 PROP BLADE NICKS REMOVED	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
10 ENGINE RUN.	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
11 LEAK CHECKED AFTER RUN.	TACH READS <u>1886</u>		25 HOUR INSPECTION ACCOMPLISHED								
OTHER SERVICE & RECOMMENDATIONS:											
MECH. <u>NO</u>											
FINAL INSPECTION <u>NO</u>											
CUTTER AVIATION, INC.											
BEECHCRAFT PROP.											
REPAIR STATION											
AIRFRAME CLAS.											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICEN NUMB
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
1-23-89											
HM- 1938 - comp. OK. ① 74/80 ② 75/80 ③ 75/80 ④ 77/80 ⑤ 77/80 ⑥ 78/80 <i>Albert Graham</i> CERTIFIED AIR WORTHY CUTLER AVIATION, INC. BEECHCRAFT DISTRIBUTORS REPAIR STATION NO. 4261 AIR FRAME CLASS 1 & 3 SKY HARBOUR AIRPORT PHOENIX, ARIZONA WFO No. _____											
2-20-80											
TACH READS 1943.4 Install new plugs, New scap air duct hoses, Change oil & filter. Install Rebuilt starter SER # 1H000391 <i>Howard A Smith</i> A & P 1175168											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.	TIME ON GROUND	TIME IN AIR	TOTAL TIME	REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. Date <u>MAR 2-80</u> Time in service <u>194619</u> <u>General Aviation Inc. F.A.A. Repair Station No. 4209</u> <u>O. Box 8-003, Anchorage, Alaska</u> <u>Barney Campbell</u>					25 HOUR INSPECTION ACCOMPLISHED BY — ENGINE — DATE <u>5-1-80</u> TACH READS <u>1467</u> ☒ OIL CHANGED - GRADE <u>Shell Red</u> ☒ OIL FILTER CHANGED ☒ OIL COORENS SERVICED ☒ FUEL SCREENS SERVICED ☒ AIR FILTER SERVICED ☒ ENGINE VISUAL INSPECTED ☒ ENGINE CONTROLS CHECKED ☒ CYL WASHED ☒ CYL BLADE NICKS REMOVED ☒ CYL RUN ☒ CYL CHECKED AFTER RUN ENGINE SERVICE & RECOMMENDATIONS <u>Installed new Fold</u> <u>draw Fitting</u> MECH. <u>AB</u> NO FINAL INSP: <u>Barney Campbell</u> CUTLER AVIATION, INC. DEER CRAFT PHOENIX, AZ REPAIR STATION NO. 4209 AIRFRAME CLASS 1		
BROUGHT FORWARD							
TOTALS							

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

SE
ER[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
3-23-81	Total 2960.6 TACH 2104.6				Compression check as follows #1 $7\frac{1}{2}$ / ₈₀ #2 $7\frac{1}{2}$ / ₈₀ #3 $7\frac{1}{2}$ / ₈₀ #4 $7\frac{1}{2}$ / ₈₀ #5 $7\frac{1}{2}$ / ₈₀ #6 $7\frac{1}{2}$ / ₈₀ . Drained oil Added 12 qts AeroShell 50W. Installed new filter. Cleaned & gaped spark plugs. Adjusted idle rpm + mixture.						
per AD 77-13-22 I certify that this aircraft engine has been inspected in accordance with <u>annual</u> inspection and was determined to be in airworthy condition. Date <u>3-23-81</u> Tech Reads <u>2104.6</u> Total <u>2960.6</u> Pertinent details are on the order V-0 # <u>C 2034</u> of this repair station. CUTTER AVIATION, INC. REPAIR STA. #4261 4500 E. 3RD AVE. SCOTTSDALE, ARIZ Mach <u>RM</u>											
MAY-21-81	CHANGE OIL				50W AERO SHELL, REMOVE & LUBRICATE TACH				50W AERO SHELL, REMOVE & LUBRICATE TACH		
READ 2128.1 Howard A. Smith AIP 1175168											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
25 HOUR INSPECTION ACCOMPLISHED —ENGINE— DATE <u>1-25-87</u> TACH READS <u>20013</u> ☒ OIL CHANGED GRADE ☒ OIL FILTER CHANGED ☒ OIL SCREENS SERVICED ☒ AIR FILTER SERVICED ☒ ENGINE VISUAL INSPECTED ☒ ENGINE CONTROLS CHECKED ☒ ENGINE WASHED ☒ PROP BLADE NICKS REMOVED ☒ ENGINE RUN ☒ LEAK CHECKED AFTER RUN OTHER SERVICE & RECOMMENDATIONS: <u>installed new eng</u> MECH: <u>SP</u> NO: <u>1-25-87</u> FINAL INSP: <u>SP</u> CUTTER AVIATION, INC. BEECHCRAFT PHOENIX, ARIZ. REPAIR STATION NO. 4261 AIRFRAME CLASS 1 & 3 25 HOUR INSPECTION ACCOMPLISHED —ENGINE— DATE <u>1-25-87</u> TACH READS <u>20013</u> ☒ OIL CHANGED GRADE ☒ OIL FILTER CHANGED ☒ OIL SCREENS SERVICED ☒ AIR FILTER SERVICED ☒ ENGINE VISUAL INSPECTED ☒ ENGINE CONTROLS CHECKED ☒ ENGINE WASHED ☒ PROP BLADE NICKS REMOVED ☒ ENGINE RUN ☒ LEAK CHECKED AFTER RUN OTHER SERVICE & RECOMMENDATIONS: MECH: <u>SP</u> NO: <u>1-25-87</u> FINAL INSP: <u>SP</u> CUTTER AVIATION, INC. BEECHCRAFT PHOENIX, ARIZ. REPAIR STATION NO. 4261 AIRFRAME CLASS 1 & 3 25 HOUR INSPECTION ACCOMPLISHED —ENGINE— DATE <u>1-25-87</u> TACH READS <u>20013</u> ☒ OIL CHANGED GRADE ☒ OIL FILTER CHANGED ☒ OIL SCREENS SERVICED ☒ AIR FILTER SERVICED ☒ ENGINE VISUAL INSPECTED ☒ ENGINE CONTROLS CHECKED ☒ ENGINE WASHED ☒ PROP BLADE NICKS REMOVED ☒ ENGINE RUN ☒ LEAK CHECKED AFTER RUN OTHER SERVICE & RECOMMENDATIONS: MECH: <u>SP</u> NO: <u>1-25-87</u> FINAL INSP: <u>SP</u> CUTTER AVIATION, INC. BEECHCRAFT PHOENIX, ARIZ. REPAIR STATION NO. 4261 AIRFRAME CLASS 1 & 3											
BROUGHT FORWARD TOTALS											

1-25-87 20013
1-25-87 20013
by Fuel pump
Feeding down 17/5

25 HOUR INSPECTION ACCOMPLISHED
—ENGINE—

DATE 1-25-87 TACH READS 20013

☒ OIL CHANGED GRADE

☒ OIL FILTER CHANGED

☒ OIL SCREENS SERVICED

☒ AIR FILTER SERVICED

☒ ENGINE VISUAL INSPECTED

☒ ENGINE CONTROLS CHECKED

☒ ENGINE WASHED

☒ PROP BLADE NICKS REMOVED

☒ ENGINE RUN

☒ LEAK CHECKED AFTER RUN

OTHER SERVICE & RECOMMENDATIONS:

MECH: SP NO: 1-25-87

FINAL INSP: SP

CUTTER AVIATION, INC.
BEECHCRAFT PHOENIX, ARIZ.
REPAIR STATION NO. 4261
AIRFRAME CLASS 1 & 3

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
4/1/82									Full engine 2275.2		
Constr. #1									75/80, 2 74/80, 3 75/80, 4 74/80, 5 75/80, 6 75/80		
Replaced Ex. Support Bolts									87 FIDENAL		
4177-13-22									Constr. Case Eng. 40		
									Constr. Notes This Date & Time		
Replaced Crank Shaft Seal & Insulator											
									Nothing 11.1		
Test Rotor With Spider Valve											
Replaced 5 Washers With New Units											
Installed Wash. Retier 914 80 Sargent											
Installed Starter Mount Retier 914 80 Sarg.											
BROUGHT FORWARD									certify that this aircraft engine has been inspected in accordance with		
TOTALS									SECTION Inspection and was determined to be in airworthy		
									4235 Tech Roads 2275		
									4235 Pertinent details are on file under VIO #		
									4235 of this repair station		
									CLIVEN AVIATION, INC. REPAIR STA. #4261		
									AIRFRAME CLASS 1 & 3		
									SKY HARBOR AIRPORT, PHOENIX, ARIZ		

ENGINE LOG

2344

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
25 HOUR INSPECTION ACCOMPLISHED —ENGINE— DATE <u>11/15/82</u> TACH READS <u>2286</u> ☒ OIL CHANGED GRADE <u>15-50</u> ☒ OIL FILTER CHANGED ☒ AIR FILTER SERVICED. ☒ ENGINE VISUAL INSPECTED. ☒ ENGINE CONTROLS CHECKED. ☒ ENGINE WASHED. ☒ PROP BLADE NICKS REMOVED. ☒ ENGINE RUN. ☒ LEAK CHECKED AFTER RUN. OTHER SERVICE & RECOMMENDATIONS: MECH: <u>NOV</u> NO: <u>60351</u> FINAL INSP: <u>[Signature]</u> CUTLER AVIATION, INC. BEECHCRAFT PHOENIX, ARIZ. REPAIR STATION NO. 4281 AIRFRAME CLASS 1 & 2 25 HOUR INSPECTION ACCOMPLISHED —ENGINE— DATE <u>8/2/82</u> TACH READS <u>2318</u> ☒ OIL CHANGED GRADE <u>15-50</u> ☒ OIL FILTER CHANGED ☒ AIR FILTER SERVICED. ☒ ENGINE VISUAL INSPECTED. ☒ ENGINE CONTROLS CHECKED. ☒ ENGINE WASHED. ☒ PROP BLADE NICKS REMOVED. ☒ ENGINE RUN. ☒ LEAK CHECKED AFTER RUN. OTHER SERVICE & RECOMMENDATIONS: MECH: <u>NOV</u> NO: <u>3755</u> FINAL INSP: <u>[Signature]</u> CUTLER AVIATION, INC. BEECHCRAFT PHOENIX, ARIZ. REPAIR STATION NO. 4281 AIRFRAME CLASS 1 & 2 25 HOUR INSPECTION ACCOMPLISHED —ENGINE— DATE <u>10-25-82</u> TACH <u>2344</u> ☒ OIL CHANGED GRADE <u>15-50</u> ☒ OIL FILTER CHANGED ☒ AIR FILTER SERVICED. ☒ ENGINE VISUAL INSPECTED. ☒ ENGINE CONTROLS CHECKED. ☒ ENGINE WASHED. ☒ PROP BLADE NICKS REMOVED. ☒ ENGINE RUN. ☒ LEAK CHECKED AFTER RUN. OTHER SERVICE & RECOMMENDATIONS: MECH: <u>NOV</u> NO: <u>C 3980</u> FINAL INSP: <u>[Signature]</u> CUTLER AVIATION, INC. BEECHCRAFT PHOENIX, ARIZ. REPAIR STATION NO. 4281 AIRFRAME CLASS 1 & 2											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
To 70520C stud configuration Camshaft all lifters replaced, all steel parts magnaflexed. Oil Cooler OK by CMC. 12 gals. Amshell grade 80 installed, engine run in according to mfg specs, leak checked, found satisfactory. Installed on Port Side Beech Baron N-7803R, total time aircraft 919.7 hours. Total engine hours 3148 hours, 0.0 hours SMOH. <i>William P. Burke</i>											
ALL 2-19-84 TACH 919.7 HRS											
CERTIFY THAT THIS <u>Engine</u>											
HAS BEEN INSPECTED IN ACCORDANCE WITH											
120.41											
AND FOUND TO BE IN COMPLIANCE WITH											
AIRMAN'S CERTIFICATE OF AIRWORTHINESS											
TOTAL TIME 2866.7 HRS											
TOTAL TIME 3148.0 HRS 0.0 SMOH											
TIME LAST BROUGHT FORWARD 22.7 HRS											
<i>William P. Burke</i>											
TOTALS 2866.7											

ENGINE LOG

NSE
BER

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
11/15/84									Changed engine oil and replaced filter. Installed 12 qts 50W Non Det Aero Shell. Checked checked none found. Jack torque		
									G.P. Bolack 1587697 CFI		
March 15, 1985									Changed 2 qts Non Det Aero Shell 50W, replaced filter, cleaned plugs, fuel screens. CW A077-13-22 (crackcase nuts) by inspection, no cracks noted. Changed engine, air filter. Compression		
									① 79/80 ② 78/80 ③ 78/80 ④ 79/80 ⑤ 79/80 ⑥ 78/80 Leak checked, no leaks.		
									QADB 3-16-85 TACH 947.1 HRS		
									W. R. Braker RPI 15-41984		
									CERTIFY THAT THIS ENGINE		
									WAS BEEN INSPECTED IN ACCORDANCE WITH		
									INSPECTION AND		
									DETERMINED TO BE IN		
									AIRWORTHY		
									UNIMPAIRMENT CONDITION		

TOTAL TIME AIRCRAFT	3894.1	HOURS
TOTAL TIME ENGINE	3125.4	HOURS
LAST 12 MONTHS	32.4	HOURS
TOTALS		

27.4 SM1

W. R. Braker
FA 15-41984

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
7/29/85	Changed engine oil, filter, AeroShell Non Detergent Grade 100 50WT. Replaced filter, leak checked, found OK B Bobell owner.										
December 12, 1985	Changed engine oil, replaced 10 quarts AeroShell Grade 100 detergent, Replaced filter, leak checked, found OK. B.C. Bobell A: P (Handling) Tach 969.2 Hours.										
April 29, 1986	Tach 0971.2 Hrs Inspect, clean engine IAW 100-hr requirements Cleaned fuel screens, plugs, CW AD 77-13-22 by inspecting crankcase, no cracks Replaced Air filter element. Compression 78/80 (2) 77/80 (3) 78/80 (4) 76/80 (5) 77/80 (6) 78/80.										
DATE 29 Apr 86			TACH 0971.2			HOURS					
THIS ENGINE			IS CERTIFIED TO HAVE BEEN								
INSPECTED IN ACCORDANCE WITH			100-hr								
INSPECTION REQUIREMENTS AND			DETERMINED TO BE IN								
AIRWORTHY OK			INTERMEDIATE			CONDITION					
BROUGHT FORWARD			TOTAL TIME AIRCRAFT			N/A HOURS			B.C. Bobell A: P 365134		
			TOTAL TIME ENGINE			3192.5 HOURS			51.5 SMON		
TOTALS			LAST 12 MONTHS			241 HOURS					

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
Date <u>4-29-86</u>			Tach <u>9762</u>								
I certify this aircraft (engine) has been inspected in accordance with <u>Annual</u> inspection and has been determined to be in an airworthy condition.											
Signature <u>[Signature]</u>											
A & P (A.I.) <u>1844381</u>											
Total Time <u>3189.5</u> <u>51.5</u> <u>Smooth</u>											
<u>May 25, 1987</u> Changed engine oil and filter, added 10 qts Pennsill <u>Grade 100</u> delugent. Leak checked, no leak. Inspect engine T & W <u>100</u> hr requirements. Cleaned fuel screens and spark plugs. CW <u>A0-77-13-22</u> by inspection, no cracks noted.											
Compression: ① $7\frac{1}{8}/80$ ② $7\frac{1}{8}/80$ ③ $7\frac{1}{8}/80$ ④ $7\frac{1}{8}/80$ ⑤ $7\frac{1}{8}/80$ ⑥ $7\frac{1}{8}/80$ TT: 980.0											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
29 Jun 87 Engine			04	00.0							
					100	low					
VOK											
N/A							60.3	C.D.			
3218.4							70.33	MOM			
18.8									B.C. Bolall	A:P 2365134	

Date 6-8-87 Tach 980.0
 I certify this aircraft/engine has been inspected in accordance with Standard inspection and has been determined to be in an airworthy condition.
 Signature [Signature]
 A & P Tech 1844384

BROUGHT FORWARD

TOTALS

70.3 SMOH

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
5/12/88									Replaced Cracked oil pressure relief valve housing.		
1061.8											
ALAIR AVIATION SERVICES, INC. <i>Keith Brown</i> A/P 542063780 14337 NEH RD. W.E. AURORA, OREGON 97002 FAA APPROVED REPAIR STATION NO. 503-15 <i>Keith Brown</i>											
7/14/88									HOBBS 1089.5 ANNUAL A/C THIS DATE (Eng) I/P/W FAIR 43		
APPEND CHECKED Comp 76-79-99-78-75-76 Pull Plugs Gapped & Cleaned Cleaned Fuel Screens, IRAN ETS, TEST MAG SW & SWR Timing TIGHTEN All Pin Bolts WASH DOWN Eng. TEST RUN O.K. MORE INFORMATION MAY BE FOUND AT THIS REPAIR STATION UNDER LOG # 3079307B											
ALL AIRCRAFT 33680A S.E. DUUS RD. - 503-630-3293 ESTACADA, OR 97023 FAA REPAIR STATION #S64-35											
MAINTENANCE RELEASE The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Air Regulations and was found airworthy and is approved for return to service. Pertinent details are on file at this agency under the above service order. <i>[Signature]</i>											
BROUGHT FORWARD											
TOTALS											

LH

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER	
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.				
7 May 1989									replaced fuel pump drive seal			
ALAIR AVIATION SERVICES INC. Allen E. Timberman 14337 WEIL RD. N.E. AURORA, OREGON 97002 FAA APPROVED REPAIR STATION NO. 50315 782732												
16 Aug 1989									Comp Check 1-78, 2-79, 3-79, 4-80, 5-80, 6-79 installed Cap screw #2 induction Tube; tightened hose Clamps induction tubes replaced main fuel hose to engine; replaced Vapor return hose, replaced 6 spark plugs, retuned magnetos to spec, replaced missing rivet in lower cowl. CUAD 77-13-22 Cont crankcase insg OK ea 100 hr			
ALAIR AVIATION SERVICES, INC. Aurora State Airport 782732 Aurora, Oregon FAA Approved Repair Station No. 50315												
BROUGHT FORWARD	Date	16 Aug 1989	Total Time	3470:0	Tach/HM Time	1241:6						
I performed an annual inspection per FAR 43, appendix D requirements. I certify that this aircraft/propeller/engine was inspected in accordance with a 100 hr. inspection & found to be in airworthy condition.												
TOTALS	Name Allen E. Timberman Chief Insp 782732											

SE
ER

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
6/20/90			Tach		13	14.0			Oil & Filter Shell 15-50	CD	
10-3-90	This engine has been inspected per ANNUAL insp REQUIREMENTS. COMPRESSION: #1-70/80 #2-76/80 #3-79/80 #4-78/80 #5-79/80 #6-74/80. cleaned spark plugs & re-installed. Found to be safe for return to service. 77-13-27 C/W.										
	Headlink IA1283247 15-50 Shell Oil & Filter 1386 C.D.										
DEC. 10, 1991	Hour meter Time 1392 ¹ Total SMOH 472 ⁵ - Completed 100 hr inspection. Compression checked #1 ⁷⁶ /80 #2 ⁷⁵ /80 #3 ⁷⁸ /80 #4 ⁷⁵ /80 #5 ⁷⁸ /80 #6 ⁷² /80 - checked mag time - installed all new RHB-32E spark plugs - checked controls, huber controls, replaced/repaired broken engine baffles, engine is in an airworthy condition - (Roger) Johnson AP544544893										
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
12-13-91									This engine has been inspected I/A/W an ANNUAL inspection and was found to be in airworthy condition. J. H. Adair IA 1283267 AD's thru 91-21 C/W. Tach 1392		
1-24-93									TI 1462 This engine has been inspected I/A/W an ANNUAL inspection and was found to be in airworthy condition. Comp: 1-76/80 2-76/80 3-75/80 4-71/80 5-74/80 6-74/80. 60120 SMOH J. H. Adair IA 1283267		
5-20-94									Tach 1520.9. This engine inspected for ANNUAL and found to be in airworthy condition. Replaced coil R mag per AD 94-01-03. Comp: 1-78 2-75 3-78 4-74 5-74 6-7/80. Checked AD's thru 94-09. AD 91-15-20 C/W (eng. mount).		
BROUGHT FORWARD											
TOTALS										J. H. Adair IA 1283267	
9-10-94									INSTALLED NEW SLICK MAG HARNESS R&L MAGS April 1994 AEP 54481059		

ENGINE LOG

ENSE
BER

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
6-4-94	^{H-665} 1520.9								changed oil & filter 15W-50 aeroshell	C.D.	
D-10-94									PER ALTERNATOR (SEE YELLOW TAG) ALL WORK PERFORMED I/A/W BEECHCRAFT SHOP MANUAL David Gambel AEP 544821259		
									1578 hr Change Oil & Filters 15-50 Aeroshell	C.D.	
8-28-95	^{H-665} 11005.3								INSTALLED NEW Champion RH332E SPARK PLUGS, LUBED & TORQUED. CLEANED SPARK PLUG LEAD ENDS & ATTACHED. REPLACED AIR FILTER BRACKET PW 1205. INSTALLED C/H MAGNETOS R/L SEE TAA FORMS 813C-3 TIMED MAGS TO ENGINE PER TCM C/H MANUAL X-30039. C/W AD 95-03-14 ENGINE MOUNT BRACKET (DYE CHECK EVERY 500 HRS)		
BROUGHT FORWARD									DUE AGAIN @ 21005.3. C/W AD 77-13-22 CRANK CASE WSP.		
TOTALS									(VISUAL WSP EVERY 100 HRS) DUE AGAIN @ 17005.3		
									David Gambel AEP 544821259		

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
9-7-95	1688.2	1685.3	TOTAL Time 3833.7						I certify that this engine has been inspected I/A/W		
									an annual inspection and was determined to be in		
									airworthy condition this date recurring ADS C/W and		
									ADS checked thru 95-17 for work performed see		
									previous entry, cyl comp. 1 $75/80$, 2 $73/80$, 3 $78/80$, 4 $79/80$, 5 $74/80$,		
									6 $78/80$ Headlock 2.41283267		
11/10/98	Removed/repaird Both exhaust systems on engine - wo 12348										
TT 1658	11 qts oil shell 20-50 / oil filter / Runup / no leaks. T.W										
8/13/98	replaced with same left EGT probe - alcor TW										
12/22/98	Served with 10 qts 15-50 Aero Shell / new oil filter # 108, Test Runup / no leaks										
	1732.1 Tot Time										
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
3/8/00	10	15	50						oil filter / test run no leaks	(Jee)	
12/2/99	17	32									
2/1/99	17	34			10	40			out / oil filter, Test Run - no leaks	(Jee)	
8/9/00	18	05.1			10	50			out / oil filter / Test Run - no leaks	(Jee)	
5/00									oil annulus started		
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
7/6/00	40663	1802.5	7:50A	172.9	Complete			100 hr inspection this date, checked mag & Engine Timing. and I certify that this Engine has been inspected I flew a 100 hr inspection and was determined to be in an Airworthy condition. <i>[Signature]</i> AIP 58598745			
9-11-00	1805.7		REMOVED #2 CYLINDER THIS ENGINE & REPLACED WITH OVERHAULED CYLINDER USING NEW ONE CYLINDER UPPER GASKET SET. INSPECTED ALL COMPONENTS OF THIS CYLINDER, & RETIMED LEFT MAG. ALL WORK ACCOMPLISHED IAW. 10520 SERVICE MANUAL <i>[Signature]</i> AIP 3613462321								
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
11/9-00	1805.7	TACH.							REMOVED OLD VACUUM PUMP CHECKED & CHECKED LINES FOR SECURITY & CONDITION. INSTALLED NEW AIR BORN NOzzle # 242 CW. S.N. 7AT-85 PUMP. & GROUND TESTED VMT. Y OK		
8/10/00	1805 Hobbs	1000 Aeroshell	15	40					new oil filter #48108 - Test Rem - no leaks		1766478
11/7/01	1000 Aeroshell	40							new oil filter #108 - oil X mndy - Test Rem - no leaks		1766478
12/24/02	1808 Hobbs	50							new oil filter #C48108 - Test Rem - no leaks		1766478
BROUGHT FORWARD											
TOTALS											


ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER	
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.				
MODEL: D55			<i>ALBANY</i> <i>AIR MOTIVE</i>				DATE: 11/03/2004					
SERIAL #: TE637			PO BOX 433 ALBANY, OR. 97321				HOBBS: 1913.3					
"N" NUMBER: N7803R			PHONE: (541) 812-0144				TACH:					
11/03/2004 HOBBS 1913.3 INSTALLED OVERHAULED COWL FLAP MOTOR AND ACTUATOR ASSEMBLY PART # 1092TH100-F2S, SERIAL # 1660. <i>B. J. #P 585987958</i>												
BROUGHT FORWARD												
TOTALS												

PROPELLER INSPECTION AND REPAIRS

I N S P E C T I O N			R E P A I R S		
DATE	INSPECTED BY	CONDITION	DATE	REPAIRED BY	REPAIRS MADE
	MODEL: 10-520-C			ALBANY AIRMOTIVE	DATE: 1/10/05
	SERIAL #: 126353-8-C			PO BOX 433 ALBANY, OREGON 97321	HOBBS:
	"N" NUMBER: N7803R			PHONE: (541) 812-0144	TACH: 2312.61 1914.27
	1914.27 AMP 10 7504854.6 1/10/05 HOBBS 2312.61 1/10/05 HOBBS 2312.6 COMPLETED 100 HOUR INSPECTION THIS DATE. CHANGED OIL AND FILTER ADDED 12 QUARTS AEROHELL 50W. CHECKED MAG TO ENGINE TIMING. CLEANED AND GAPPED SPARK PLUGS. I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION 				
	See new log book #2				