(262) 521-8180 DUPLICATE SKYCOM AVIONICS, INC. N # 343JV **ALTIMETER, STATIC AND TRANSPONDER CERTIFICATE** TEST ALT. x 1000 FT. 0 .5 1 1.5 2 3 4 6 8 10 12 16 TOL. ± FT. 20 20 20 25 35 40 90 100 110 70 70 80 90 CTUAL -10 -10 30 10 -21 FRICTION TEST ALT. 1000 FT BARO. SCALE ERROR (TOL. ± 25 FT.) 130 TOL. 120 28.50 28.10 29.00 29.50 29 92 30.50 30.90 + FT 100 30.99 ACTUAL 120 0 410 HYSTERESIS (TOL. + 75 FT.): MAX AFTER EFFECT (TOL. CASE LEAK: ALTIMETER MAKE On ited Instruments BLIND ENCODER MAKE: NOVCO TRANSPONDER MAKE: 1000 MODEL AT-150 MODEL MODEL P9163 29643 10615 S/N CERTIFIED ALTIMETER PER FAR 43, APP. E (b) TO COMPLY WITH FAR 91.411
CERTIFIED STATIC SYSTEM PER FAR 43, APP. E (a) TO COMPLY WITH FAR 91.411.
CERTIFIED AUTOMATIC PRESSURE ALTITUDE REPORTING SYSTEM PER FAR 43, APP. E (c) TO COMPLY WITH FAR 91.411.
CERTIFIED TRANSPONDER PER FAR 43, APP. F TO COMPLY WITH FAR 91.413. deral Aviation Regulations The aircraft and/or component identified above was repaired and inspected in accordance with and was found airworthy for return to service. Pertinent details are on file at this agency ing work number. Date: 5-24-22 (Tac)/Hobb: 2024-2 w.o. 512940 Signed WAUKESHA COUNTY AIRPORT / CRITES FIELD WAUKESHA, WI 53188 Waukesha County Airport / Crites Field 2441 Aviation Drive * DUPLICATE * Waukesha, WI 53188 (800) 443-4490 FAA# NC5D062N AIRCRAFT LOG ENTRY DESCRIPTION OF WORK DONE: N# 363JV

Replaced VSI T-Fitting and added seal tape. Completed Altimeter, Static, Transponder, Encoder certification (see Altimeter, Static, Transponder, Encoder Certificate for full certification). All work was done and tested in accordance with applicable parts of AC 43.13 1B/2B and manufacturer's install/service manuals END-

Date: <u>5/24/2022</u>

Tach: 2024.2

W.O.# 512960

Signed:

The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Aviation Regulations and was found airworthy for return to service. Pertinent details are on file at this agency under the above work order number.