

N7048Q Cessna 172L
owner: Marilyn Orloff
209-532-5255 home
209-743-1604 cell
mailing: P.O. Box 2165
Columbia, CA 95310

N7048Q

Avcon
INDUSTRIES, INC.

ENGINE

~~AND PROPELLER LOG~~

see

Hartzell
Propeller
Log Book

N 7048Q

SERIAL NO. 17260348



P.O. Box 4248 North Wichita Station
1006 W. 53rd St. North
WICHITA, KANSAS 67204
Phone (316) 838-9375
Telex 417-306

Engine and Propeller Log

Comprehensive Recording of Engine and Propeller Records

Form 245

AVCO LYCOMING WILLIAMSPORT DIVISION
WILLIAMSPORT, PA.

FINAL ENGINE ACCEPTANCE

Eng. Serial No. 230274-3CA
Inspector L 310
Date 4-29-82

HARTZELL ORDER NO. <u>46134</u>		PART NUMBER <u>HC-C2YK-1BF/F7666A</u>		GOV. NO.		HUB NO. <u>CH26767</u>	
☒ NEW		☐ REPAIR		DATE <u>6-4-82</u>		No. <u>1-</u>	
HARTZELL PROPELLER, INC. INSPECTION							
BLADE NUMBERS							
1		2		3		4	
F25421		F25451					
DIMENSIONS							
CARTON NO. 185		WEIGHT		KILOS HEIGHT		WIDTH	
LENGTH		PACKING					
COMMENTS							
L.P. @ 30" STATION <u>13.0</u>							
SOLD TO		CUSTOMER ORDER NO.		INSP. BY			

DATE		R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS		SIGNATURE		LICENSE NUMBER	
				HRS. MIN.		HRS. MIN.		HRS. MIN.							
8/1/82								0 05		Installed the engine and propeller in Cerama 172 N7048Q s/n 17260348. I/A/w Arcam kit 8966 and STC SA807CE. Sealed with 8 qts Aeroshell 50 propet. Engine test run and all systems checked functional. No leaks noted. I certify that this engine has been inspected I/A/w a 100 hr inspection and found to be in airworthy condition. Kenneth J. O'Leary ATP 569625969					
								0 05							
TOTALS								0 05							

[illegible][illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
1982											
10/3							177	16	Completed with AD 82-20-01 by inspection of impulse coupling - flyweights are hardened steel. Magneto S4LN-21 S/N A 259309. Kemnitz & Oilly A0589625989		
12/16							151	5	Drained oil, Replaced with 8 qts Aeroshell SAE 40. Replaced filter cartridge,		
12/12							162	1	Installed new REM 40E plugs. Compressed 1/78 2/78 3/79 4/78. Engine washed down		
2/14/83							200	2	Kemnitz & Oilly A0589625989 changed oil & replaced filter cart. Filled 8 qts Aeroshell SAE 40		
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
3/31/83							250	4	Changed oil & filter Filled w 8 qts Aero-shell SAE 40	MM Kelly	
4/13/83									Installed second ioned plugs, compression test		
5/11/83							299	7	1, 28; 2, 30; 3, 30; 4, 30 1, 26; 2, 28; 3, 28; 4, 22	MM Kelly	
6/10/83							350	5	Changed oil & filter Filled with 8 qts Aero shell SAE 50W changed air filter element.		
									Installed second ioned plugs. Added 1 in firing order & switched top to bottom.		
BROUGHT FORWARD										MM Kelly	
TOTALS										1, 30; 2, 30; 3, 30; 4, 30 1, 28; 2, 24; 3, 28; 4, 24	

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
1985											
6/15/85	A/C	TT 2637.5			TMCH 671.0				Installed reconditioned spark plugs. Replaced throttle control rod end bearing. Installed new muffler assembly. Resealed electric fuel pump fittings. I certify that this engine has been inspected in accordance with an annual inspection and has been determined to be in airworthy condition.		
									Compression test 1/18 3/19 3/18 4/19. Engine time 671.0 since new.		
									Kenneth T. Cull Jr 5696259892A		
11-8-85	Alt	TT 2637.0			Tach 718.5				Drained Oil. Replaced with 8qts Aeroshell 40W. Replaced filter cartridge. Inspected old cartridge. OK		
4-20-86					Tach 737.4				Drained Oil. Replaced with 8qts Aeroshell 50W. Replaced filter cartridge. Old cartridge clean.		
4-20-86					Tach 737.4						
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
7/1/87	Tack Time 832.4. Installed new conditioned spark plugs.										
	C/W AD 86-24-07 Engine controls by (P/C). C/W AD 78-09-07R3 Impulse coupling by inspection. I thru Bendix SB 5908. For both magnetos (A488043 and A259809) cleaned and inspected intakes of mago and distri buter blocks, repacked ball bearings, C/W Bendix SB 5684 by installation of 10-391213 screws, SB556 & SB625 DWA. Replaced trucker ass'y and capacitor on LH mag. Checked and set point gap and internal timing both mago. Comp test 1/16 2/18 3/15 7/8. K. Dilly A47P569C25985										
	I certify that this engine has been inspected in accordance with an annual inspection and has been determined to be in airworthy condition.										
7/1/87	P32 Y TTSN		Kenneth A. Dilly		569625985ITA						
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
6/8/91	Tach Time		1021	6	Drained oil, Replaced oil filter, Old oil filter clean					M. Kelly	
9/11/91	Tach Time		1063	8	Drained oil, Replaced oil filter, Old filter clean, 3 Aeroshell 100W					M. Kelly	
9/2/91	"	"	1064	4	Replaced induction air filter					M. Kelly	
I certify that this engine has been inspected in accordance with an annual inspection and has been determined to be in airworthy condition. Comp test 1/29 2/79 3/79 4/79. 11-8-91 ITI 669.6 SN Kenneth J. Oulby 569625989 DA											
11/25/91	Tach Time		1078	1	Drained oil, Replaced oil filter, Old oil filter clean					M. Kelly	
4/3/92	Tach Time		1080	7	Drained oil, Replaced w/ 7QTs Aeroshell 100W, 1QT 80W, Did not change filter cartridge.						
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

[illegible]

DATE		R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS		SIGNATURE	LICENSE NUMBER														
				HRS. MIN.		HRS. MIN.		HRS. MIN.																			
6-Oct-1996		Tach time 1201.3		Oil changed 805 Aeroshell 100w. Replaced oil filter.		Installed new REM405 spark plug. Removed eng-drv fuel pump; installed overhauled Aero Recomas Model 40295 S/N AA5100 AA5100. Engine washed down.		Comp test 1/76 278 3/78 479 K. Orling ATP569625589.		16 May 1997		Tach time 1236.2 Oil changed 805 Aeroshell 100w. Replaced oil filter.		Installed new oil cooler hoses and eng-drv pump to carb line. (cleaned)		gapped, tested spark plugs. Engine washed down. Comp test 1/78 279 3/79 479.		K. Orling ATP569625589		I certify that this engine has been inspected in accordance with a 100hr inspection and has been determined to be in airworthy condition.		1236.27 K. Orling ATP569625589 17 May 1997		BROUGHT FORWARD		TOTALS	

ENGINE LOG

DATE		R P M		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
GROUND	AIR	HRS.	MIN	HRS.	MIN	HRS.	MIN	TOTAL TIME				
21JUNE98 Tach time 1278.9 Oil changed 805 Aeroshell 100w. CH48110 oil filter.												
changed. Installed recommended REM387 spark plug.												
Comp test 1/78 275 3/78 479. K. Orling ATP 569625589												
I certify that this engine has been inspected in accordance with a 100 hr inspection and has been determined to be in airworthy condition.												
21JUNE 1998 1278.975N Kenneth T. Orling 569625589												

ENGINE LOG

ENGINE LOG

DATE	R. P. M.	TIME ON		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
		GROUND	HRS.	MIN	HRS.	MIN	HRS.			
12/8/99	N7048Q	TACH 1331.7		TACH 1331.7		TACH 1331.7				
Change oil and filter, inspect filter contents. Service with Aeroshell W100 and new filter.										
Steven D Pinley A&P5646653071A										
AIR YOSEMITE 10735 AIRPORT RD COLUMBIA CA 95310										

[illegible][illegible]

ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
11/22/00	N7048Q TACH 1360.4	SMOH 1360.4
Install new bendix drive model EBB131A on starter. Install new seals in nose gear and service.		
Steven D Pinley A&P5646653071A <i>SDP</i> AIR YOSEMITE 10735 AIRPORT RD COLUMBIA CA 95310		
7/23/01 N7048Q TACH 1373.9 SMOH 1373.9 Install new hardened steel oil pump gears P/N SL18109A-S per AD 96-09-10. Install new spark plugs. Change oil and filter. Install new air filter element.		
I certify that this engine has been inspected in accordance with an Annual Inspection and determined to be in air worthy condition. <i>SDP</i> Steven D Pinley A&P5646653071A		
AIR YOSEMITE 10735 AIRPORT RD COLUMBIA CA 95310		

ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
11/22/00	N7048Q TACH 1360.4	SMOH 1360.4
Install new bendix drive model EBB131A on starter. Install new seals in nose gear and service.		
Steven D Pinley A&P5646653071A <i>SDP</i> AIR YOSEMITE 10735 AIRPORT RD COLUMBIA CA 95310		
7/23/01 N7048Q TACH 1373.9 SMOH 1373.9 Install new hardened steel oil pump gears P/N SL18109A-S per AD 96-09-10. Install new spark plugs. Change oil and filter. Install new air filter element.		
I certify that this engine has been inspected in accordance with an Annual Inspection and determined to be in air worthy condition. <i>SDP</i> Steven D Pinley A&P5646653071A		
AIR YOSEMITE 10735 AIRPORT RD COLUMBIA CA 95310		

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
									4/24/02 N7048Q TACH 1405.1 SMOH 1405.1		
									Change oil and filter, service with Aeroshell W100 and CH48110 filter. Install new spark plugs P/N UREM40E. Install new rocker cover gaskets on #2 and #4 cylinders. Wash engine compartment. Steven D Pinley A&P564665307IA		
									AIR YOSEMITE 10735 AIRPORT RD COLUMBIA CA 95310		
BROUGHT FORWARD											
TOTALS											

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN	HRS.	MIN	HRS.	MIN			
									8/6/02 N7048Q TACH 1424.7 SMOH 1424.7 Install reconditioned spark plugs. Change oil and filter. Install new air filter element. I certify that this engine has been inspected in accordance with an Annual Inspection and determined to be in air worthy condition. Steven D Pinley A&P564665307IA AIR YOSEMITE 10735 AIRPORT RD COLUMBIA CA 95310		
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.	TIME ON GROUND	TIME IN AIR		TOTAL TIME	REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
			HRS.	MIN.				
5-10-64		Tach Time 1498.2						
Changed oil and filter. Replaced engine with shaft 100w.								
W.L. Beam H+P 2028535								
7-12-64		Tach Time 1508.2				Annuel inspection completed.		
AF Total time 3478.2								
Eng Total time 1508.2								
Returned magge To engine. Repaired muller.								
		DATE	TOTAL TIME					
						I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A General		
BROUGHT FORWARD	INSPECTION AND WAS DETERMINED TO BE							
TOTALS	IN AIRWORTHY CONDITION							

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			
7-14-06	Tach time		1554.5								
Annual inspection completed.											
Comp. ck. 1 ^{76/80} , 2 ^{75/80} , 3 ^{73/80} , 4 ^{75/80} .											
changed oil and filter. Serviced engine with Shell 100W.											
DATE <u>7-14-06</u> TOTAL TIME <u>1554.5</u>											
I CERTIFY THAT THIS <u>Engine</u> HAS BEEN											
INSPECTED IN ACCORDANCE WITH A <u>Annual</u>											
INSPECTION AND WAS DETERMINED TO BE											
IN AIRWORTHY CONDITION											
M. Brown											
A & P 20285251A											
BROUGHT FORWARD											
TOTALS											

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER																
	GROUND	AIR	HRS.	MIN.	HRS.	MIN.	HRS.	MIN.																			
Mountain Aire Aviation, Inc. 22363 S. Airport Road, Sonora, CA 95370 <table border="1"> <tr> <td>REG #</td> <td>N7048Q</td> <td>DATE</td> <td>8-10-07</td> </tr> <tr> <td>MAKE</td> <td>Lycoming</td> <td>TACH</td> <td>1584.5</td> </tr> <tr> <td>MODEL</td> <td>O-360A1A</td> <td>HOBBS</td> <td></td> </tr> <tr> <td>SERIAL #</td> <td>L-30274-36A</td> <td>SMOH</td> <td>1584.5</td> </tr> </table> Annual inspection completed. Comp check: 1-76/80; 2-70/80; 3-78/80; 4-70/80. Changed oil and filter. Serviced engine with Shell 100W. Replaced all intake pipe gaskets and all intake pipe hoses. Replaced carburetor float and float valve. I certify that this engine has been inspected in accordance with an annual inspection and determined to be in airworthy condition. <u>M. Brown</u> Michael B. Brown, A&P 2028525												REG #	N7048Q	DATE	8-10-07	MAKE	Lycoming	TACH	1584.5	MODEL	O-360A1A	HOBBS		SERIAL #	L-30274-36A	SMOH	1584.5
REG #	N7048Q	DATE	8-10-07																								
MAKE	Lycoming	TACH	1584.5																								
MODEL	O-360A1A	HOBBS																									
SERIAL #	L-30274-36A	SMOH	1584.5																								
BROUGHT FORWARD																											
TOTALS																											

ENGINE LOG

DATE	R. P. M.	TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS — ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
		HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			

MOUNTAIN AIRE AVIATION, INC.
22363 S Airport Road Sonora CA 95370

N Number N7048Q
Engine Make & Model Lycoming O-360-A1A
Tach: 1610.0 hrs
Hobbs: 1610.0
Total Time: 1610.0
SMOH: September 2, 2008

Annual inspection completed in accordance with Part 43, App. D, Comp Check: 1-74/80, 2-78/80, 3-78/80, 4-79/80. Timed magnetos to 25 degrees BTDC. Replaced four rocker cover gaskets. Changed oil and filter. Serviced engine with Shell 100W.

I certify that this engine has been inspected in accordance with an annual inspection and was determined to be in airworthy condition.

Andrew B. Turpen
Andrew B. Turpen A&P 3158494 IA

BROUGHT FORWARD

TOTALS

ENGINE LOG

DATE	R. P. M.	TIME ON GROUND		TIME IN AIR		TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
		HRS.	MIN.	HRS.	MIN.	HRS.	MIN.			

MOUNTAIN AIRE AVIATION, INC.
22363 S Airport Road, Sonora CA 95370

N Number N7048Q
Engine Make & Model Lycoming O-360 A1A
Tach: 1663.2
Hobbs: 1663.2
Total Time: 1663.2
SMOH: 10/1/09

Annual inspection completed in accordance with Part 43, App. D, Compression check: 1-77/80, 2-71/80, 3-70/80, 475/80. Changed oil and filter. Serviced engine with Shell 100W.

I certify that this engine has been inspected in accordance with an annual inspection and was determined to be in airworthy condition.

M. Brown
Michael B. Brown, A&P 2028525 IA

BROUGHT FORWARD

TOTALS

06/21/2014 N7048Q Eng Model O-360A1A Eng SN L-30274-36A

Tach: 1741.2

TSN: 1741.2

Performed compression checks Cyl#1, 78/80. Cyl#2, 78/80. Cyl#3, 76/80. Cyl#4, 76/80.

Changed Oil and serviced with 8qtsAeroshell w/100/50 oil. Oil filter removed cut, inspected and checked good. Installed oil filter with new (p/n CH48110) and satisfied. Magneto timing checked good. Spark plugs cleaned, gapped and rotated. Engine ground ran ops and leak checked good. I certify that this Engine has been inspected in accordance with an Annual inspection and was determined to be in an Airworthy condition.

Harpal Chadda A&P 2678073 1A

Thyres Chedda.

LICENSE
NUMBER

LICENSE
NUMBER

DATE _____

R. P. M.

TIME ON
GROUND

TIME IN AIR

TOTAL TIME

REPAIRS - ADJUSTMENTS

SIGNATURE

LICENSE

TOTALS

BROUGHT FORWARD

TOTALS

BROUGHT FORWARD

ENGINE LOG