


#2
The Standard



AIRCRAFT LOG



AIRCRAFT RECORD — GENERAL INFORMATION

MANUFACTURER Continental MODEL 152 SERIAL 1500000

REGISTRATION NUMBER N16615 DATE MFG. _____

ENGINE(S) CURRENTLY INSTALLED.

MFG Continental MODEL C-80-A SERIAL 2141300

MFG _____ MODEL _____ SERIAL _____

PROPELLER(S) CURRENTLY INSTALLED.

MFG McCulloch MODEL 1A 101/HC121

HUB MODEL _____ SERIAL 67875 SERIAL _____

BLADE MODEL _____ SERIAL _____ SERIAL _____

BLADE MODEL _____ SERIAL _____ SERIAL _____

The Standard

 AIRCRAFT LOG

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
1947				
4/1	2663			Installed the following in engine 1. 40599 Air Filter 1. 51777-1 Control 1. 51230-19 Control 4/1/77 I CERTIFY THAT THIS Engine HAS BEEN INSPECTED IN ACCORDANCE WITH A 100 hr INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. WORK ORDER NO. 1479 TACH TIME 2663 TOTAL TIME 2663 Stephen L. Dwyer AF 435-443

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
1947				
4/6	2663			Installed new 1 gallon 320 hour motor oil motor 32321, new motor 32321 Stephen L. Dwyer AF 435-443 5/6/77 I CERTIFY THAT THIS Engine HAS BEEN INSPECTED IN ACCORDANCE WITH A 100 hr INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. WORK ORDER NO. 1480 TACH TIME 2663 TOTAL TIME 2663 Stephen L. Dwyer AF 435-443

DATE 19 <u>78</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
7-7	(TACH 3159.5)			COMPLIED WITH 100 HR. INSPECTION IN ACCORDANCE WITH CESSNA INSPECTION CHECKLIST. TIRES ROTATED INSIDE TO OUTSIDE. BEARINGS REPACKED. PERFORMED ALL ROUTINE MAINTENANCE. AD NOTES ARE CURRENT TO DATE.
I Certify that this <u>AIRCRAFT</u> has been inspected in accordance with an <u>100 HR ANNUAL</u> inspection and found to be in an airworthy condition. <i>Johnny R. Townsley</i> Johnny R. Townsley A&P 215242				

FLY AVIATION
RT. 1, BOX 219A
PARAGOULD, ARK. 72450
PH. 289-4909

DATE 19 <u>78</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
8-11	TACH 3213.5			INSTALLED NEW WILLARD W25 BATTERY THIS DATE. <i>Johnny R. Townsley A&P 215242</i>
8-26-78	(TACH 3257.2)			Completed 100 hour inspection in accordance with Cessna Inspection Checklist. Reexamined access panels. Checked flight control cables, pulleys, & fairleads. Lubed flight controls. Repacked wheel bearings. Reviewed AD notes for currency.
I Certify that this <u>Aircraft</u> has been inspected in accordance with an <u>100 Hour</u> inspection and found to be in an airworthy condition. <i>Johnny R. Townsley</i>				

FLY AVIATION
RT. 1, BOX 219A
MUNICIPAL AIRPORT
PARAGOULD, ARK. 72450
PH. 238-1539

D
19

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
11-3-78	TACH 3345			Complied with 100 hour service and inspection requirements in Cessna Inspection check list. Repacked wheel bearings. Install both new main tires. Resealed RH master cylinder. Repaired stall warning horn. Performed other routine maintenance. AD notes are current to date.
				I Certify that this <u>Aircraft</u> has been inspected in accordance with an <u>100 hour</u> inspection and found to be in an airworthy condition.
ELIAY AVIATION RT. 1, BOX 219A — PH. 239-4909 MUNICIPAL AIRPORT PARAGOULD, ARK. 72450				<u>Johnny R. Townsley</u> Johnny R. Townsley A&P 21570

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
3-9-79		Tach time		Completed Annual Inspection this date. Inspected structure. Inspected and lubricated all pulleys, cables, hinges. Inspected and repacked wheel bearings. Serviced aircraft battery. Inspected all flight controls. See work order for details of repairs. See back of this log for A.D. list.
				Total Time <u>3491.13</u>
				Tachometer <u>3491.13</u>
				I certify that this <u>(aircraft)</u> (engine) has been inspected in accordance with a <u>(annual)</u> (100 hour) inspection and was determined to be in airworthy condition.
				Dated <u>3-9-79</u> W.O. No. <u>596</u>
				Signed <u>TA2013489</u>

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES)
	5-19-79			I HAVE MADE THE ESSENTIAL IN FIELD REPAIRS TO MAKE FERRY FLIGHT FROM PARAGOULD ARK TO ATLANTA, TX (AS STATED ON FERRY PERMIT) C/W AD 78-26-09 BY REPLACING R/H FUEL CAP WITH VENTED CAP C/W AD 79-08-03 BY DISCONNECTING CIGAR LIGHTER J. D. Allen AEP 459082375

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
	7-2	7-2-79		ALL AD'S TO DATE C/W ESSENTIAL REPAIRS MADE ON 5-19-79 TO MAKE FERRY FLIGHT FROM PARAGOULD ARK TO ATLANTA, TX THIS STILL STANDS GOOD FOR FERRY FLIGHT FROM ATLANTA, TX TO MOUND CITY, MO J. D. Allen AEP 459082375

DATE	RECORDING	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS	
19__	TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE
7-3-80			
tach reads 354.5 total time. Installed 2 main lines and pack wheel bearings. Installed new nose tire. A.D. 80-11-04 concerning maintenance inspected and found O.K. I certify that this aircraft has been inspected in accordance with an Annual inspection and was determined to be in an airworthy condition. <i>R. J. Anderson</i> 1-A 1329591			

DATE	RECORDING	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS
19__	TACH TIME			ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
8-5-81				tach reads 3571.2 hrs. Inspected Control cables - oiled controls. filled shimmy damper serviced nose strut serviced battery. I certify that this aircraft has been inspected in accordance with an Annual inspection and was determined to be in an airworthy condition. <i>R. J. Anderson</i> 1-A 1329591

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES)
7-28-82				tach reads 3582. service Battery, service nose strut. lube nose scissors and all controls packed wheel bearings. Air tires.
				I certify that this aircraft has been inspected in accordance with an <u>annual</u> inspection and was determined to be in an airworthy condition. <u>R. J. Lardeman</u> 1-A 1329591
8-10-82				ELT Battery replaced. Replace 8/1/84

DATE 1983	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES)
9/26/83	TACH = 3591.1 HRS.			TOTAL TIME = 3591.1 HRS. NEW HSI, REPAIRS, MAINT 36101-P, SN 32652. NEW NOSE WHEEL BEARINGS, PONES & OLDS. (CON TASS, REPLICE. SERVIC & SERVICE. AD 80-11-4 (11) TYPED MARK NO CRACKS FOUND @ THIS INSPECTION. 11-1-12 (11) 11/1/12 MARK, SEC. 2, 1, 0 & FOUND AIRWORTHY. AD'S OK'D FOR COMPLIANCE WITH ISSUE #3-20 THIS DATE. FOR COMPLETE AD INFORMATION SEE AD COMPLIANCE REPORT UNDER SEPARATE COVER. ROUTINE MAINT. & SERV. ACCOMPLISHED @ THIS TIME 3/4/12 MEAS. SPEC'S.
				I certify that this <u>AIROKRAFT</u> has been insp- ected in accordance with a <u>annual</u> insp- ection and was determined to be in an Airworthy Condition.
				WIN-AIR AVIATION SERVICES
				<u>J. W. Winsterman</u> 271-155104-18P J. W. Winsterman

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES)
1984				
9/29/84	TACH = 3644.6 HRS.			TOTAL TIME = 3644.6 HRS. NEW E.L.T. BAT. AD's REPLACE BY 9/28/86. AL 80-11-4 & 76-7-12 C/W IIAW AD. AD's CHG'D FOR COMPLIANCE THRU ISSUE 84-21 THIS DATE. FOR COMPLETE AL INFORMATION SEE AD COMPLIANCE RECORD, UNDER SEPERATE COVER. ROUTINE MAINT. & SERV. ACCOMPLISHED @ THIS TIME IIAW MFG'S SPEC'S.
				J.W. Winsterman IA-1550106-AAP
				J.W. Winsterman
				I certify that this AIRCRAFT has been inspected in accordance with a ANNUAL inspection and was determined to be in an Airworthy Condition.
				WIN-AIR AVIATION SERVICES

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES)
1986				
27 OCT 86	TACH = 3655.0 HRS.			TOTAL TIME = 3655.0 HRS. E.L.T. BAT OUT OF DATE WILL BE REPLACED BY OWNER. AD COMPLIANCE AS FOLLOWS 80-11-4 76-7-12, 84-26-2. AD's CHG'D FOR COMPLIANCE THRU ISSUE 86-23 THIS DATE. FOR COMPLETE AD INFORMATION SEE AD COMPLIANCE RECORD (UNDER SEPERATE COVER) & PREV MAINT. RECORD ENTRIES. ROUTINE MAINT & SERV. ACCOMPLISHED @ THIS TIME IIAW MFG'S & FAA SPEC'S.
				I certify that this AIRCRAFT has been inspected in accordance with a ANNUAL inspection and was determined to be in an Airworthy Condition.
				WIN-AIR AVIATION SERVICES
				J.W. Winsterman IA-1550106-AAP
				J.W. Winsterman

DATE 1988	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
2-12	Tach: 3669.7 hrs.			T.T. 3669.7 hrs. 100 hr. Inspection this date. checked all controls cables, pulleys, etc. & lubed as needed. wheels, tires, brake linings okay. serviced brake cylinders & bled brakes. serviced shimmy damper and nose strut. serviced battery. cleaned and painted battery box. Installed new Ekt battery (good till JAN 90) and tested okay. All AD's c/w thru 88-1 (see list under separate cover) I certify this aircraft has been Inspected in accordance with a 100 hr. Inspection and was determined to be Airworthy. Philip D. Clifton AEP 1990828

DATE 1988	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION ENTRIES MUST BE E MECHANIC OR REPA
12 FEB 88	TACH = 3669.7 HRS.			TOTAL TIME - COMPLIANCE THRU ISSUE 88-1 IN THIS INSP. 8 80-11-4 76-7-12, 84-26 AD INFORMATION SEE AD COMPL & PREVIOUS MAINT. RECORD ENTRIES I certify that this AIRCRAFT has been Insp. ected in accordance with a <u>ANNUAL</u> Insp. ection and was determined to be in an Airworthy Condition 8-15-88 Installed

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
1989				
7-6	3670.0	trch	3670.0	total time 100 hr. Inspection this date. Checked all controls, cables, pulleys, etc. & lubed as needed. wheels, tires, brakes okay. cleaned air filter. installed new Regt 595 H/c Battery. ELT Battery Good till Jan 1990. All AD's OK (see 4D list separate cover) I certify this Aircraft has been Insp. & is at 100 hr. Insp. & was determined to be airworthy. Philip D. Pluffin AIP 199828
7-6-89	3670.0		3670.0	I have inspected this Air Craft in accordance with an Annual inspection and determined it to be in Airworthy Condition (15-451)

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
1992				
4-15	3670.3	Trch	3670.3	total time 100 hr. Inspection this date. checked all controls cables pulleys etc. & lubed as needed. wheels tires brakes okay. cleaned battery box & installed new G25 battery. cleaned air filter. Installed new ELT Battery. Good till NOV. 1993. G/W AD 76-07-12 Bend in May switch ops OK okay. G/W AD 80-11-04 Nut plate crack - none found this Insp. G/W AD 84-26-02 Air filter Airworthy this Insp. G/W AD 87-20-300 seat & seat rails okay this Insp. I certify this Aircraft has been Insp. IAW A100 hr Insp. & was determined to be Airworthy by Philip D. Pluffin AIP 199828
4-15-92	3670.3		3670.3	I Certify that I have inspected this Air Craft in accordance with an Annual inspection and have determined it to be in Airworthy Condition (15-451)

MIDWEST AIRCRAFT INSTRUMENTS, INC.

4215 W. 220th Street
Jordan, Minn. 55352 (612) 492 - 6088
FAA certified repair station C-14-38

Unit Name 6410 HORIZON Serial Number 40675
Type 36101C MFG PERITOLIT
Overhauled by [Signature] Inspected by [Signature]
Date overhauled 1/7/92 Date Inspected 1/7/92

OR

If not overhauled

THIS UNIT REPAIRED/TESTED and APPROVED FOR FURTHER SERVICE

REPAIRED BY _____ Date _____

TESTED BY _____ Date _____
THIS TAG MUST ACCOMPANY INSTRUMENT TO HONOR WARRANTY

Brake control & install cable & adjust
Cleaned battery box & firewall, serviced battery & charge
lights - lubricated tail cable - repacked
wheel bearings -
James W. Pollock
A&P 1626190

SERVICEABLE

I was
regula-
ed for
file at

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
19 <u>92</u>				
10-27	3702		3702	Removed fuel valve & free up, installed fuel drain tee & valve - cleaned fuel strainer & make up new hose to carburetor - installed new landing light bulb & repair grd wire on RH Nav - installed new lock-plate on LH master cyl for park brake - hooked up new cigar lighter & fused - removed rudder & straighten rudder horn - adjusted steering rods - resealed shimmy dampers - made fiber glass repair to lower cowling - install prop after overhaul by Boyer Prop Shop - checked cables, pulleys & controls - serviced nose strut installed lock clips on cabin doors - installed L.H. outboard seat Rail - see AD list. Tested ELT - Nov. 93 -

I certify that this aircraft engine has
been inspected in accordance with a
annual 100 hour inspection and was
determined to be in airworthy condition.

Date 10-27-92


James W. Pollock
James W. Pollock A&P 1626190 IA

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES)
------	---------------------------	------------------	-----------------------------	--

DATE: 11/11/92 A/C HOURS: 1230.1 N#: 16018
(Hobbs)


I certify that the altimeter static and
ATC transponder system tests required by
FAR 91.411 and 91.413 were performed and
found to meet the requirements of FAR part
43 appendix E and F. The altimeters were
functionally tested to 20000 feet.

ALT. MDL# C661071-0101 S/N 78048
ENC. MDL# AR-850 S/N 86392
XFDR MDL# AT-150 S/N 41262

SIGNED:  WO# 2165
SKY HARBOR AIR SERVICE INC. CRS# ATZR268C

DATE 11-12-92 A/C HRS. Hobbs 1230.1 N# 16018

Removed ARC NAV/COMM System including RT-508A and IN514 Indicator.
Installed King NAV/COMM System including KX170B and KI-211C VOR/
ILS Indicator, also installed KMA 20 Audio Panel/Marker Beacon
Receiver and DMN 43-1 Marker Antenna. See 337 Form this date.
Weight and Balance and Equipment list revised.



FOR PERTINENT DETAILS OF THIS MAINTENANCE ACTION
REFERENCE WORK ORDER # A002-51

SKY HARBOR AIR SERVICE INC. CRS ~~2018~~ ATZR268C
EPPLEY AIRFIELD OMAHA, NEBRASKA 68119

IRATIONS
E NUMBER OF
IFIC ENTRIES.)

MIDWEST AIRCRAFT INSTRUMENTS, INC.

4215 W. 220th Street
Jordan, MN 55352 (612) 492-6088
FAA certified repair station K05R995M

MAINTENANCE RELEASE

MFG. Mc Cauley UNIT NAME Propeller
MOD. 1A101 BLADE SERIALS _____
HUB SER. NO. 07875 BLADE DESIGN HCM 6948
overhauled

The Appliance identified above was _____ in accordance with current regulations of Federal Aviation Agency, and is approved to return to service.

Pertinent details of the repair are on file at this station under

W/O # 10441 Date 10-22-92 @ TR: 0000.0

By Rebel E Boyer Repairman

BOYER PROPELLER SERVICE
FAA Certified Repair Station XPBR325L
746 Harvard
El Dorado, KS 67042

Shop located at the
El Dorado Municipal Airport
Bus. (316) 321-4658

Tack Ready
old 3703.0
new 0000.0

DATE
19__
RECORDING
TACH
TIME
TODAY
FLIGHT

27 MARCH 1993

SERVICEABLE

Date 3/11/93 Work Order No. 54788
Customer BOIONICS OF ELKHART
Part No. 80500630-41 / 805A0820
Model No. F14 104 udc
Serial No. 4705 1819
Technician Wanda L. Addy
Inspector C. Lohm

The aircraft component and/or appliance identified was repaired and inspected in accordance with current regulations of the Federal Aviation Agency and is approved for return to service. Pertinent details of this repair are on file at this repair station under the work order number.

DA

19

11-

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE
12 June			

NOMENCLATURE

MODEL

MFG. BY

☒ OVERHAULED☐ REPAIRED☐ FUNCTIONALLY TESTED ONLY

MAINTENANCE RELEASE

The aircraft component identified was repaired and/or inspected in accordance with current Federal Aviation Agency Regulations and was found airworthy for return to service, with respect to work performed. Pertinent details of the repair are on file at this agency under:

REPAIR ORDER

DATE 6-30-93

SIGNED

Deborah K. Crowder

DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS
ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)

ELECTRIC GYRO CORP.

Division of Mid-Continent Inst. Co., Inc.
7706 East Osie - Wichita, KS 67207
F.A.A. MMF 341-01



PAUL
INSTRUCTIONS
FOR

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
10-27-93	29.		3732	

Cleaned & repacked wheel bearings, serviced brakes, serviced battery & checked lights, replaced tail light bulb & repaired landing light wire - resealed shimmy dampener - cleaned fuel strainer - checked cables, pulleys & controls - tested ELT - installed Model T.A.F. oil filter

adaptor kit on engine per STC SE 75595W
see 337 this date

I certify that this aircraft engine has been inspected in accordance with a annual 100 hour inspection and was determined to be in airworthy condition.

Date 10-27-93

11-20-93 Tool 30. -AD 93-22-05 DND
installed reconditioned starter clutch
or ok OK

James W. Pollock
A&P 1626190

James W. Pollock
A&P 1626190 IA

[illegible]

DATE 19 <u>94</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
10-7	47.0		3750	Checked wheels & brakes - serviced battery & cleaned box, ck lights & electrical - checked cables, pulleys & controls - cleaned fuel strainer & checked drain valves - serviced nose strut & lubed jack screw - tested BLT, OK - see AD list in back of book installed ² new door post interior panels.

I certify that this aircraft engine has been inspected in accordance with a [annual] 100 hour inspection and was determined to be in airworthy condition

Date 10-7-94

James W Pollock

James W. Pollock A&P 1626190 IA

I certify that this aircraft ~~engine~~ has been inspected in accordance with a annual ~~100 hour~~ inspection and was determined to be in airworthy condition

Date 10-7-94

James W. Pollock A&P 1626190 IA

DATE

NUMBER OF
TRIES.)

		SE	01-	0007
01	Oh-	SE	5-	0008
01	Oh-	SE	01-	0009
		SE	5+	0011
01	05-	SE	01-	0001
		SE	0	0005
		SE	5-	0
		SE	01-	0001

NORTH AMERICAN INSTITUTE OF AVIATION
FAA REPAIR STATION PC4R435M
CONWAY, S.C. 29526

NAIA 2901 10-2-90

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
1944				
11/18	1233			Removed and replaced left brake lining John Mc Ford 247871303 CCM 795
12/4/44	147.0		3850.0	COMPLIED WITH AD 76-7-12 IGNITION SWITCH BY OPERATIONAL CHECK. COMPLIED WITH AD 80-11-07 TAIL SECTION INSPECTION BY INSPECTION. COMPLIED WITH AD 82-20-03-12 SCAT TRACK INSPECTION BY INSPECTION. INSTALLED A NEW INDUSTRIAL AIR FILTER BA 4104. INSTALLED NEW VACUUM R16 AND CENTRAL AIR FILTERS B351 & 09-14-5. INSTALLED 7 NEW COWLING SHEET MOUNTS J7444-14. RESHIMMED NOSE GEAR TORQUE LIMITS. RESEALED RIGHT BRAKE CALIPER. I CERTIFY THAT THIS

[illegible]

DATE 19 <u>95</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
2/3/95	2430		3946.0	COMPLIED WITH AD 76-07-12 IGNITION SWITCH BY OPERATION CHECK, FOUND TO BE SERVICEABLE. COMPLIED WITH AD 80-11-04 TAIL SECTION INSPECTION BY INSPECTOR COMPLIED WITH AD 87-20-03-R2 SEAT TRACK INSPECTION BY INSPECTION. COMPLIED 77-0208 ELT INSPECTION FOR CORROSION BY INSPECTOR. INSTALLED A NEW INDUCTIVE AIR FILTER. INSTALLED A NEW VACUUM REG FILTER INSTALLED NEW BRAKE PAD ON LEFT INBOARD BRAKE. NOTATED BOTH TIRES. LUBRICATE TRIM ACTUATOR INTERNAL PARTS. REPLACED RIVETS IN ELEVATOR TRIM TAB BRACKET. I CERTIFY THAT THIS AIRFRAME HAS BEEN INSPECTED IN

MARTY'S MAINTENANCE

175 Aviation Avenue

Waterboro SC 29488

800-549-5242

William & Dorothy

WILLIAM J. BOYETTE

AP 438 419840 JA

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
	CONT on ^{from} the			ACCORDANCE WITH A 100 HOUR INSPECTION AND
	PREVIOUS PAGE.			WAS DETERMINED TO BE IN FULL AIRWORTHY
				CONDITION. INSPECTION IN ACCORDANCE WITH COSSAR
				INSPECTION CHART FOR 150 AND 43 APPX (D) ^{TAIL}
				MARTY'S MAINTENANCE <i>William J. Boyette</i>
				175 Aviation Avenue <i>WILLIAM J. BOYETTE</i>
				Walterboro SC 29488 <i>APP 438419840 TA</i>
				800-549-5242

DATE 1995	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
3/24/95	343.9		4046.9	COMPLIED WITH AD 76-07-12 IGNITION SWITCH BY
				OPERATIONAL CHECK, FOUND TO BE SERVICEABLE.
				COMPLIED WITH AD 80-11-08 TAIL SECTION INSPECTION
				BY INSPECTION. COMPLIED WITH AD 97-20-03-R2
				SEAT TRACK INSPECTION BY INSPECTION. COMPLIED
				WITH AD 77-02-08 EGT INSPECTION BY INSPECTION
				COMPLIED WITH AD 95-03-02 WINGLET AIR FILTER
				BY VISUAL INSPECTION FOUND TO BE SERVICEABLE.
				INSTALLED A NEW INDUCTION AIR FILTER. INSTALLED
				NEW VALVE REG. FILTER. SERVICED NOSE STRUT
				WITH FLUID AND NITROGEN. INSTALLED MISSING ROVETS
				IN LOWERING. I CERTIFY THAT THIS AIRFRAME HAS

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
		CONT.		BEEN INSPECTED IN ACCORDANCE WITH A 100HR
				INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY
				CONDITION. INSPECTION PERFORMED PER CESSNA
				INSPECTION CITATION FOR 150. William J. Moyette
				MARTY'S MAINTENANCE 175 Fenton Avenue Walterboro SC 29488 800-549-5242 WILLIAM J. MOYETTE A&P 43841954010
4-18-95	391.4			REMOVED AND REPLACED BEACON FLASHER, INSTALLED FLASHER PART NO C594501-0203 SN 941166. operationally checked operation found O.K. Richard J. Benson A&P 248964292

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
5/9/95	444.8		4147.8	DEPANNELED AIRCRAFT, LUBED ALL FLT CONTROLS, CABLES, AND PULLEYS. C/w AO 76-07-12 Ignition sw By Insp. C/w AO 80-11-04 TAIL SECTION By Insp. C/w AO 87-20-02 SEAT TRACK By Insp. C/w AO 77-02-08 ELT CORROSION By Insp. C/w AO 95-03-02 BRACKET AIR FILTER By Insp. CHANGED RT MAIN TIRE IAW CESSNA SERVICE MANUAL. I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED FOR AN 100 HR Insp. AND WAS DETERMINED TO BE IN AN AIRWORTHY condition. - Chet S. Kelly A&P 252548243

DATE	RECORDING	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)		
DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	
9/15/95	TR: 668.6			Install Eng SW 24931-A using new Prop SW 67875. All accessories were retained from original engine (see Eng log) John Rogers AP379503345
10/19/95	TR: 714.4			Changed left + right nav light John M Ford 247871308 USA c-p 5/17

DATE	RECORDING	TODAYS	TOTAL	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	
DATE 19__	RECORDING TACH TIME	FLIGHT	TIME IN SERVICE		
11/06	743.9		4446.9		Depanneled aircraft, lubed all FLT controls, cables and pulleys. c/w AD 76-07-12 IGN SW. By operation. c/w AD 80-11-04 NUT PLATES By inspection. c/w AD 87-20-03R SEAT TRACKS. c/w AD 77-02-02 ELT CORR. By inspection. c/w AD 95-03-02 BRACKET AIR FILTER By inspection. I certify that this aircraft has been inspected IAW an 100hr inspection and was determined to be in an airworthy condition.
					Cheryl S Hallgren AIP292548243

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
19 <u>96</u>				
1 JAN	887.6		4547.6	DEPANELED AIRCRAFT, CHECKED + LUBED ALL CABLES, PULLEYS, BELLCRANKS AND FLIGHT CONTROLS. CHANGED LT + RT BRAKE PADS. <u>REPLACED ELT BATTERY NEXT DUE DEC 98.</u> GREASED NOSE GEAR, BLEED + SERVICED NOSE STRUT. SERVICED BATTERY, SERVICED BRAKE RESERVOIRS. C/W AD 96-07-12 IGNITION SW. BY OPERATION, AD 80-11-04 NUTPLATES BY INSPECTION, AD 87-20-03R SEAT TRACKS BY INSPECTION, AD 77-02-09 ELT CORROSION BY INSPECTION, AD 95-03-02 BRACKET AIR FILTER BY INSPECTION. I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. <i>Chutych J Helgeson IA 29254843</i>

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
19 <u>96</u>				
26 JAN	903.1			Installed new G.11 SNJG01592472 Puck
3/1/96	TR: 942.9 (TT: 4587.9)			Replace Nose Shimmy Damper. Insp stab Nutplates Per AD 87-20-3. OFF Check Insp Filter Seal Per AD 95-3-2. Replace Pads. Repair/Repaint Batt Box. Install VR600. Install New Ammeter PN 51230-5 Per FAR 91.207(d). Reconnect Beka CB
				ROGERS AIR CRAFT JOHN'S ISLAND, SC 803 559 3212
				I certify that this aircraft is in accordance with a/an <u>Annual</u> inspection and is in airworthy condition.

Airport Complex
 P. O. Box 273
 Fort Deposit, Alabama 36032 USA
 205/227-8308
 Fax 205 227 8598
 ELECTROSYSTEMS, INC.

WARRANTY DATA CARD

The following information must be supplied when requesting warranty consideration.

Electro VR600 4070622

MFR P/N S/N
 DATE INSTALLED DATE REMOVED

2/28/96

942.9 TACH TIME
942.9 TACH TIME

OWNER'S NAME BEAR AIR

ADDRESS POB 1368

J21, SC 29457

PHONE 803, 559 3331

RETAIN THIS CARD WITH AIRCRAFT LOG BOOKS

DATE 19__	TOTAL TIME IN SERVICE	REFERENCE OF MAJOR REPAIRS AND MAJOR ALTERATIONS TO FAA FORM ACA-337 BY DATE, OR TO THE WORK ORDER BY NUMBER AND THE APPROVING AGENCY.
4/25/96		TR: 1044.6 - Install New Bug Comp Panel PA KO415021-12. Install New Lure Cover Console PA KO413463-1. Install New LH Panel Cover PA KO413461-14. Tasp Straps Nutplates Per AD 80-11-4. Tasp Seats/Tracks Per AD 87-20-3. OFF Check Tasp Bracket Filter Tasp Switch Per AD 76-7-12. Tasp Bracket Filter Seal Per AD 95-3-2. Tasp Flap Bushings/Rollers For Freedom/Clarence Per CESSNA 150L SM. I certify that this <u>Aircraft</u> has been inspected in accordance with a/an <u>100 hr</u> inspection and was determined to be in airworthy condition. John Regan AD 379503345

ROGERS AIR CRAFT
JOHN'S ISLAND, SC
803 559 3212

DATE 19__	TOTAL TIME IN SERVICE	REFERENCE FAA FORM ACA-337 BY
6/28/96		TR: 1145.6 - R Install New AD 87-20-3. T OFF Check To Corrosion "X" Strut. Replace

ROGERS AIR CRAFT
JOHN'S ISLAND, SC
803 559 3212

CORROSIONXTM

TREATMENT CENTER

ROGERS AIR CRAFT
JOHN'S ISLAND, SC
803 559 3212

No 7178

6/28/96
TREATMENT DATE

N16018
AIRCRAFT SN OR N NUMBER

I certify that this aircraft has been treated with Corrosion X (Mil-C81309E) to stop and arrest corrosion. Treatment is effective for 18-24 months, based on environmental conditions. Re-treating is recommended when effectiveness ends - as determined by either time or visual inspection.

John Regan
TECHNICIAN'S SIGNATURE

379503345
A & P NUMBER

determined to be in airworthy condition.

John Regan
AD 379503345

DATE 19__	TOTAL TIME IN SERVICE	REFERENCE OF MAJOR REPAIRS AND MAJOR ALTERATIONS TO FAA FORM ACA-337 BY DATE, OR TO THE WORK ORDER BY NUMBER AND THE APPROVING AGENCY.
9/10/96		TR: 1247.1 — Insp Seats/Tracks Per AD 87-20-3 R2. OFF Check Fowl Switch Per AD 76-7-12. Insp Struts Nutplates for cranks Per AD 80-11-4. Replace (2) Main Tires. Replace Beacon Bulb. Insp ECU ops Per FAR 207(d). Insp Flap Tracks/Rollers Per SEB 95-3A. SERVICE Nose Strut.
		I certify that this <u>Airframe</u> has been inspected in accordance with a/an <u>100 hr</u> inspection and was determined to be in airworthy condition.
		ROGERS AIRCRAFT JOHN'S ISLAND, SC 803 559 3212
		John Rogers AP 379503345

DATE 19__	TOTAL TIME IN SERVICE	MANUFACTURERS MANDATORY SERVICE BULLETINS CHRONOLOGICAL LISTING OF COMPLIANCE AND METHOD OF COMPLIANCE.
11/6/96		TR: 1348.0 — Replace Defective Hobbs Meter — Now Pending (0000) Insp Seats/Tracks Per AD 87-20-3 R2. OFF Check Fowl Switch Per AD 76-7-12. Insp Strut Nutplates Per AD 80-11-4. Insp Bracket Induction Filter Seal Per AD 86-9-6. Insp Flap Tels, Rollers Per SEB 95-3A. Install new Nose Tire. Replace (2) Beacon Pilot's Panel Shock Mounts. Replace Cracked Cabin Speaker. Insp ECU ops Per FAR 207(d).
		I certify that this <u>Airframe</u> has been inspected in accordance with a/an <u>100 hr</u> inspection and was determined to be in airworthy condition.
		ROGERS AIRCRAFT JOHN'S ISLAND, SC 803 559 3212
		John Rogers AP 379503345