

PROPELLER LOGBOOK

PROPELLER MODEL PHC-J3YF-IRF/F7693DFB

PROPELLER S/N FR31AB

LOGBOOK #____





Position	PITCH RANGE
Propeller Model PHC-J3YF-IRF/F7693 DFB	High/Feather
Propeller S/N FP3 179B	Start Lock
Blade Design	Low
Blade S/N's	Reverse
No. 1 K 10648	
No. 2 K 10646	Aircraft Manufacturer Circus Design
No. 3 K10644	Aircraft Model <u>SR-22</u>
No. 4	S/N
No. 5	Registration
No. 6	

Spinner Assembly Part No. ____



Date	Pro _l TSN	peller TSO	A/C Hrs	Description of all operations pertaining to Airworthines Service Documents, Overhaul, Major or Minor Repair, a	s Directives, and Inspections.
10-5-01	0.1	N/A	0.1	I have Dynamically Balanced Propeller IAW Hartzell	The second secon
l in		\$ \$190.20°	4	Propeller Owner's Manual 115N Rev. 10 dated Nov/03	per an extra contract to the second process of the second process
1/1/07	×		3.044	Section: 61-00-15 on 10-5 o (DATE). The location of the Weight(s) are 70 degree	
1401				And are gram(s).	
1401		7/13	01.70	(Sign/Stamp)	·
Blad	8/1/3			Cirrus Design Corporation, PC 338CE	
	700				

PROP MODEL: PHC-J3YF-1RF PROP S/N: FP3179B REG. NO: N218X WORK ORDER: 871-12-2004



Lone Mountain Aviation, INC.

2830 N. Rancho Dr. Suite A Las Vegas, NV 89130 Phone: (702) 309-2200 DATE: 12/16/2004 A/C TSN: 104 PROP TT: 104 HOBBS: 104

Prop Entries

I certify this propeller has been inspected IAW a 100 hr. inspection and was found to be in an airworthy condition.... Dressed prop leading edges and repainted.

The aircraft, component identified above was repaired and inspected in accordance with current regulations of the Federal Aviation Administration and is approved for return to service. Pertinent details are on file at this facility under the above W.O. number.

DATE: 12/16/2004

SIGNED: Allan Larry Masor, IA: 1807305

Mr.

Work Order: 871-12-2004

Printed by EBis 3 (datcomedia.com)

PROP MODEL: PHC-J3YF-1RF PROP S/N: FP3179B REG. NO: N218X WORK ORDER: 1553-10-2005



Lone Mountain Aviation, Inc.

2830 N. Rancho Dr. Suite A Las Vegas, NV 89130 Phone: (702) 309-2200 DATE: 11/11/2005

A/C TSN: 255.4 PROP TT: 255.4

HOBBS: 255.4

Prop Entries

I certify that this propeller has been inspected in accordance with a 100 hour insepction and was determined to be in airworthy condition.... Complied with SB 2X-61-02. Propeller Spinner Assembly Torque Inspection.

The aircraft, component identified above was repaired and inspected in accordance with current regulations of the Federal Aviation Administration and is approved for return to service. Pertinent details are on file at this facility under the above W.O. number.

DATE: 11/11/2005

SIGNED:

Jim Jakus, IA: 2096119

Work Order: 1553-10-2005

Printed by EBis 3 (datcomedia.com)



PHO PRO REG WO	OP MODEL: C-J3YF-1RF OP S/N: FP317 G. NO: N218X PRK ORDER: 9-11-2006		PE MODITAIN AVIATION, INC.	Lone Mountain Aviat Repair Station No. L90R473Y 2830 N. Rancho Dr. Suite A Las Vegas, NV 89130 Phone: (702) 309-2200			DATE: 12/1/2006 A/C TSN: 302 PROP TT: 302 HOBBS: 302		
I cer		ropeller has bee		ccordance with a 100 hour insepo					
appr	aircraft, comporoved for return	n to service. Pe	SIGNED Kenneth Sch	ired and inspected in accordance on file at this facility under the a crado pair Station No. L90R473Y	bove W.O. number.	7	: 2289-11-2006		
_ = -									
							4.7		v
3 1		1							,
	A 2	-] 			,			, ee	я - У
}							14.1	ia i es	i ju
1				,				. **	* 1 * 1-2.
									سيجحت



Corporate Jets, Inc.

14600 North Airport Drive • Scottsdale, Arizona 85260 • (480) 948-2400

N218X Date: November 29, 2007 Model #Cirrus SR22 S/N 1134 **ACTT 319.1** PHC-J3YF-1RF S/N FP3179B PTT 319.1 PROPELLER LOG ENTRY

Accomplished 50, 100 hour inspection in accordance with the Cirrus SR22 maintenance manual.

12 month propeller lubrication.

I certify that this PROPELLER has been inspected in accordance with a 100 HOUR inspection and was found to be in an Airworthy Condition. W.O. CIR-027693

FAA CRS # LN3R663L

E.W.S.LTD 525 Sunset Blvd Wadsworth, OH 44281

Date: 12/3/2008

Tac:479.4 N218X

I certify that this prop has been inspected I/A/W a Annual inspection and was determined to be in a airworthy condition. E. W. Steward A&P 2835663 I.A.



1/2/2010	621.7	TISN	GREASED HUB. DRESSED BLADES AD'S THROUGH 2010-01 CHECKED FOR
	204.4	FLT HORES	Compliance. MONE APPLY
	1	Gertify That	The aircraft/engine/prop/component identified above was repaired and/or inspected in accordance with current FAA Regulations and
			ordance With A NUALY OF DESCRIPTION OF THE PLAN HAS Approved for Return to Service. Pertinent details of the repair inspection are on file at the agency under, inspection are on file at the agency under the agency u
	anopocadi	arting Dotom	Gertal 1982 1982 Signed Control of Portage Flight Center, LLC 4039 Nanway Blvd.
			FAA Certified Repair Station #B16R802H Ravenna, Ohio 44266
4/7/10	671.7	775N	CHECKED DYNAMIC BALANCE OF UNIT USING ACES 2020 SYSTEM. FOUND
	254.4	FUT HORD	S . 04 @ 166° NO ACTION TAKEN. Chutashu altyshis 2216069 IA
			inspiration And Defendined To Be in An Airworthy Concinor
219/11	759.3	7.T.SN	DRESSES BEADES. GREASES HOB. AD'S THROUGH 2011-03 CHEGGED FOR COMPLIANCE. NONE APPLY
	342 Fu	HT HOBBS	The aircraft/engine/prop/component identified above was repaired and/or inspected in accordance with current FAA Regulations and
	<i>)</i>		1 Certify Test This MEUER Has Been was Approved for Return to Service. Pertinent details of the repair/
			work Order #: 1076 Date: 2/9/11 Signed Church Chiph Chiph for Portage Flight Center, LLC
- 1			FAA Certified Repair Station #B16R802H Ravenna, Ohio 44266

Date	Pro TSN	peller TSO	A/C Hrs	Description of all operations pertaining to Airworthiness Directives, Service Documents, Overhaul, Major or Minor Repair, and Inspections.
3/9/12	970.1	7.I.5n(and dolo	DRESSED BLADES, GREASED HUB. AD'S THROUGH 2012-04 CHECKEN FOR
	467.9	FUGAT HOBBS	1 Certity	COMPLIANCEHOR BESU
			Insp	I Certify That This PROFELLER Has Been was Approved for Return to Service. Pertinent details of the repair/ Inspected in Accordance With A. J. ANJULA! Signed Month. Sign
4/1/13	1064.9 550.2	T.T.Sm FLIGHT HOBBS		DRESSED BLADES. GREASED HUB. AD'S THROUGH 2013-06 CHECKED FOR
		7-17		1 Certify That This <u>PROPELLED</u> Has Been
W6#	11422	Gertify The specied in A	t This coordance h	Inspected in Accordance With Av. Add Long Inspection And Determined To Be In An Airworthy Condition Inspected in Accordance With Av. Add Long Inspection And Determined To Be In An Airworthy Condition Inspected in Accordance With Av. Add Long Inspection And Determined To Be In An Airworthy Condition Inspection And Determined To Be In An Airworthy Condition



5/2/14	1222-4	DRESSED BLADES GREASED HUB AERUSHELL #6. AD'S THROUGH 2014-09
	687 FLIGHT HUBBS	CHECKED FUR COMPLIANCE. W/o# 11564
		1 Certify That This PROFERER_ Has Been
		Inspected in Accordance With AN ANNUAL
		Inspection And Determined To Be In An Airworthy Condition
		Chritophu a Hopkin 2216069 In
6/5/15	1339.1	AD'S THROUGH 2015-11 CHECKED FOR COM PLIANCE - MIONE APPLY
		I Certify That This <u>PROPELLED</u> Has Been $\omega/o \neq 11723$
		Inspected in Accordance With AN ANNUAL Inspection And Determined To Be In An Airworthy Condition Chry typh. a Hyph. 216069 IA
4 1		
B/13/16	1481,9	DRESSED BLADES. GREASED HUB. AD'S THROUGH 2016-11 CHECKED FOR COMPLIANCE
		I Certify That This Plopeller Has Been w/o ≠ 11852
		Inspected in Accordance With AN ANNUAL
,		spection And Determined To Be In An Airworthy Condition
		Mothew by Shovather AP3542093IA


Date	Prop TSN	peller TSO	A/C Hrs	Description of all operations pertaining to Airworthiness Directives, Service Documents, Overhaul, Major or Minor Repair, and Inspections.
8/21/17	N218X	HOBBS	1607 & 7	TT FLIGHT HOBBS 1016 HARTZELL PHC-J3YF-1 #FP3179B
GREAS	ED HUB	s, DRESS	ED BLA	DES. AD'S THROUGH 2017-17 CHECKED FOR COMPLIANCE. W/O # 12007
	nspected in		With AN	
Inspect	ion And Det	ermined To E	Be In An Airv	worthy Condition Wathew G Showeller AP3542093FA
_	8/	/27/18 N	218X H	OBBS 1729 & TT FLIGHT HOBBS 1118 HARTZELL PHC-J3YF-1 #FP3179B
	G	REASEI	O HUB, D	ORESSED BLADES. AD'S THROUGH 2018-17 CHECKED FOR COMPLIANCE. W/O # 12139
_				I Certify That This Propeller Has Been
_				Inspected in Accordance With An Annal
_				Inspection And Determined To Be In An Airworthy Condition Methew G Showether AP35420957A
FIN		P. E.A.		

1					
	05/15	/2019 N	218X PH	C-J3YF-1RF S/N FP3179B HOBBS & TT: 1814.5	
1	THIS	PROPE	LLER REI	MOVED FROM N218X FOR OVERHAUL. W/O # 12212	
†	Chi	v tepher (2. Haph	2216069 IA	
†_			1		
+					
T	\dashv				
+	\dashv				
+	\dashv				
+					
\bot					
\perp					
				The second secon	

Date	Prop TSN	eller TSO	A/C Hrs	Description of all operations pertaining to Airworthiness Directives, Service Documents, Overhaul, Major or Minor Repair, and Inspections.
				HARTZELL SERVICE CENTER One Propeller Place Piqua, Ohio 45356 U.S.A June 3, 2019 W/O:15657 S/N: FP3179B TSN: 1814.5 TSO: 0.0 Pertinent details of the work performed are specified on the provided FAA Form 8130-3, Tracking Number MJ86420, Dated 6-3-19. Paul Schiml Repairman # Repair Station # SJ3R843L
		1 12 1		



Date	Propeller TSN TSO	A/C Hrs	Description of all operations pertaining to Airworthiness Directives, Service Documents, Overhaul, Major or Minor Repair, and Inspections.	
8	/26/19 HARTZ	ZELL P	HC-J3YF-1RF/F7693DFP S/N FP3179B HOBBS 1814.5 SPOH O.O	
W	7/O # 15657. IN	NSTALI	LED AFTER OVERHAUL BY HARTZELL SERVICE CENTER UNDER LATION COMPLETED USING SECTION 61-00-15 OF THE PROPELLER AD'S THROUGH 2019-17 CHECKED FOR COMPLIANCE W/O 12212	
			I Certify That This Hope (ler Has Been Inspected in Accordance With A N Annual Inspection And Determined To Be In An Airworthy Condition Wather G Shower HAR 354 20931A	



Date	Prop TSN	eller TSO	A/C Hrs	Description of all operations pertaining to Airworthiness Directives, Service Documents, Overhaul, Major or Minor Repair, and Inspections.
			10/17/202	2 N218X HARTZELL PHC-J3YF-1 S/N FP3179B HOBBS 2124.7 SPOH 309.8
				D HUB AND DRESSED BLADES AS NEEDED. AD'S THROUGH 2022-21 CHECKED W/O 12536
			W	CERTIFY THIS PROPELLER HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN IRWORTHY CONDITION. MATTHEW G SHOWALTER AP 3542093 IA MATTHEW G Shewalter AP 5540293 FA
		DF	RESSED B OR COMPI I CEI WITH AIRW MA	N218X HARTZELL PHC-J3YF-1 S/N FP3179B HOBBS 2231.9 SPOH 444.6 LADES AND GREASED HUB AS NEEDED. AD'S THROUGH 2023-22 CHECKED W/O 12654 RTIFY THIS PROPELLER HAS BEEN INSPECTED IN ACCORDANCE HAN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN VORTHY CONDITION. ATTHEW G SHOWALTER AP 3542093 IA