

The Standard Aircraft Log  
SA-1

© 1993 Aviation Supplies & Academics, Inc.

ISBN 1-56027-164-7  
ASA-SA-1

All rights reserved.  
Reproduction or use, without  
expressed permission, in any manner,  
is prohibited.

Published by  
Aviation Supplies & Academics, Inc.  
7005 132nd Place SE  
Renton, WA 98059-3153

Printed in Canada



P N R A S A - S A - 1



9 781560 271642

### Aircraft Record General Information

Manufacturer YAKOVLEV Model YAK-52  
Serial 878009 Registration Number N209YA  
Date of Manufacture 1987  
Engine(s) currently installed:  
Manufacturer VANDENEV Model M-14P Serial KYA642046  
Manufacturer \_\_\_\_\_ Model \_\_\_\_\_ Serial \_\_\_\_\_  
Propeller(s) currently installed:  
Manufacturer VPERIOD Model V530T-A  
HUB Model \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_  
Blade Model \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_  
Blade Model \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_

**Registered Owner Record**Name MAURICE KURG Address Nisky Mail Center, Box 224City St. Thomas State VI From \_\_\_\_\_ To \_\_\_\_\_

Name \_\_\_\_\_ Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Name \_\_\_\_\_ Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Name \_\_\_\_\_ Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Name \_\_\_\_\_ Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Name \_\_\_\_\_ Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

All Times Brought Forward From  
RUSSIAN LOGS.




**11 JULY 1996 — TOTAL TIME 286.9 HRS.** Reassembled aircraft. Checked all controls for proper travel. Lubricated all controls. Disassembled cleaned and adjusted brakes. Repacked all wheel bearings. Performed gear retract and extension. Performed emergency gear extension. Punch tested fabric covering on rudder, elevators and ailerons using maule tester. Fabric tested above minimum requirement of FAR 43.13 chapter 3 section 4 para 181. Installed U.S. altimeter front cockpit. Leak tested static system. Installed transponder and encoder. Installed ELT. Tested Elt in accordance with action notice Labeled all controls, instruments, and warning lamps in English in accordance with appropriate sections of FAR 23. Aircraft marked with data plate, registration numbers N209YA and "experimental" placard by entrance in accordance with FAR part 45. Aircraft weighed see separate entry. I certify that the above described work was accomplished with the manufacturers instructions and acceptable practices of FAR part 43.13.

I certify that this aircraft was inspected with the scope and detail of FAR part 43 appendix D for an **ANNUAL** inspection and was determined to be in airworthy condition.

George S. Coy A&P 58364096 IA at Swanton Vermont

[illegible]

| DATE<br>19__                                                                                                                                                                                                                                                                                                                                                                                                                    | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 28 July 1996                                                                                                                                                                                                                                                                                                                                                                                                                    |                           |                   |                             |                                                                                                                                                                                                                |
| <p>I CERTIFY THAT THE PRESCRIBED FLIGHT TEST HOURS HAVE BEEN COMPLETED AND THE AIRCRAFT IS CONTROLLABLE THROUGHOUT ITS RANGE OF SPEEDS AND THROUGHOUT ALL MANEUVERS TO BE EXECUTED, HAS NO HAZARDOUS OPERATING CHARACTERISTICS OR DESIGN FEATURES AND IS SAFE FOR OPERATION. I FURTHERMORE CERTIFY THAT THIS AIRCRAFT HAS SUCCESSFULLY PERFORMED ALL THE AEROBATIC MANEUVERS AS DESCRIBED IN THE PILOTS OPERATING HANDBOOK.</p> |                           |                   |                             |                                                                                                                                                                                                                |
| <p style="text-align: center;"> <br/>           GEORGE S. COY 1637619 CFII         </p>                                                                                                                                                                                                                                                      |                           |                   |                             |                                                                                                                                                                                                                |

| DATE<br>19__    | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------|---------------------------|-------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (337.8) Δ=322.9 |                           |                   |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 12/17           | 14.9                      |                   | 337.8                       | <p>12-17-96 - TOTAL TIME 337.8 Hrs Hobbs</p> <p>TIME 14.9 Hrs. All inspection points</p> <p>Removed - AIRFRAME INSPECTED - CONTROL</p> <p>CABLES - RODS &amp; PULLEYS INSPECTED - AIRCRAFT</p> <p>ON JACKS - PERFORMED NORMAL &amp; EMERGENCY</p> <p>RETRACTION &amp; EXTENSION CHECKS OF GEAR -</p> <p>OPERATION NORMAL - INSPECTED BRAKES -</p> <p>CLEARED, INSPECTED &amp; REPACKED WHEEL BEARING</p> <p>I CERTIFY THAT THIS AIRCRAFT HAS BEEN</p> <p>INSPECTED IN ACCORDANCE WITH AN ANNUAL</p> <p>INSPECTION AND FOUND TO BE IN AIRWORTHY</p> <p>CONDITION <i>B. L. Mark</i> AIP488480419 I.A.</p> |



| DATE<br>19 <u>97</u> | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.) |
|----------------------|---------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6/24                 | 96.0                      |                   |                             | Removed & Replaced Rear Cockpit Landing Gear<br>Selector Valve. OPS & LK CK GOOD. Landed Landing<br>Gear & serviced all tires <i>Chris Christ</i><br>A. #216 HRSOIA                                            |
| 6/30                 | 97.0                      |                   |                             | REMOVED AND REPLACED BOTH MAIN WHEEL<br>AND BRAKE ASSEMBLYS. OPS CHECKED<br>GOOD <i>Chris Christ</i> AP301443741                                                                                               |
|                      |                           |                   |                             |                                                                                                                                                                                                                |
|                      |                           |                   |                             |                                                                                                                                                                                                                |
|                      |                           |                   |                             |                                                                                                                                                                                                                |
|                      |                           |                   |                             |                                                                                                                                                                                                                |
|                      |                           |                   |                             |                                                                                                                                                                                                                |
|                      |                           |                   |                             |                                                                                                                                                                                                                |
|                      |                           |                   |                             |                                                                                                                                                                                                                |

| DATE<br>19 <u>97</u> | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                      |
|----------------------|---------------------------|-------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7/02                 | 101.0                     |                   | 423.9                       | Replaced Propeller Cylinder Seals. OPS &<br>LK SA <i>Chris Christ</i><br>A. #216 HRSOIA                                                                                                                                                             |
| 8/20                 | 115.0                     |                   | 437.9                       | AT50 SA<br>COMPLAINING... AGENCY/3RD<br>DIGIT CHANGE<br>CONFIRMED LOCATED CORROSION ON<br>SELECTOR DECK<br>CLEANED... CONNECTIONS.<br>UNIT OPS CHECKED<br>PERFORMED... GRATION<br>CHECK<br><br>REPAIR STATION<br>#H6HR776J<br><br>228-3424/219-5352 |
|                      |                           |                   |                             |                                                                                                                                                                                                                                                     |
|                      |                           |                   |                             |                                                                                                                                                                                                                                                     |
|                      |                           |                   |                             |                                                                                                                                                                                                                                                     |
|                      |                           |                   |                             |                                                                                                                                                                                                                                                     |
|                      |                           |                   |                             |                                                                                                                                                                                                                                                     |
|                      |                           |                   |                             |                                                                                                                                                                                                                                                     |
|                      |                           |                   |                             |                                                                                                                                                                                                                                                     |

| DATE<br>19 <u>98</u> | RECORDING<br>TACH<br>TIME<br><u>HERAJ</u> | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------|-------------------------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| JAN 9,               | 150.2                                     |                   | 473.1                       | PURGED BOTH AIR BOTTLES, CLEANED & LUBED INSIDE OF BOTTLES, REINSTALLED, SERVICED, LK C/O GOOD.<br>REPAIRED CRACK IN FRONT COCKPIT CENTER FLOOR UNDER SEAT. LUBED ALL CONTROL CABLES, HINGE POINTS & LANDING GEAR. REPLACED RT NAV LIGHT LAMP REMOVED FRONT COCKPIT RT RUDDER CABLE TURNBUCKLE. SERVICED TINES. PAINTED PROP BLADE FACES, DEMOY CONSOLE LIGHTS. MAINTAINED ALPT. I CERTIFY THAT THIS AIRCRAFT WAS INSPECTED IN ACCORDANCE WITH A 100HR (ANNUAL) INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION. <u>[Signature]</u><br>(W/ELT INSPECTION) <u>AP2164450IA</u> |

| 0-322A               |                           |                   |                             |  | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                                                                                                                                                                                                                |
|----------------------|---------------------------|-------------------|-----------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DATE<br>19 <u>99</u> | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE |  |                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| FEB 9                | 283.4                     |                   | 606.3                       |  | INSTALLED NEW TINES ALL GEAR, RELEASED FADINGS ON RUDDER HULL, INITIATED BOWTIE STRAP ON RUDDER HULL, DEMOY BOTTOM PLATE AT FULL TIME FULLEST ACHE. CLEANED & PAINTED BOTTOM BATTERY BOX, I CERTIFY THAT THIS AIRCRAFT INSPECTED IN ACCORDANCE WITH A 100HR (ANNUAL) INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION.<br>99/02/09 <u>[Signature]</u> <u>AP2512948IA</u><br>C/W ELT CK OK CK OK <u>[Signature]</u><br>42961714 |
| JUN 30               | 30.0                      |                   |                             |  | CHAND + GRAVED Ldg GEAR                                                                                                                                                                                                                                                                                                                                                                                                                       |







| DATE    | TACH TIME | TODAY'S FLIGHT | TOTAL TIME IN SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                                                                                                                                                  |
|---------|-----------|----------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2001    |           |                |                       |                                                                                                                                                                                                                                                                                                                                                                                 |
| AUG 1   | 408.5     |                | 408.5                 | This Aircraft has been inspected and has been found safe for the intended flight in accordance with Special Flight Permit dated July 27, 2001.<br>AP 2148850 JA                                                                                                                                                                                                                 |
| 8/18/01 | 423.8     |                | 766.5                 | I find that this aircraft, N209YA, YAKOVLEV YAK-52, SERIAL 878009, meets the requirements for the certification requested and have issued a Special Experimental/Exhibition Airworthiness Certificate dated 8/18/2001. The next condition inspection is due in June 2002.<br>Benjie P. Coleman<br>BENJIE P. COLEMAN — August 18, 2001<br>AVIATION SAFETY INSPECTOR, ASO-FSDO-15 |

| DATE    | RECORDING TACH TIME | TODAY'S FLIGHT | TOTAL TIME IN SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                                                                                                                                                                                                                                  |
|---------|---------------------|----------------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6-01-08 | Hobbs               | 11.8           | 797.9                 | Replaced Hobbs meter old Hobbs 443.4 new Hobbs reads 11.8. Total Hobbs Reading 797.9. Installed Two Main Ties Treated minor surface corrosion on left hand Fuel Tank Cover. Cleaned & Treated 2 Air Storage Batteries with glycol leak checked OK. Replaced Pulley in Aft fuselage on UP elevator cable. Replaced AHT Batteries. Tested AHT. Inspected Aircraft in accordance with FAR 43 Appendix D and YAK 52 Aircraft inspection checklist.<br>- continued - |

| DATE<br>19__ | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair<br>Facility. (See back pages for other specific entries.)                                                   |
|--------------|---------------------------|-------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6-1-03       |                           |                   | 757.9                       | I certify that this Aircraft has been<br>inspected on 6-01-03 in accordance with<br>The scope & detail of the TAA 52 inspection<br>checklist and FAR 43 Appendix D and<br>found to be in a condition for safe<br>operation.<br>Jeffrey D. Mitchell 183465461 AP, IA |

©ASA 1993

| DATE<br>19__ | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br><small>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)</small> |
|--------------|---------------------------|-------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12-4-03      |                           |                   |                             | The ATC Transponder test required by FAR 91.413 was performed and complies with FAR 43 Appendix F.                                                                                                                            |
|              |                           |                   |                             | The <del>Altitude</del> /Altitude Reporting Test required by FAR 91.411 was performed and complies with FAR 43 Appendix E.                                                                                                    |
|              |                           |                   |                             | W/O # <u>2100</u> Date <u>12-4-03</u>                                                                                                                                                                                         |
|              |                           |                   |                             | Signature <u>[Signature]</u> CRS# <u>G43R643N</u>                                                                                                                                                                             |
|              |                           |                   |                             | <b>Avionics Installations, Inc.</b><br>1200 Flightline Blvd. #4<br>DeLand, FL 32724<br>386-785-0100                                                                                                                           |

© ASA 199

| DATE<br>3/20/13 | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair<br>Facility. (See back pages for other specific entries.)                                                                                                                                                                                                                                                                                                                                        |
|-----------------|---------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MAR 5, 2005     | 1444                      | 30.3              |                             | I certify this aircraft has been inspected on MAR 5, 2005 in accordance with the Yak 52 checklist and the scope and detail of FAR 43, App D and found to be in a condition for safe operation.<br>W. J. P. 2638931 ——— TIRF, RWK Prop: 813.9                                                                                                                                                                                                                                                                                                             |
| MAR 4, 2007     | 1444                      | 70.4              | 1054.1                      | I certify that this aircraft has been inspected on MAR 4, 2007 in accordance with the YAK 52 checklist and the scope and detail of FAR 43, App D and found to be in a condition for safe operation. Installed fuselage system. Owner installed plumbing and electrical systems of the tank. ICA of 39 prop provided. Weight balance revised. App-15 Airframe Components Record removed, switch set to off, and Sata max instruments placed "inoperative". ECU battery due MAR 2013. ECU inspected & ok. Ground run - no leaks noted.<br>W. J. P. 2638931 |

© ASA 1980

| DATE<br>TO | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br><small>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)</small>                                                     |
|------------|---------------------------|-------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            |                           |                   |                             | The ATC Transponder test required by FAR 91.413 was performed and complies with FAR 43 Appendix F.                                                                                                                                                                                |
|            |                           |                   |                             | W/O# <u>3463</u> Date <u>5-24-07</u>                                                                                                                                                                                                                                              |
|            |                           |                   |                             | Signature <u>Gary Rukitt</u> CRS# <u>G43R643N</u>                                                                                                                                                                                                                                 |
|            |                           |                   |                             | Avionics Installations, Inc.<br>1200 Flightline Blvd. #4<br>Deland, FL 32724<br>386-785-0106                                                                                                                                                                                      |
|            |                           |                   |                             | <u>Jul 1, 2008. Hours: 107.7. A/C: 8964 I certify that this aircraft has been inspected in accordance with the Year 52 checklist and the scope and detail of FAR 43, App D and found to be in a condition for safe operation. Signed:</u><br><u>[Signature]</u> <u>AW 3538831</u> |

| DATE<br>3010 | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair<br>Facility. (See back pages for other specific entries.)                                                                                                                                                                                                         |
|--------------|---------------------------|-------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Jan 18, 2010 |                           |                   |                             | ACIT, ENVT, PRAPI = 908.1. I certify that this aircraft<br>has been inspected on Jan 18, 2010 in accordance with the TAC 52 checklist<br>and the scope and detail of FAR 43, App D and found to be in a<br>condition for safe operation. Ground run - no defects noted.<br>W. J. Dyer 3638831                                                                                                                             |
| May 11, 2011 |                           |                   |                             | ACIT, ENVT, PRAPI = 931.4. I certify that this aircraft<br>has been inspected on May 11, 2011 in accordance with the TAC 52 checklist<br>and the scope and detail of FAR 43, App D and found to be in a<br>condition for safe operation. Ground run - no defects noted. General<br>check and service. Reinstalled left fuel tank. Replaced (by owner)<br>ELI buttons. ELI up check. Batt Dur MAR 2017. W. J. Dyer 3638831 |

| DATE<br>3012 | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair<br>Facility. (See back pages for other specific entries.)                                                                                                                                                                                                                           |
|--------------|---------------------------|-------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Nov 4, 2012  |                           |                   |                             | ACIT, ENVT, PRAPI = 958.9. I certify that this aircraft has been<br>inspected on Nov 4, 2012 in accordance with the TAC 52 checklist and the<br>scope and detail of FAR 43, App D and found to be in a condition for<br>safe operation. Ground run - no defects noted. General check and service. Checked<br>all three of the tires, and tubes, with new: NG 444 13006, NG 444 13007,<br>and NG 444 13011. ELI up check. W. J. Dyer 3638831 |

| DATE<br>19__ | RECORDING<br>TACH<br>TIME | TODAY'S<br>TOTAL                                                                                                                                                                                                                                                                                                                                                                                      | Description of Inspections, Tests, Repairs and Alterations | Plan or Repair |
|--------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|----------------|
|              |                           | Date: 03/06/2016                                                                                                                                                                                                                                                                                                                                                                                      | Hours: Hobbs 249.6                                         | Tail: N209YA   |
|              |                           | Make: Yakovlev                                                                                                                                                                                                                                                                                                                                                                                        | Model: YAK-52                                              | S/N: 878009    |
|              |                           | TTA 1035.7                                                                                                                                                                                                                                                                                                                                                                                            |                                                            |                |
|              |                           | Aircraft was service per Yak 52 service manual. ELT operational check per FAR 91.207(d). install rebuilt forward air valve control. service air bottle. adjust brakes. I certify that this Aircraft has been inspected in accordance with the scope and detail of FAR 43 (d) and Yak inspection guide on this date for Annual condition inspection and found to be in a condition for safe operation. |                                                            |                |
|              |                           | <div style="transform: rotate(-45deg);">             NO FLYING FOLLOW-UPS           </div>                                                                                                                                                                                                                                                                                                            |                                                            |                |
|              |                           | Name: Gary W. Franks                                                                                                                                                                                                                                                                                                                                                                                  | Cert: A&P 2026150                                          |                |
|              |                           | Co: Cherokee Aero Services                                                                                                                                                                                                                                                                                                                                                                            | Signed: <u>Gary W. Franks</u>                              |                |

| DATE<br>19__ | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.) |
|--------------|---------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3-19-2016    |                           |                   |                             | REPLACE LEFT MAIN TIRE, REBUILT 3 SHOCK VALVES                                                                                                                                                                 |
| TACH 1036.7  |                           |                   |                             | (AIR) - REPLACE SEAR PLATE & AIRCRAFT SWITCH                                                                                                                                                                   |
|              |                           |                   |                             | REPLACE WLG ACTIVATOR SIN 5286                                                                                                                                                                                 |
|              |                           |                   |                             | Thompson                                                                                                                                                                                                       |
|              |                           |                   |                             | A&P 2026150                                                                                                                                                                                                    |





| DATE          | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair<br>Facility. (See back pages for other specific entries.)                                                                                                                                                                                                  |
|---------------|---------------------------|-------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2021<br>01-09 | 1008.85<br>864.2          |                   | 1050.3                      | Airframe serviced, lubricated & inspected<br>per mfg service manual & FAR 43 D<br>Annual/100 hr criterion. Aircraft<br>found to be in airworthy condition<br>& approved for return to service.<br><i>[Signature]</i> A&P 2818890                                                                                                                                                                                   |
| 4/20/21       | 268.3                     |                   | 1054.4                      | REPLACED AIR TANKS WITH STAINLESS STEEL UNITS. REPLACED NOSE<br>TIRE - REPLACED WINDSHIELD (3 PCS) REPLACED SHUTTER CONTROL CABLE. INSTALLED<br>NAS 6605-10 BOLTS ON MOTOR MOUNT LEGS - REPLACED MOTOR MOUNT RUBBERS. CRACK<br>BLAST INSPECT & REPAIR MOTOR MOUNT RING & LEGS - TUNED MAGS - REPLACED OIL &<br>FUEL HOSES AS NEEDED - INSTALLED NEW COMPASS'S FRONT & REAR - INSTALLED<br>FOOD PLATE IN TAIL CONE. |

| DATE    | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair<br>Facility. (See back pages for other specific entries.)                                                                                                          |
|---------|---------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4/20/21 | 268.3                     |                   | 1054.4                      | I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED IN<br>ACCORDANCE WITH THE SCOPE & DETAIL OF APPENDIX D<br>NEW ELT BATTERIES INSTALLED DE 14 CFR Part 43 AND WAS FOUND TO BE IN A CONDITION<br>ELT TESTED PER FAR 91.207(d) FOR SAFE OPERATION<br><i>[Signature]</i> SD5804413 JA                                                |
|         |                           |                   |                             | N209YA 12/9/2021 Hobbs 279.8<br>Removed Russian radio control head and intercom system and installed Dual control trig TY92 Comm<br>radio. Installed TC90 controllers in front and back cockpit. Installed new Commant CI122 Antenna.<br>Repaired wiring to Hobbs meter.<br>Chris McAllister A&P3828724 <i>[Signature]</i> |



