

Cessna®



ENGINE
AND PROPELLER LOG

N 1478F

SERIAL NO. 345410-6A

MAINTENANCE RELEASE

TYPE OF UNIT PROPELLER
MANUFACTURER MOORE
PART NO. 100-1000

WARRANTY:

All engines warranted against defect in material and workmanship to 250 hours, to include parts and labor. An additional pro-rated warranty, parts only to Full TBO. All parts and labor to be approved by AERO-TECH ENGINEERING prior to commencement of work. Cracked cylinders and crankcase excluded from all warranties unless it can be determined that they are a direct result of improper assembly. Loss of revenue or use of aircraft claims will not be allowed. All warranty adjustments will be based on a minimum of 30 hours per month usage. Accessory items to be warranted by vendor of such items.

AERO-TECH ENGINEERING

TCAM 1122

MAINTENANCE RELEASE

PROPERTY PROPELLER

OWNER MC CAULEY

172-EM7453

SERIAL No. E5835

Component identified above was repaired and inspected in accordance with current Civil Air Regulations and was found worthy for return to service.
All pertinent details of the repair are on file at this agency under WORK ORDER No. 38682 DATE 9-9-69
SIGNED [Signature] FOR

MAXWELL AIRCRAFT SERVICE, INC.
CRYSTAL AIRPORT • ROBBINSDALE, MINN.
FAA Approved Repair Station No. 3735

Comprehensive Recording of Engine
and Propeller Records

ENGINE DESCRIPTION				ENGINE LOG					
Mfr. <i>Continental</i>	Place	Date		DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS -- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
Type <i>Propeller</i>	Model <i>D 300 D</i>	Serial No. <i>3454-D 6-D</i>		1961	1 0	1 0			
Rated H. P. <i>141</i>	Maximum H. P. <i>141</i>	Weight (Dry)		0 25	1 25			<i>William E. Miller</i>	
Rated R. P. M. <i>2300</i>	Maximum R. P. M. <i>2300</i>	Oil Pressure						<i>William E. Miller</i>	
Bore	Stroke	Displacement							
Compression Ratio	Supercharger Ratio	Gear Ratio							
Propeller <i>McClellan</i>	Hub Design <i>10 x 24</i>	Hub Serial No. <i>55835</i>							
Blade Design	Blade Serial	Blade Serial	Blade Serial						
Maximum Hub H. P.	Maximum Blade H. P.								
Pitch <i>53"</i>	Diameter <i>24"</i>	Length							
Owner's Name									
Address				City		State			
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE									

ENGINE LOG					ENGINE LOG						
DATE	DURATION	ACCUMULATED TOTAL TIME HOURS (0.00)	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER	DATE	DURATION	ACCUMULATED TOTAL TIME HOURS (0.00)	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
1-16	5		Sky Harbor Air Service, Box 1292 Eppley Airfield, Omaha, Nebraska Date: 5-16-66 Inspection Performed on Powerplant in Compliance with Car 43: Directives Oil Changed <u>400 50W-20</u> Screens Cleaned Sparkplugs Checked and Gapped. Compression Magnetos and Points. Harness Checked Fuel System Checked. Filter Cleaned Propeller and Spinner. Engine Washed Cowling Checked. Engine Controls Engine-Run-Up and Checked for Security and Leaks All AD's Thru 66-227 CW See Last Page For a Complete List of AD's. Tech Reading 5.0 Total Time in Service I Certify that this Powerplant has been inspected in accordance with CAR 43: Directives and found to be in airworthy condition. Signature: <u>H. A. Muehlen</u> Apr 17 Sky Harbor Air Service, Omaha, Nebr.			1-17	5		25 hour inspection, oil changed, screens cleaned, cowling & belly washed down, check & service brakes, battery and electrical system checked and adjusted, engine lighting checked. Sky Harbor Air Service, Omaha, Nebraska	SKY HARBOR AIR SERVICE Repair Sta. Eppley Field Omaha, Nebr.	
1-23	76		25 hour inspection, oil changed, screens cleaned, engine & belly washed down, checked & serviced brakes, battery and electrical system checked and adjusted, engine lighting checked. Sky Harbor Air Service, Omaha, Nebraska	SKY HARBOR AIR SERVICE Repair Sta. Eppley Field Omaha, Nebr.							

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG					
DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS -- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
12-11-67	11:45	98	25 hour inspection, oil changed, screens cleaned, engine & battery washed down, checked & replaced battery and tires, interior & engine compartment craft lighting checked. <i>Thomas</i> SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA	SKY HARBOR AIR SERVICE Repair Sta. # 3018 Eppley Field Omaha, Nebr.	
12-12-67	153		25 hour inspection, oil changed, screens cleaned, engine & battery washed down, checked & replaced battery, tires and tires, interior & engine compartment craft lighting checked. <i>Thomas</i> SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA	SKY HARBOR AIR SERVICE Repair Sta. # 3018 Eppley Field Omaha, Nebr.	

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG					
DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS -- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
Sky Harbor Air Service, Box 1352 Eppley Airfield, Omaha, Nebraska Date 1-31-67 Inspection Performed on Powerplant in Compliance with Car 48; Directives Oil Changed ☒ Screens Cleaned ☒ Sparkplugs Checked and Gapped ☒ Compression ☒ Magnets and Points ☒ Harness Checked ☒ Fuel System Checked ☒ Filter Cleaned ☒ Propeller and Spinner ☒ Engine Washed ☒ Cowling Checked ☒ Engine Controls ☒ Engine-Run-Up and Checked for Security and Leaks ☒ All AD's Thru 67-5 CW See Last Page For a Complete <i>SKY HARBOR</i> List of AD's ☒ Tach Reading <i>97</i> <i>Repair</i> Total Time in Service ☒ <i>ATR SEPA</i> I Certify that this Powerplant has been inspected in accordance <i>3018</i> with a <i>128 hr</i> inspection and was found to be in airworthiness <i>Eppley F.</i> condition. <i>Omaha, Nebr.</i> Signature <i>Thomas</i>					

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG					
DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS -- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
II		HOURS : MIN			
			Sky Harbor Air Service, Box 1282 Eppler Airfield, Omaha, Nebraska		
			Date: <u>3-25-67</u>		
			Inspection Performed on Powerplant in Compliance with Car 43; Directives		
			Oil Changed ☒ Screens Cleaned ☒		
			Sparkplugs Checked and Gapped <u>100</u> Compression ☒		
			Magnetos and Points ☒ Harness Checked ☒		
			Fuel System Checked ☒ Filter Cleaned ☒		
			Propeller and Spinner ☒ Engine Washed ☒		
			Cowling Checked ☒ Engine Controls ☒		
			Engine-Run Up and Checked for Security and Leaks ☒		
			All AD's Thru <u>6716</u> CW See Last Page For a Complete		
			List of AD's		
			Total Time in Service Tach Reading <u>194</u> SKY HARBOR		
			I Certify that this Powerplant has been inspected in accordance with a <u>100 hr</u> inspection and was found to be in airworthy condition. 2018		
			Signature: <u>Bob Mahan</u> APs for Eppler Field Omaha, Nebr.		
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE					

ENGINE LOG					
DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS -- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
II		HOURS : MIN			
			Tach Time <u>217</u> hrs		
			25 hour inspection, oil changed, screens		
			cleaned, engine & belly washed down,		
			inspected & serviced brakes, battery and		
			tires, interior & floor cleaned and air-		
			craft lighting checked. <u>Bob Mahan</u>		
			SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA		
				SKY HARBOR	
				AIR SERVICE	
				Repair Sta.	
				# 3018	
				Eppler Field	
				Omaha, Nebr.	
			25 hour inspection, oil changed, screens		
			cleaned, engine & belly washed down,		
			checked & serviced brakes, battery and		
			tires, interior & floor cleaned and air-		
			craft lighting checked. <u>Bob Mahan</u>		
			SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA		
				SKY HARBOR	
				AIR SERVICE	
				Repair Sta.	
				# 3018	
				Eppler Field	
				Omaha, Nebr.	
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE					

ENGINE LOG					
DATE	DURATION	ACCUMULATED TOTAL TIME HOURS (0/100)	REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
5-16		22	25 hour inspection, oil changed, harness checked, engine & belly washed down, checked & serviced brakes, landing gear, tires, interior & glass cleaned and gear craft lighting checked. <i>[Signature]</i>		
			SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA	SKY HARBOR AIR SERVICE	
				REGENT ST.	
				Eppler Field	
				Omaha, Neb.	
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE					

ENGINE LOG					
DATE	DURATION	ACCUMULATED TOTAL TIME HOURS (0/100)	REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
5-27		247	Sky Harbor Air Service, Box 1252 Eppler Airfield, Omaha, Nebraska		
			Date: 5-27-67		
			Inspection Performed on Powerplant in Compliance with Car 43: Directives		
			Oil Changed..... Screens Cleaned.....		
			Sparkplugs Checked and Gapped..... Compression.....		
			Magnets and Points..... Harness Checked.....		
			Fuel System Checked..... Filter Cleaned.....		
			Propeller and Sprocket..... Engine Washed.....		
			Cowling Checked..... Engine Controls.....		
			Engine Run-Up and Checked for Security and Leaks.....		
			All AD's Thru 67-16-CW See Last Page For a Complete		
			List of AD's..... Task Reading 247		
			Total Time in Service.....		
			I Certify that this Powerplant has been inspected in accordance		
			with a <u>Annual</u> inspection and was found to be in airworthy		
			condition.		
			Signature <i>[Signature]</i> AP# 139766 J. A.		
CAR					

ENGINE LOG		SIGNATURE	LICENSE NUMBER
ON	REPAIRS - ADJUSTMENTS		
ACCUMULATED TOTAL TIME			
HOURS			
1355	Replaced Alternator: old one had broken wire in rotor - was also burned. Maximum Release attached.		
	D. F. Montheil apt # 235881		
	Changed oil - reason because alternator removed.		
	D. F. Montheil		
	Installed new propeller 1/4" cant,		
	D. F. Montheil apt # 235881		

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

DATE	DURATION	REMARKS	LICENSE NUMBER
		NOTE: This tag should be attached to the logbook of the aircraft or engine on which the component was installed.	
		Supplemental work order number	
		Done in accordance with a	
		Inspection and found it to be in an airworthy condition for use.	
		Total Hours	
		D. F. Montheil	
		D. F. Montheil A & P #235881	
		Differential	
		1977/77/76/74/72/70/68/66/64/62/60/58/56/54/52/50/48/46/44/42/40/38/36/34/32/30/28/26/24/22/20/18/16/14/12/10/8/6/4/2/0	

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

THREE RIVERS, MICHIGAN 49093, U.S.A.
 Phone (616) 279-5211
 APPROVED REPAIR STATION NO. 3778
 F.A.A. FORM 337-1 (11-79)
 MAGNETIC AND FLUORESCENT INSPECTION
 WARD
 LOGBOOK OF MAINTENANCE INSPECTION
 NOTE: This tag should be attached to the logbook of the aircraft or engine on which the component was installed.

ENGINE LOG																							
DATE	DURATION	ACCUMULATED TOTAL TIME HOURS 10th	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER																		
30 June 1977	1409		Checked compression - cleared and re-greased spark plugs - checked valve timing - greased br. fits - checked oil pressure, replaced oil checked muffler and hot muffler, replaced engine. Completed with 40 lbs. head arm inspection engine. <i>Shubert Raster</i> I have inspected this engine in accordance with a 100 hr. inspection and found it to be in an airworthy condition. Signature: <i>D. F. Moulton</i> Date: <i>30 June 1977</i> Differential Compression Check <table border="1"> <tr> <td>#1</td> <td>#2</td> <td>#3</td> <td>#4</td> <td>#5</td> <td>#6</td> <td>#7</td> <td>#8</td> <td>#9</td> </tr> <tr> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> </tr> </table> <i>Shubert Raster</i>	#1	#2	#3	#4	#5	#6	#7	#8	#9	80	80	80	80	80	80	80	80	80		
#1	#2	#3	#4	#5	#6	#7	#8	#9															
80	80	80	80	80	80	80	80	80															
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE																							

ENGINE LOG																							
DATE	DURATION	ACCUMULATED TOTAL TIME HOURS 10th	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER																		
1 Dec 77	1487		1487 hrs. <i>Shubert Raster</i> Differential Compression Check - I have inspected this engine in accordance with a 100 hr. inspection and found it to be in an airworthy condition. Signature: <i>D. F. Moulton</i> Date: <i>1 Dec 77</i> Differential Compression Check <table border="1"> <tr> <td>#1</td> <td>#2</td> <td>#3</td> <td>#4</td> <td>#5</td> <td>#6</td> <td>#7</td> <td>#8</td> <td>#9</td> </tr> <tr> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> <td>80</td> </tr> </table> <i>Shubert Raster</i>	#1	#2	#3	#4	#5	#6	#7	#8	#9	80	80	80	80	80	80	80	80	80		
#1	#2	#3	#4	#5	#6	#7	#8	#9															
80	80	80	80	80	80	80	80	80															
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE																							

INSPECTION		REPAIRS	
DATE	INSPECTED BY/CONDITION	DATE	REPAIRS MADE
			1-4% Change oil, Clean oil filter screen, Change glass, Change 4 plugs, padlock out on top ① 7% ② 6% ③ 7% ④ 7% ⑤ 6% ⑥ 7% Anti-rust coating, Copper 100% satisfactory, Wand engine stand
			I CERTIFY THAT THIS 2010 SAFARI WAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND IS DETERMINED TO BE IN GOOD CONDITION 1-1-1678 70496-AJNPMT <i>Paul Hule</i> I. A. 1470418

INSPECTION			REPAIRS		
DATE	INSPECTED BY	REPAIR STATION	DATE	REPAIRED BY	REPAIRS MADE
1 July 48	<i>W. J. Bogan</i>	C0714 and/or	1 July 48	<i>W. J. Bogan</i>	C0714 and/or
Inspected in accordance with a <i>General</i> inspection			Inspected in accordance with a <i>General</i> inspection		
and is approved for return to service. Permanent			and is approved for return to service. Permanent		
details are on file at this Repair Station under order			details are on file at this Repair Station under order		
No	DATE	INSPECTOR	No	DATE	INSPECTOR
142	6-17-48	1716	142	7-28-48	1750
TT	1716	<i>W. J. Bogan</i>	TT	1750	<i>W. J. Bogan</i>
F. A. A. Approved Repair Station C07-18			F. A. A. Approved Repair Station C07-19		

PROPELLER INSPECTION & REPAIRS

INSPECTION		REPAIRS	
DATE	INSPECTED BY	REPAIRED BY	REPAIRS MADE
Inspected in accordance with <u>FAA</u> inspection and is approved for return to service. Payment details are on file at this Repair Station under order # <u>784</u> <u>10-7-77</u> <u>1767.91</u>			
TT <u>1767.91</u>	<u>Inspector</u>		
F. A. A. Approved Repair Station 007-19			
<u>4/19/80</u>	<u>REMOVED VACUUM PUMP AND INSTALLED AIRBORNE "11641 PUMP</u>		
	<u>7/8/80</u>	<u>GEORGE MANUAK</u>	<u>Jeffrey E. Buckner P 11554659</u>
	<u>TACH TIME</u>	<u>1776.46</u>	

MEMORANDA

Date	
<u>April 21</u>	<u>1981 tach time 1722.4</u> <u>100 hours inspection for annual</u>
	<u>Complete check performed in accordance with a 50243 approved</u>
	<u>O. Rings checked and checked 3 new REM-100's installed. Magns checked</u>
	<u>and checked. Oil changed service with Phillips multi-grade. Oil draining</u>
	<u>checked fuel strainer filter checked. Compression checked 1/10 7/10 7/10 7/10</u>
	<u>7/10 7/10. Piston rings checked. Prop checked and painted. Engine</u>
	<u>run-up. Satisfactory. A certify that this engine has been inspected</u>
	<u>in accordance with a full hour inspection and determined to be in</u>
	<u>airworthy condition</u>
	<u>Kay J. Wilford</u>
	<u>ARB # 3379737</u>

MEMORANDA

297.6

Date

Aug 5 1982 Test time 1797.83, 397.6 SMOH; 100 hr inspection performed this date. No 6 cylinder removed due to low compression + rings were found to be badly worn, valves open. Both bushings were also found to be turned on the boss and bosses were unserviceable due to this. Installed substituted cylinder, rings provided by Cyclochrome (w/tear up book) and oil mist shutoff + replace carburetor + injectors on #6 cylinder. Replaced fuel line to fuel shutoff fuel line due to leakage + replaced #4 exhaust head gasket. Replaced fuel shutoff to pump fuel line. Replaced broken screw on right bottom. Removed lamp next from left + middle. Treated corrosion in battery box + repainted. Replaced maps in order to comply with AD # 80-06-05 and inspect components were checked + found satisfactory. Replaced + turned nuts. Pressed + painted propeller + applied painted sparrows. Replaced. Drained oil + changed screen + checked for metal. Serviced with 4 qt. and broke in new cylinder + check for oil leak OK. Check AD # 76-07-12 on bendix mag switch by shutting off engine with switch. I certify that this engine has been inspected in accordance with a 100 hr inspection and was found to be in airworthy condition. The bond W. Smith II APP 23864545

MEMORANDA

Date

4/22/83 TACH 1802.4 HRS installed new right mag with 100 HRS since overhaul SMOH 808422. 2nd overhaul 1549257
8-29/87 TACH 1705.1 HRS 397.6 SMOH 100 hr inspection completed in accordance with nondestructive inspection and FAR PART 43. Checked Pattern 83-15 installed new throttle control cable. I CERTIFY THAT THIS AIRCRAFT OR ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS FOUND TO BE IN AIRWORTHY CONDITION.
TOTAL TIME 1905.1 DATE 8-28-87
SIGNED FRANK R. GOULTER 1549357 IA

MEMORANDA

CLYDESDALE AIRCRAFT CORPORATION
P.O. BOX 100
COLUMBUS, MISSISSIPPI 39201
REPAIR ORDER NO. 111

ACCEPTED OR SERVICEABLE TAG

NAME CYL ASSY
TYPE O-200
P.O. 7-15-82
DATE 1 ea
QTY 1 ea
QTY ORDERED 1 ea
QTY SHIPPED 1 ea
QTY RETURNED 1 ea
QTY IN STOCK 1 ea

REMARKS: REPAIR BY C/L H/100, NEW ASSY.
REMARK: NO DATA, RETURN OK, OK
12/15/82 J. L. S. 100

INSPECTOR [Signature]

3. 2091
15 75217

PARTIAL MAINTENANCE RELEASE

MARK CONTINENTAL SERIAL NO. CYL ASSY.
MODEL O-200 UNIT NAME

I certify that the repair as listed on the reverse hereof made to the unit identified above is in accordance with Part 43 of the United States Federal Air



"LOOK FOR THE RED AND BLUE
CESSNA PENNANTS FOR THAT
EXTRA SERVICE WHERE IT COUNTS
WHEN YOU NEED IT."

CESSNA AIRCRAFT COMPANY WICHITA, KANSAS

Cessna®



ENGINE
AND PROPELLER LOG

N. 1478F SERIAL NO. 345410-610

WARRANTY:


All engines warranted against defect in material and workmanship to 250 hours, to include parts and labor. An additional pro-rated warranty, parts only to Full TBO. All parts and labor to be approved by AERO-TECH ENGINEERING prior to commencement of work. Cracked cylinders and crankcase excluded from all warranties unless it can be determined that they are a direct result of improper assembly. Loss of revenue or use of aircraft claims will not be allowed. All warranty adjustments will be based on a minimum of 30 hours per month usage. Accessory items to be warranted by vendor of such items.

AERO-TECH ENGINEERING

MAINTENANCE RELEASE

TYPE OF UNIT PROPELLER
MANUFACTURER McCABLEY
MODEL 10172-EM7653 SERIAL No. E5835
The component identified above was repaired and inspected in accordance with current Civil Air Regulations and was found airworthy for return to service.
Pertinent details of the repair are on file at this agency under
WORK ORDER No. 38482 DATE 9-9-69
SIGNED [Signature] FOR

MAXWELL AIRCRAFT SERVICE, INC.
CRYSTAL AIRPORT • ROBBINSDALE, MINN.
FAA Approved Repair Station No. 3713



ENGINE DESCRIPTION			
Mfr. <i>Continental</i>	Place		Date
Type <i>Leppard</i>	Model <i>0.34-D</i>	Serial No. <i>34541-06-D</i>	
Rated H. P. <i>141</i>	Maximum H. P. <i>141</i>	Weight (Dry)	
Rated R. P. M. <i>2200</i>	Maximum R. P. M. <i>2200</i>	Oil Pressure	
Bore	Stroke	Displacement	Cu. In.
Compression Ratio	Supercharger Ratio	Gear Ratio	
Propeller <i>McCawley</i>	Hub Design <i>C-22</i>	Hub Serial No. <i>E5835</i>	
Blade Design	Blade Serial	Blade Serial	Blade Serial
Maximum Hub H. P.	Maximum Blade H. P.		
Pitch <i>53"</i>	Diameter <i>26"</i>	Length	
Owner's Name			
Address		City	State

[illegible]

[illegible]

ENGINE LOG					
DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS -- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
1-6-7					
1-8-41	57	7	25 hour inspection, oil changed, screens cleaned, engine & belly washed down, checked & serviced brakes, battery and wires, interior & glass cleaned, and air- craft lighting checked. <i>W. M. M. M.</i> SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA	SKY HARBOR AIR SERVICE Repair Sta. # 3018 Eppley Field Omaha, Nebr.	
1-23	76	4	25 hour inspection, oil changed, screens cleaned, engine & belly washed down, checked & serviced brakes, battery and wires, interior & glass cleaned, and air- craft lighting checked. <i>W. M. M. M.</i> SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA	SKY HARBOR AIR SERVICE Repair Sta. # 3018 Eppley Field Omaha, Nebr.	

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG					
DATE	DURATION	ACCUMULATED TOTAL TIME HOURS	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
18 6 72		114 90	25 hour inspection, oil changed, screens cleaned, engine & belly washed down, checked & serviced brakes, battery and tires, interior & glass cleaned and air- craft lighting checked. <i>Tom M. L.</i> SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA	SKY HARBOR AIR SERVICE Repair Sta. # 3018 Opplay Field Omaha, Nebr.	
7/20/72		153	25 hour inspection, oil changed, screens cleaned, engine & belly washed down, checked & serviced brakes, battery and tires, interior & glass cleaned and air- craft lighting checked. <i>Tom M. L.</i> SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA	SKY HARBOR AIR SERVICE Repair Sta. # 3018 Opplay Field Omaha, Nebr.	

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG					
DATE	DURATION	ACCUMULATED TOTAL TIME HOURS [0-99]	REPAIRS -- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
			Sky Harbor Air Service, Box 1252 Eppley Airfield, Omaha, Nebraska		
		Date: <u>1-31-67</u>			
		Inspection Performed on Powerplant in Compliance with Car 43: Directives			
		Oil Changed ☒	Screens Cleaned ☒		
		Sparkplugs Checked and Gapped ☒	Compression ☒		
		Magnetos and Points ☒	Harness Checked ☒		
		Fuel System Checked ☒	Filter Cleaned ☒		
		Propeller and Spinner ☒	Engine Washed ☒		
		Cowling Checked ☒	Engine Controls ☒		
		Engines-Run-Up and Checked for Security and Leaks ☒			
		All A/D's Thru <u>87-3</u> CW See Last Page For a Complete	<u>SKY HARBOR</u>		
		List of A/D's	<u>AIR SERV</u>		
		Total Time in Service	Tach Reading <u>79</u>	<u>Repair</u>	
		I Certify that this Powerplant has been inspected in accordance with a <u>100 hr.</u> condition.	Inspection was found to be in airworthy condition.	<u>Eppley F</u>	
		Signature <u>[Signature]</u>	<u>Omaha, Neb</u>		
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE					

DATE		ACCUMULATED TOTAL TIME	ENGINE LOG		REPAIRS --- ADJUSTMENTS		SIGNATURE		LICENSE NUMBER	
19		HOURS [OTHS]								
			Sky Harbor Air Service, Box 1252 Eppeley Airfield, Omaha, Nebraska							
			Date <u>3-25-67</u>							
			Inspection Performed on Powerplant in Compliance with Car 43: Directives							
			Oil Changed ☒ Screens Cleaned ☒							
			Sparkplugs Checked and Gapped ☒ Compression ☒							
			Magnetos and Points ☒ Harness Checked ☒							
			Fuel System Checked ☒ Filter Cleaned ☒							
			Propeller and Spinner ☒ Engine Washed ☒							
			Cowling Checked ☒ Engine Controls ☒							
			Engine-Run-Up and Checked for Security and Leaks ☒							
			All AD's for <u>67-6</u> CW See Last Page For a Complete							
			List of AD's				SKY HARBOR			
			Total Time in Service		Tach Reading <u>194</u>		AIR SERVICE			
			I Certify that this Powerplant has been inspected in accordance with		Repair Sta.					
			with a <u>100 hr.</u> inspection and was found to be in airworthy		condition.		2018			
			Signature <u>EB MacLellan</u>		AP <u>for</u>		Eppeley Field			
							Omaha, Nebr.			
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE										

ENGINE LOG

DATE	DURATION	ACCUMULATED TOTAL TIME		REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
		HOURS	OTHER			
11 67 4/5/67				Perch Line 217462		
				25 hour inspection, oil changed, screens		
				cleaned, engine & belly washed down.		
				checked & serviced brakes, battery and		
				tires, interior & glass cleaned and air-		
				craft lighting checked. <i>Alm</i>		
				SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA	SKY HARBOR	
					AIR SERVICE	
					Repair Sta.	
					# 3018	
					Eppeley Field	
					Omaha, Nebr.	
20 April 67	24.4			25 hour inspection, oil changed, screens	SKY HARBOR	
				cleaned, engine & belly washed down.	AIR SERVICE	
				checked & serviced brakes, battery and	Repair Sta.	
				tires, interior & glass cleaned and air-	# 3018	
				craft lighting checked. <i>Alm</i>	Eppeley Field	
				SKY HARBOR AIR SERVICE, OMAHA, NEBRASKA	Omaha, Nebr.	

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
19 67		HOURS 107:48			

DATE	DURATION	ACCUMULATED TOTAL TIME HOURS (OTHER)	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
19 67					
5-27		287	Sky Harbor Air Service, Box 1252 Epley Airfield, Omaha, Nebraska Date <u>5-27-67</u> Inspection Performed on Powerplant in Compliance with Car 43: Directives Oil Changed ✓ Screens Cleaned ✓ Sparkplugs Checked and Gapped ✓ Compression ✓ Magneto's and Points ✓ Harness Checked ✓ Fuel System Checked ✓ Filter Cleaned ✓ Propeller and Spinner ✓ Engine Washed ✓ Cowling Checked ✓ Engine Controls ✓ Engine-Run-Up and Checked for Security and Leaks ✓ All AD's Thru <u>67-16</u> CW See Last Page For a Complete List of AD's Total Time in Service _____ Tach Reading <u>287</u> I Certify that this Powerplant has been inspected in accordance with <u>FAA</u> inspection and was found to be in airworthy condition. Signature <u>[Signature]</u> APA <u>139266 I.A.</u>		

[illegible]

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG <i>N 14787</i>					
DATE	DURATION	ACCUMULATED TOTAL TIME HOURS [Other]	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
7-31-68	Yack Reads 443 hr.		certify that this engine has been inspected in accordance with an ICAH inspection and was determined to be in airworthy condition	<i>Norman Wilkerson</i>	AP.1798967
8-11	459 hr oil changed		Mobil grade 100 SAE 50		
7-8	496 09 oil changed		Mobil SAE 50		
	523 86 oil changed				
10-15-68	Yack Reads 549 hr		certify that this engine has been inspected in accordance with an ICAH inspection and was determined to be in airworthy condition	<i>Norman Wilkerson</i>	AP.1798967

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG						N 1478 F
DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS --- ADJUSTMENTS		SIGNATURE	CLEARANCE NUMBER
IS		HOURS : MINUTES				
		550 22	Oil Change SAE 50			
4-23-69	Tack 653 hrs.		I certify that this engine has been inspected in accordance with an IAWCA inspection and was determined to be in air worthy condition. <i>(Signature) Herman Hendrich AP1928967</i>			
9-13-69	Tack 713 hrs &		I certify that this engine has been inspected in accordance with an IAWCA inspection and was determined to be in air worthy condition. <i>(Signature) Maxwell Aircraft Service Inc. work order 21682 Date 9-9-69 installed</i> <i>(Signature) Herman Hendrich DP 1798967</i>			
9-24-69	Tack 713		<i>I certify that TOL's Engine has been inspected in accordance with an Annual Inspection & was determined to be in satisfactory condition 13 SEP 69</i> <i>(Signature)</i> <i>DP PR 77747</i>			

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG		LICENSE NUMBER	
DATE	DURATION	ACCUMULATED TOTAL TIME	SIGNATURE
13		HOURS 10TH	
12-15-19 Took 798 hrs. I certify That This engine has been inspected in accordance with the light in- spection and was determined to be in air worth condition. Herman H. Heth AR 198967			
March 5-1970 took 897 hrs. 3-5-70 Changed oil bleed in gun - bleed at Screen cleaned air filter - installed new exhaust fuel pipe and also checked Spark Plug - new about time ago. May of installed new Ignition Switch - Put # C 501.012 Affiliated Inspection Check LF 7460 RF 4510 LC 7450 RC 7450 Notes on Motor Run, 1053 hrs. I have inspected this engine in accordance with the 1053 hrs. - inspected and found it to be in an air worth condition. Tech. 897 hrs. Date 3-5-70 AR 198967			

12-15-69 TACR 798 hrs. I certify that this engine has been inspected in accordance with my latest inspection and was determined to be in air craft condition. James M. Muth AR 1998967

March 5-1970 Tack 897 hrs - 3.5-70 Charges all cleared in gun - cleared all Screen
Blanch and Jetter - Detailed Jetter Exhaust and Pipe rack and
checked Spark Plug - new about time ago at May of Detailed new
Ignition Switch - Put # C 1501.0102 Differentiated compression check
Notes in Notes Book 1053 hrs - I have inspected this engine LF 7160 RF 45160
Reading tack 897 hrs - inspection with 100 hrs LC 7160 RC 7160
condition - inspection and found it to be in no air with LR 7060 RR 55160
Tech notes 897 hrs - Date 3-5-70
D. Monahan O.P. # 70081

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG

DATE	DURATION	ACCUMULATED TOTAL TIME		REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
		HOURS	10THS			
4-3-70		934		Changed oil - (cleaned air filter carb) Inspected fuel pump - Ignition Switch - 248881		
6-16-70		949		Changed & re-gapped spark plugs - checked mag timing. change oil - cleaned air filter - cleaned air ducts - checked mufflers checked engine - checked compression - #1 #2 #3 #4 #5 #6 A.D.# 70-12-6 Does not appear to be modified - 6780 6780 6780 6780 6780 6780		
				I have inspected this engine in accordance with a 100 hr inspection and found it to be in an airworthy condition. 949 Date 6-26-70 A.D.# 70-12-6 248880		

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG

DATE	DURATION	ACCUMULATED TOTAL TIME HOURS (OTH)	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
1971 4-29		1232	6-3-71 Top crankshaft - new Rings checked #627330-A1 Dashed - Rings - Replaced + set Valve - adjust all rocker arm Bars - Center cylinder - Right side had cracked Bars + Wings welded by Chris P. - saw cutting - loose - Maintenance Release attached - in rear of fog booth New set of spark Plugs - 6 new spark Plug Leads - Mobil Red brand oil - Detergent oil - 4 quarts checked Leak - test flow ok - checked Muffler - clean - oil Screen - Carb air Filter I have inspected this engine in accordance with a <u>100 hr</u> inspection and found it to be in an airworthy condition for VFR & <u>IFR</u> Flight Rules Tach. Reads <u>1232</u> Date <u>6-3-71</u> Total Hours <u>1232</u> <u>AB Minter</u>		

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE
G.P. Model A & V 4-23301-1

[illegible]

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ward
SUPPLY OF AIRCRAFT REPAIR PARTS

THREE RIVERS, MICHIGAN 49093, U.S.A. Phone (616) 279-5211

WORK ORDER Number 9406

Aircraft or Engine Accessory FORD GPD
 Manufacturer ALTERNATOR

Part Number 06FF10300
 Model 06FF10300 Serial No. W-15703

Original, Repair and/or Modify the Accessory listed on this form to the current Manufacturer's Specifications.

MAINTENANCE RELEASE

The component identified on the reverse of this tag was overhauled and/or repaired in accordance with the current Manufacturer's Specifications and is hereby released for return to service. Pertinent details of the repair are on file at this agency under

Signed [Signature] Date May 2 1977

Supplemental work order number 9406

ward
SUPPLY OF AIRCRAFT REPAIR PARTS

THREE RIVERS, MICHIGAN 49093, U.S.A. Phone (616) 279-5211

F.A.A. APPROVED REPAIR STATION NO. 3779
 AGENCY OF RECORD FOR THE FOLLOWING
 MAGNETIC AND FLUORESCENT INSPECTION

WA 000

DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS -- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
19		HOURS	OTHER		
			I have inspected this Engine in accordance with a Inspection and found it to be in an airworthy condition for use in U.S. flight. Its Tech. logs: 1326 Date 11-15-71 Total logs: 1326 B. Minter D. F. Minter A & P #235881 LA Differential Compression 11-15-71 1326 1326 1326 11-15-71 1326 1326 1326 11-15-71 1326 1326 1326	11-15-71 - checked engine checked & repaired checked Mag. Items checked oil level checked air filter checked oil checked muffler checked engine B. Minter 11-15-71 1326 1326 1326	

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

DATE	DURATION	ACCUMULATED TOTAL TIME	REPAIRS --- ADJUSTMENTS	SIGNATURE	LICENSE NUMBER																												
15	HOURS	10TH																															
22 June 1972	1409		<i>Checked over engine - cleaned and regapped spark plugs - checked mag timing - cleaned air filter - cleaned oil pump and oil checked mufflers and hot muffler. Checked engine - Complied with 40 hp test. No other inspection.</i>																														
I have inspected this <u>engine</u> <u>Overhaul starter</u> in accordance with a <u>log book</u> inspection and found it to be in an airworthy condition.																																	
Each Page	1409	Date	22 June 72	Differential Compression Check																													
<i>By</i> <u>Stanley</u>																																	
<i>Signature</i> <u>Stanley</u>																																	
				<table border="1"> <tr> <td>#1</td><td>#2</td><td>#3</td><td>#4</td><td>#5</td><td>#6</td><td>#7</td><td>#8</td><td>#9</td> </tr> <tr> <td>80</td><td>80</td><td>80</td><td>80</td><td>80</td><td>80</td><td>80</td><td>80</td><td>80</td> </tr> <tr> <td>72</td><td>72</td><td>77</td><td>77</td><td>77</td><td>77</td><td>77</td><td></td><td></td> </tr> </table>	#1	#2	#3	#4	#5	#6	#7	#8	#9	80	80	80	80	80	80	80	80	80	72	72	77	77	77	77	77				
#1	#2	#3	#4	#5	#6	#7	#8	#9																									
80	80	80	80	80	80	80	80	80																									
72	72	77	77	77	77	77																											

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

[illegible]

DATE	DURATION	ACCUMULATED TOTAL TIME HOURS	10THS	REPAIRS AND ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
12-1-73				THW 1500		
12-1-73				ENGINE MAJOR OVERHAUL, NEW MAIN BRG - Red Brgs, Rings, 9205 cyl, gaskets - EXH valve Red Bushing Rockers, gas, high leg - oil pump, gear STD Rings. All rods, gaskets, oil seals, oil pan, cam shaft polished. All work exact. Max. oil pressure 4.5. Replaced X-ray guys, 1 guyling. Chd. Crank New M-Camp, poppet, valve, 30 N.D. New M-Camp, poppet, valve, 30 N.D.		
12-1-73					I CERTIFY THAT THIS ENGINE ASSEMBLY HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND IS DEEMED TO BE IN A T.T. 1500 WHERE	
					<i>[Signature]</i> L.A. 1475618	

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

INSPECTION		REPAIRS	
DATE	INSPECTED BY	CONDITION	REPAIRS MADE
12-12-74	Ward	Low engine	Clean oil of fuel pump. Clean & tight plugs. Plug #1 w/ oil because of leak. Exhaust valve and cam and rocker bar and lost. Replaced lower part of lower due to misaligned tube. Piston inserted. Replaced lower engine's camshaft of major per AD 74-02-05. Parts inserted in left mag. Charge oil. Engine runs satisfactorily. EUB 62
			100%
			12-12-74

12-12-74 Wood house engine. Clean oil of fuel pump.
Clean start plugs fuel #1 up because of heavy carbon on
top and not returnable and lose. Replace lower part of fuel
line due to mechanical failure. Put in new injectors. Recheck
lock engine. Sampling of engine per AD 74-02-05 Parts
installed on left wing. Change oil. Engine runs satisfactorily.
ENR 12

I CERTIFY THAT THIS ~~ALPHABET~~ HAS BEEN INDEXED — 100%

INSPECTION 1 1

BE IN AIR 11 31

LI 16 21 Long Street

10/10/1944

12-12-77 LA 147619

PROPELLER INSPECTION & REPAIRS

INSPECTION			REPAIRS		
DATE	INSPECTED BY	CONDITION	DATE	REPAIRED BY	REPAIRS MADE
				1-4-76	Change oil, Clean oil, fuel system, Clean oil, fuel 7 plugs, Rebalance, test as follows ① 75% ② 65% ③ 75% ④ 75% ⑤ 65% ⑥ 75% test engine control engine running satisfactorily. West engine send.
				168 240H	
				740H 1618	
					I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND IS DETERMINED TO BE IN AIRWORTHY CONDITION. T.T. 1678 PRIEBE AIRPORT LARRY PRIEBE I. A. 1475619

PROPELLER INSPECTION & REPAIRS

INSPECTION		REPAIRS	
DATE	INSPECTED BY	REPAIRS MADE	
I certify that this <u>propeller</u> was <u>inspected</u> and/or <u>repaired</u> by <u>Leah Ann Kestner</u>			
inspected in accordance with a <u>annual</u> inspection			
and is approved for return to service. Pertinent			
details are on file at this Repair Station under order			
No. <u>142</u>	Date <u>6-6-77</u>		
TT <u>1716</u>	Inspector <u>Leah Ann Kestner</u>		
PRICE AIRCRAFT		I certify that this <u>propeller</u> was repaired and/or	
R. R. #7, Box 39		inspected in accordance with a <u>annual</u> inspection	
Findlay, Ohio 45840		and is approved for return to service. Pertinent	
F. A. A. Approved Repair Station C07-18		details are on file at this Repair Station under order	
		No. <u>372</u> Date <u>7-18-78</u>	
		TT <u>1750</u> Inspector <u>Leah Ann Kestner</u>	
		PRICE AIRCRAFT	
		R. R. #7, Box 39	
		Findlay, Ohio 45840	
		F. A. A. Approved Repair Station C07-18	

PROPELLER INSPECTION & REPAIRS

INSPECTION				REPAIRS	
DATE	INSPECTED BY	CONDITION	DATE	REPAIRED BY	REPAIRS MADE
	inspected in accordance with <u>standards</u> inspection and is approved for return to service. Pertinent details are on file at this Repair Station under order				
No. <u>794</u>	Date <u>10-3-79</u>	Tach <u>1769.91</u>			
TT <u>1769.91</u>	<u>Jeffrey B. Buckor</u>	Inspector.			
R. R. #7, Box 89 Findlay Ohio 45840					
F. A. A. Approved Repair Station C0718					
<u>4/19/80</u>	<u>REMOVED VACUUM PUMP AND INSTALLED AHEADONE #11641 PUMP</u>				
	<u>1/A/W CESSNA MANUAL Jeffrey B. Buckor P 115546859</u>				
	<u>TACH TIME 1776.46</u>				

MEMORANDA

Date April 21 1981 tech time 1322.4 SMH 282.4 100 hour inspection for annual
 Complete this date performed in accordance with a FAR 43 approved
 O. Rings cleaned and checked, 3 new REM-TEC's installed, maps checked
 and timed, oil changed, serviced with Phillips multi-grade oil, bearings
 checked, fuel strainer filter cleaned, compression checked 12/80 1/20 1/20 1/20
 12/80 1/20, mufflers pulled & inspected, prop checked and greased, engine
 run-up satisfactory to certify that this engine has been inspected
 in accordance with a 100 hour inspection and determined to be in
 airworthy condition

Ross S. Altshuler
 A&P # 2274727

MEMORANDA

297.6

Date

Aug 5 1982 Task time 1797.83 397.6 SMOH * 100 hr inspection performed this date. No. 4 cylinder removed ~~due~~ to low compression + rings were found to be badly worn, rocker arm bushings were also found to be turning in the boss and boss were unserviceable due to this. Installed, overhauled cylinder assembly provided by Clydesdale (see tag in back) and all new exhaust + intake gaskets + rubbers on # 6 cylinder. Replaced ~~fuel~~ fuel line to fuel strainer due to leakage. Replaced # 4 exhaust short stack, repaired fuel strainer to pump fuel line. Repaired broken shroud on right hand muffler. Removed waste heat from left muffler. Treated corrosion in battery box + repainted. Removed magnets in order to comply with IAD # 80-06-05 and impulse couplings were checked + found satisfactory. ~~Replaced~~ Reinstalled + timed magnets. Greased + painted propeller + replaced cracked spinner bulkhead. Drained oil + changed screen + checked for metal. Serviced with 6 qt. and break in new new cylinder + check for oil leak OK. Check AD # 76-07-12 on Bendix mag switch by shutting off engine with switch. I certify that this engine has been inspected in accordance with a 100 hr inspection and was found to be in airworthy condition. Fuelouel R. Amoth II App 278645475

MEMORANDA

Date	
4/22/83	TACH 1802.4 HRS Installed new right mag with 100 HRS since overhaul SN 608422. ZR Coulter 1549357
8-28-83	TACH 1905.1 4028 75 MOH 100 hour inspection completed in accordance with nondestructive inspection and FAR PART 43. Checked Datalog #3-15 Installed new throttle control cable.
	I CERTIFY THAT THIS AIRCRAFT OR ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS FOUND TO BE IN AIRWORTHY CONDITION.
	TOTAL TIME 1905.1 DATE 8-28-83
	SIGNED ZR Coulter
	FRANK R. COULTER 1549357 1A

PARTIAL MAINTENANCE RELEASE

MAKE **CONTINENTAL** SERIAL NO. _____
MODEL **O-200** UNIT NAME **CYL ASSY.**

I certify that the repair as listed on the reverse hereof made to the unit identified above was made and inspected in accordance with Part 43 of the United States Federal Air Regulations and approved for return to service.

Details on file at this agency under Work Order No. **O-7319**

SIGNED *[Signature]* FOR:

CHROME PLATE, INC.
9503 MIDDLEX

MAY 25 1971

REPAIR STATION NO. 2091
SAN ANTONIO, TEXAS 78217

CLYDESDALE AIRCRAFT
CORPORATION

F.A.A. APPROVED
COLUMBUS, OHIO REPAIR STATION NO. 2723

ACCEPTED OR
SERVICEABLE TAG

NAME CYLINDER

TYPE O-200

S/N

P.O.

DATE 7-15-82

QTY. 1 ea

OVERHAULED
CERTIFIED



TESTED

REPAIRED

REMARKS: OK CYL HEAD, NEW CHAMBER
DIAPHRAGM, NO VALVE ACTION PARTS, NO
CRACK, NO RINGS

INSPECTOR
SIGNATURE [Signature]

Date 7-15-82

Signed [Signature] for

Clydesdale Aircraft Corporation
Cert. No. 2723
3650 E. 5th Ave. - Columbus, Ohio

The aircraft, engine or appliance identified on
the reverse side was repaired and inspected
in accordance with current regulations of the
Federal Aviation Administration and is approv-
ed for return to service. Pertinent details of
the repair are on file at this repair station
under work order No. 44836

SLICK Service Letter

SL1-91
FAA APPROVED

Supplemental Type Certificate

United States of America

Department of Transportation - Federal Aviation Administration

Number SE1220GL

This certificate, issued to: Unison Industries Limited Partnership
530 Blackhawk Park Avenue
Rockford, IL 61104

certifies that the change in the type design for the following product with the limitations and conditions therefor as specified herein meets the airworthiness requirements of Part 13 of the Civil Air Regulations. (See Type Certificate Data Sheet E-253 for the complete certification basis).

Original Product - Type Certificate Number E-253

Make Teledyne Continental Motors

Model O-300-A, -B, -C, -D, -E, C-145-2, -2H, -2HP.

Description of Type Design Change: Replacement of Slick Model 664 magnetos with Slick Model 6264 in accordance with Slick Service Letter SL1-87, "Slick 6200 Series Magnetos for TCM O-300 Series Engines" dated August 12, 1987, or later FAA Approved revision; or installation of Slick Model 6364 magneto in accordance with Slick Service Letter SL1-91, dated November 12, 1992, or later FAA Approved revision.

Limitations and Conditions

This approval should not be extended to other engines of these models on which other previously approved modifications are incorporated unless it is determined by the installer that the interrelationship between this change and any other previously approved modifications will introduce no adverse effects upon the airworthiness of the engines.

The limitations and conditions shown on Type Certificate Data Sheet Number E-253 for the Teledyne Continental Motors O-300 and C-145 series of engines remain in effect.

A copy of this STC shall be included in the permanent records of each engine modified in accordance with this STC.

This certificate and the supporting data which is the basis for approval shall remain in effect until surrendered, suspended, revoked, or a termination date is otherwise established by the Administrator of the Federal Aviation Administration.

Date of application: April 13, 1987
Date of issuance: August 12, 1987

Date issued: November 12, 1992
Date received: November 12, 1992

By direction of the Administrator

Donald P. Michal
(Signature)
Donald P. Michal, Manager
Chicago Aircraft Certification Office
(Title)



Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both.
FAA Form 8110-2 (10-88) This certificate may be transferred in accordance with FAR 21.47.

ISSUED			REVISED			PAGE NO.	REVISION
MO	DAY	YR	MO	DAY	YEAR		
11	12	92				9 OF 9	NONE

Slick Aircraft Products
Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104

© 1992

SLICK Service Letter

SL1-91
FAA APPROVED

United States of America
Department of Transportation - Federal Aviation Administration
Supplemental Type Certificate

Number SE1220GL

This certificate, issued to: Unison Industries Limited Partnership
530 Blackhawk Park Avenue
Rockford, IL 61104

certifies that the change in the type design for the following product with the limitations and conditions
therefor as specified herein meets the airworthiness requirements of Part 13 of the Civil Air
Regulations. (See Type Certificate Data Sheet E-253 for the complete
certification basis).

Original Product - Type Certificate Number E-253

Make Teledyne Continental Motors

Model O-300-A, -B, -C, -D, -E, C-145-2, -2H, -2HP.

Description of Type Design Change: Replacement of Slick Model 664 magnetos with Slick Model 6264 in accordance with Slick Service Letter SL3-87, "Slick 6200 Series Magnetos for TCM O-300 Series Engines" dated August 12, 1987, or later FAA Approved revision; or installation of Slick Model 6364 magneto in accordance with Slick Service Letter SL1-91, dated November 12, 1992, or later FAA Approved revision.

Limitations and Conditions:
This approval should not be extended to other engines of these models on which other previously approved modifications are incorporated unless it is determined by the installer that the interrelationship between this change and any other previously approved modifications will introduce no adverse effects upon the airworthiness of the engines.
The limitations and conditions shown on Type Certificate Data Sheet Number E-253 for the Teledyne Continental Motors O-300 and C-145 series of engines remain in effect.
A copy of this STC shall be included in the permanent records of each engine modified in accordance with this STC.

This certificate and the supporting data which is the basis for approval shall remain in effect until surrendered, suspended, revoked, or a termination date is otherwise established by the Administrator of the Federal Aviation Administration.

Date of application: April 13, 1987
Date of issuance: August 12, 1987

Date received: November 12, 1992
Date reissued: November 12, 1992

By direction of the Administrator



Donald P. Michal
(Signature)
Donald P. Michal, Manager
Chicago Aircraft Certification Office
(Title)

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both.
FAA Form 8110-2 (10-88) This certificate may be transferred in accordance with FAR 21.47.

ISSUED			REVISED			PAGE NO.	REVISION
MO	DAY	YR	MO	DAY	YEAR		
11	12	92	—	—	—	9 OF 9	NONE

© 1992

Slick Aircraft Products
Unison Industries
530 Blackhawk Park Avenue
Rockford, Illinois, U.S.A. 61104

SERVICEABLE

Pertinent details of the exhaust system component repairs are on file at this repair station under:

Name Moore County Alp

Work Order No. 61467

Date 12-7-98

Inspected by [Signature]

Dawley Aviation

140 Industrial Dr.
Burlington, WI 53105

1-800-338-5420

FAA CRS No. NJ5R069N

CHROME
#5
on A1

HOOPER AIR, INC.
Metumpka Municipal Airport
Elmore, AL 36025
FAA Certified Repair Station 10078321



AIRCRAFT CLASS 101 SERIAL NO. H-1

REPAIR STATION 011 H.

MFG. NAME Continental COMPONENT NAME CLIPPER

The Aircraft and/or component identified above was repaired and inspected in accordance with current Regulations of the Federal Aviation Agency and is approved for return to service. Pertinent details of the repair are on file at this repair station under:

WORK ORDER NO. 61692 DATE 9-26-91

SIGNED [Signature] (Signature of authorized individual)



AVIATION ENGINES, INC.

300 Airport Street
Bibb County Airport
Centerville, AL 35042
Phone: 1 (205) 326-5185

SALE TO	DATE
ADDRESS	8-2-85
CITY	STATE
ZIP NO.	TEL. NO.
CITY STATE	

WARRANTY	ACCT. NO.
☐ CASH	
☐ CHARGE	
CHARGES	

WORK PERFORMED	WORK ORDER #
	2374

ISSUE NUMBER	RE. NUMBER

MODEL	TYPE
0-300	

TECH. SPEC. INSTRUCTIONS	

REPAIRS	

REPAIRS	

REPAIRS	

REPAIRS	

REPAIRS	

REPAIRS	

REPAIRS	

REPAIRS	

REPAIRS	

REPAIRS	

REPAIRS	

The engine/component identified above was repaired and inspected in accordance with current regulations of the Federal Aviation Administration and is approved for return to service.

Chief Inspector: August 4, 85
Signature: [Signature]
Typed Name: JOHN W. BOWLING

SUB-TOTAL	
LESS WARRANTY	
LESS DISCOUNT	
SALES TAX	
TOTAL AMOUNT	

AVIATION ENGINES, INC.
Bibb County Airport, Centerville, AL
FAA Certified Repair Station 104R267M
MAINTENANCE RELEASE

The engine/component identified on the reverse side was repaired and inspected in accordance with current regulations of the Federal Aviation Administration and is approved for return to service. Pertinent details of the repair are on file at this repair station under work order # 2374

Date August 4, 95

Signed [Signature]
(Signed: [Signature] certified representative)

AVIATION ENGINES, INC.
Bibb County Airport, Centerville, AL
FAA Certified Repair Station 104R267M

ITEM	<u>2-300 Cylinder Assy</u>		
PART NO.	<u>6053426</u>	SERIAL NO.	<u>2374-2</u>
MFG.	<u>QCM</u>	W.O. NO.	<u>2374</u>
DISPOSITION	<u>Inspected & Repaired</u>		
	<u>He decided to return to a</u>		
	<u>Seaworld Aviation</u>		
SIGNED	<u>[Signature]</u>		
DATE	<u>8-4-95</u>		



"LOOK FOR THE RED AND BLUE
CESSNA PENNANTS FOR THAT
EXTRA SERVICE WHERE IT COUNTS
WHEN YOU NEED IT."

CESSNA AIRCRAFT COMPANY WICHITA, KANSAS



N1478F



Engine Maintenance Log

2.35

INSTRUCTIONS

- 1) All Engine Maintenance is to be recorded on the Log Sheets provided in this Log Book.
- 2) The column headed "Description of Inspection, Repair and Overhaul" is particularly important, for in this column all the details concerning the following are to be entered.
 - a) Line and Periodic Inspection, Alterations, Repair and Overhaul.
 - b) When repairs or alterations necessitate submission of FAA Form 337, an entry is to be made in this column and the original of the Form 337 stapled at the back of this manual.
 - c) All entries must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
- 3) If the engine is removed from the aircraft, this Engine Log Book is to be transferred with the removed engine.
- 4) Compliance with Service Letters and Airworthiness Directives applicable to the engine are to be recorded on the page at the back of this log.

D5061-13

Description of Inspection, Repair and Overhaul

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul
	Hours	10ths	
1984			Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
23 Nov 2052	66		changed oil to aeroshell 50 wt - 8 quarts W. R. W.
16 Feb 85 2089	52		changed oil to aeroshell 50 wt. - 7 quarts W. R. W.
24 Apr 85 2159	89		Compression CK: Cyl 5 80/68 Cyl 6 80/66 Cyl 3 80/77 Cyl 4 80/74 Cyl 1 80/78 Cyl 2 80/74 chg. oil to aeroshell 50 wt. 8 quarts.
2 June 85 2177	79		changed oil to aeroshell 50 wt 7 quarts A. R. R.
10 June 85 2217	10		chg. oil to aeroshell 50 wt. 7 quarts W. R. W.

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul
	Hours	10ths	
1984			Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
22 Feb 84 3			DRAINED ENG. OIL, INSPECTED + CLEANED SCREEN. REPAIRED NO. 6 + NO. 2 CYLS. STICKING EXHAUST VALVES. INSTALLED NEW HYD. METER UNIT, PUSH ROD + PULLER ARM ON NO. 2 CYL. (EXHAUST)
7221 SHOH			DIFF COMP CK CYL. NO. 5 80/68, NO. 3 80/70, NO. 1 80/78, NO. 6 80/66 NO. 2 80/70. INSTALLED NEW BRACKET AIR FILTER ASSY. TIMED MAGNETOS. INSPE'D ENG. MOUNTING, INDUCTION EXHAUST, ELECT. FUEL + CONTROL SYSTEMS. I CERTIFY THIS ACFT ENG. HAS BEEN INSPE'D I/A WITH A 100 HR. INSP + DETERMINED AIRWORTHY. A. R. R. AIP 1287P34
22 Feb 84			I certify that the engine has been inspected by an annual inspection and is in an airworthy condition. J. R. R. AIP 1287P34

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG			Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
DATE	ACCUMULATED TOTALS		
19 <u>86</u>	Hours	10ths	
11-16-86	2243	0	Changed oil w/ Aeroshell 100W - 50 wt. <i>St. Delvingh</i>
2-26-86	2263	0	Changed oil w/ Aeroshell 100W - 50 wt. <i>George Delvingh</i>
8-8-86			THIS ACFT. ENG. APPROVED FOR AUTOMOTIVE FUEL I/A/W STC SE 2006 CE <i>M. Stadelis AIP 1287834</i>
8-8-86	2287	0	Changed oil w/ Aeroshell 100W - 50 wt. <i>St. Delvingh</i>

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG			Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
DATE	ACCUMULATED TOTALS		
19 <u>86</u>	Hours	10ths	
10-9-86	2293.1		100 Hr. INSP (ANNUAL)
	300.9	SMOH	DRAINED ENG OIL, INSP'D + CLEANED ENG. OIL SCREEN, SERVICED WITH 2 QTs AERO SHELL W. 50 WT. REPLACED BURNER FILTER. ELEMENT, DIFC COMP CH. CVL. NO 1 80/99, NO 3 80/99, NO 5 80/99 NO 6 80/99, NO 4 80/99, NO 2 80/99. TIGHTENED MAGS (SLICK), INSP'D. ENG. HOODING, INDUCTION, EXHAUST, ELECT, FUEL + CONTROL SYS. I CERTIFY THIS ACFT ENG HAS BEEN INSP'D I/A/W A 100 HR. INSP. + DETERMINED AIRWORTHY <i>M. Stadelis AIP 1287834</i> I certify that this engine has been inspected in accordance with the annual inspection and is in a safe condition. <i>James E. Eubank</i> <i>AIP 128189286</i>

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

Description of Inspection, Repair and Overhaul
Enter here general data with reference to inspections, alterations and repairs and overhaul
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic

DATE	ACCUMULATED TOTALS	
	Hours	100hs
19 87	2309	0

5987 2309 0

Repaired at with Aero-Tech 100w - 50 wt. H. Delaney

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS	
	Hours	100hs
19 87		
11/23		

11/23



AERO-TECH ENGINEERING
707 EAST FRANKLIN BLVD.
GASTONIA, NORTH CAROLINA 28054
1-800-421-5442 - 704-866-4703

THIS ENGINE SER. # 34541-D-6-D WAS

OVERHAULED THIS DATE 11-23-87 TIME

PER F.A.A. REGULATIONS AND MFG. SPEC. THIS ENGINE FOUND

TO BE AIRWORTHY FOR RETURN TO SERVICE

WARRANTED 250 HOURS CONDITIONALLY

A & P NAME Tony Strappe NO. 245083766

ENGINE MAINTENANCE LOG			
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	100hs	
1-9-88			100 HR INSP. "ANNUAL"
1-9-88	2316.32		TOTAL ON ENG. "O" SMOH. REMOVED ENG. SENT TO AERO-TECH ENGR. FOR O/H. REINSTALLED ENG. + ALL SYSTEMS. GROUND RUN CK'D + ADJUSTED INSTALLATION. FET TESTED ACFT WITH NEW O/H ENG. CK'D OK. I CERTIFY THIS ACFT ENG. HAS BEEN INSP'D I/A/W A 100 HR. INSP. + DETERMINED AIRWORTHY. M. Stedley A-1287234
1-9-88			Scrub that the engine has been inspected IAW an approved inspection and am
			James E. Roberts JA1819286

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG			
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	100hs	
10-7-88	2335.0		CHANGED OIL WITH NON-DETERGENT 50WT SHAL. J. Stedley
			ANNUAL INSP. 2/2/89
			TOTAL TR ON ENG. 2341.38, 25.06 SMOH
			INSP'D + CLEANED ENG. OIL SCREEN, SERVICED WITH 50WT STRAIGHT MINERAL OIL, COMPRESSION: CYL NO 2 89/70, NO 4 89/70, NO 6 89/70, NO 5 89/71, NO 3 89/70, NO 1 89/71. CK'D MAG TIMING. REPLACED BRACKET FILTER ELEMENT INSP'D ENG. I/A/W FAR PART 43 APPENDIX D. I CERTIFY THIS ACFT ENG. HAS BEEN INSP'D I/A/W AN ANNUAL INSP. + DETERMINED AIRWORTHY. M. Stedley 1287234 JA
10-7-88	2349.6		CHANGED OIL WITH AEROSHELL 100W-50WT J. Stedley

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG			
DATE 19 70	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
27.98	SMOH		ANNUAL INSP. 8/1/90 DRAINED ENG. OIL, INSP'D. + CLEANED ENG. OIL SCREEN SERVICED WITH 7 QTS AEROSHELL W 50 WT. CK'D TAG TIMING. DIFF COMP. CK. CY. NOS 89/65, NO. 3 80/70, NO. 1, 80/65, NO. 6 89/70, NO. 4 80/65, NO. 2 80/70. REPLACED BARNET FILTER ELEMENT I CERTIFY THIS A/C. ENG. HAS BEEN INSP'D I/A/W AN ANNUAL INSP + DETERMINED AIRWORTHY. M. Staheli 1277134 IA
4/6/81	55.12	SMOH	ANNUAL INSP.
TACH TH2384.3		44	DRAINED ENG. OIL INSP'D + CLEANED ENG. OIL SCREEN SERVICED WITH 7 QTS AEROSHELL W 50 WT. CK'D TAG TIMING. DIFF COMP. CK. NOS 89/75, NO. 3 80/70, NO. 1 89/70, NO. 6 89/70, NO. 4 80/65 NO. 2 REMOVED NO. 2 CYL INSTALLED IN W. RINGS. LAPPED BOTH VALVES. SWAPPED LEAVING PUSH ROD TUBES

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG			
DATE 19 70	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
			INSP. CONTINUED REPLACED BARNET FILTER ELEMENT. I CERTIFY THIS A/C. ENG. HAS BEEN INSP'D I/A/W AN ANNUAL INSP. + DETERMINED TO BE AIRWORTHY. M. Staheli 1277134 IA
5-2-79	2428	44	Oil changed + screen cleaned John L. Dikter Pilot/owner 420920030 CFI
6-26-91	2460	71	Oil changed + screen cleaned John L. Dikter Pilot/owner 420920030 CFI
8-23-91	2498	26	Oil changed + screen cleaned John L. Dikter Pilot/owner 420920030 CFI

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

Description of Inspection, Repair and Overhaul
Enter here general data with reference to inspections, alterations and repairs and overhaul.
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic.

[illegible]

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

Description of Inspection, Repair and Overhaul
Enter here general data with reference to inspections, alterations and repairs and overhaul.
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic.

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul
	Hours	10ths	
19__			Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
5-25-92			I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED
Track 2620	8		IN ACCORDANCE WITH A 100 HR INSPECTION AND FOUND
			TO BE IN AN AIRCRAFT CONDITION
			#1 #2 <i>Joe F. Shaw</i>
			71/10 70/10 <i>MC 2132395 L.A.</i>
			#3 #4
			73/10 74/10
			#5 #6
			75/10 72/10

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE
19 79
Hours
10ths

Description of Inspection, Repair and Overhaul
Enter here general data with reference to inspections, alterations and repairs and overhaul.
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic.

29 MAY 79

ACFT Tack Time 2711.9 Eng TSMOH 055.9
(1) Comp CK as follows #1 75/80 #2 74/80 #3 76/80
#4 72/80 #5 74/80 #6 70/80
(2) Mag Timing CK
(3) Oil & Filter changed
(4) Plugs cleaned & Gaped
(5) All Valve cover Gaskets Replaced

I CERTIFY THIS ENG & PROP HAS BEEN INSPECTED
BY AN ANNUAL INSPECTION & WAS DETERMINED TO
BE IN AN AIRWORTHY CONDITION

W. J. WILSON R. W. WILSON
20915123A

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE
19 79
Hours
10ths

Description of Inspection, Repair and Overhaul
Enter here general data with reference to inspections, alterations and repairs and overhaul.
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic.

10/19/79

Oil change & service check (25 min) (10 min)
ACFT TACK 4 ENG TOTAL TIME 2843.8
1. COMPRESSION CHECK AS FOLLOWS #1 74/80
#2 77/80 #3 74/80 #4 72/80 #5 72/80
#6 69/80
2. New PLUGS INSTALLED.
3. New RH MAG GASKET INSTALLED.
4. MAG TIMING ADJUSTED
5. NEW VALVE COVER GASKETS INSTALLED.
6. PUSH ROD TUBES ON #2 CYLINDER RESEALED.
7. ENG. GROUND RUN AFTER ALL WORK COMPLETED O.K.
8. OIL CHANGED & SCREEN CLEANED.
(10 min)

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE
19____
Hours 10ths

Description of Inspection, Repair and Overhaul
Enter here general data with reference to inspections, alterations and repairs and overhaul.
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic.

7-18-91 I CERTIFY THAT THIS ENG & PROP HAS BEEN
INSPECTED IN A ANNUAL INSPECTION & WAS
DETERMINED TO BE IN AIRWORTHY CONDITION
BY MECHANIC [Signature]
AIP 7091922A.

2-1-95 2850 77

Tack Time 2850.77
Replaced 6 cylinder ASSY, Replaced All Gaskets,
Gapped SPARK PLUGS, Set mag timing & changed
oil I set Ground ran Engine. I certify that
Engine was inspected and found determined
(cont)

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE
19____
Hours 10ths

Description of Inspection, Repair and Overhaul
Enter here general data with reference to inspections, alterations and repairs and overhaul.
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic.

to be in Air worthy condition
[Signature] AIP 424843822

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1995			
5-9	TACH		Completed A none inspection in accordance with an C172 inspection
	2881	44	Guide & Maintenance Manual. Resisted & complied with A.D.'s through
			95-164. See A.D. List. Compression CK as follows: #1 79/100 #2 69/100
			#3 79/100 #4 79/100 #5 77/100 #6 74/100. Removed #2 cylinder due to Exhaust
			Blowby & sent to Aviation Engine for inspection & repair. Reinstalled
			Cylinder. (see A.D. F Yellowknife) Drained oil, inspected all screws, Lubed the engine controls.
			Serviced with 80W Aeroshell 1500. Cleaned, inspected, Graped, & Retight Spark Plugs.
			Ground Run & ops check normal, no leaks noted. This engine is found to be
			in an Airworthy condition. DATED AWP 585212791

OBBYR-LAND
A&P 585212791

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
1995			
AUG 10	2881	44	TACH
	565	44	SMAK
			I CERTIFY THAT THIS ENGINE HAS BEEN
			INSPECTED IN ACCORDANCE WITH AN MANUAL
			INSPECTION AND FOUND TO BE IN AN AIRWORTHY CONDITION
			CHAND N. MOON LA 1472045
			AUG 10, 1995 TACH 2881.44 SMAK 465.44

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
9-7-96			TACH & TOTAL TIME 2912 SMOH 596. 1. COMPRESSION CHECK AS FOLLOWS. #1 6/80 #2 68/80 #3 71/80 #4 70/80 #5 61/80 #6 71/80 2. PLUGS CLEANED & GAPED. 3. MAG TIMING CHECKED. 4. PROP RAISED. 5. ENG GROUND RUN OK AFTER ALL WORK COMPLETED. 6. Date 9-7-96 ACFT Tech Time I certify that this ENG & PROP has been inspected IAW A ANNUAL inspection and was determined to be in airworthy condition. William D. Hunt

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG

DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
10-6-97			TACH & TOTAL TIME 2932.6 SMOH 617.6 1. COMPRESSION CHECK AS FOLLOWS #1 71/80 #2 69/80 #3 70/80 #4 70/80 #5 68/80 #6 71/80 2. PLUGS CLEANED & GAPED. 3. MAG TIMING CHECKED. 4. OIL CHANGED & SCREEN CHG. 5. ENG GROUND RUN OK AFTER ALL WORK COMPLETED. Date 10-6-97 ACFT Tech Time 2932.6 Eng Total Time 2932.6 SMOH 617.6 SMOH I certify that this ENG & PROP has been inspected IAW A ANNUAL inspection and was determined to be in airworthy condition. William D. Hunt

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

MOH 236 TACH

DATE		ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
19	77	Hours	10ths	
12-15	2960	8		Drained oil and changed filter cleaned screen - Serviced with 8 pts. Aeroshell W100. Washed and ran engine, no leaks.
SMITH	644	3	8	13410
THE AIRCRAFT AIRFRAME AIRCRAFT ENGINE PROPELLER OR APPLIANCE IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT REGULATIONS OF THE FEDERAL AVIATION REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR ARE ON FILE AT THIS REPAIR STATION UNDER ORDER NUMBER <u>003978</u> DATE <u>12-15-97</u> SIGNED <u>Robert J. Smith</u> FOR BAMA AIR, INC. REPAIR STATION FPR3963D				
1/18/98	2984	5		Drained oil, closed screen, 7 pts. Aeroshell also. Washed, ran engine, ok for leaks.
SMITH	668	5		John H. Smith - OWNER #450647400
7/11/98	3099	7	55	Installed new Brackett air filter element, pt. # BA-6108
				John H. Smith - OWNER #450647400

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

DATE		ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
19	98	Hours	10ths	
2/16	2998	3	64	REMOVED ENGINE OIL SCREEN AND INSTALLED OIL FILTER KIT P/N CO-300-1, SUN-11210. DRAINED OIL AND SERVICED WITH 8 pts. AEROSHELL W100.
	682	3	SMITH	SEE S.T.C. # SE84079W FOR LIMITATIONS AND CONDITIONS. REPLACED RIGID RIF
				CHECK CRANK ON #5 CYLINDER WITH NEW. SEE S.T.C. # SE84079W
				FOR DETAILS OF FURTHER INSPECTION. WASHED AND RAN ENGINE. NO LEAKS NOTED
				✓ 337 NOT NEEDED. S.T.C. STATES THIS MODIFICATION TO BE MINOR CHANGE.
THE AIRCRAFT AIRFRAME AIRCRAFT ENGINE PROPELLER OR APPLIANCE IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT REGULATIONS OF THE FEDERAL AVIATION REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR ARE ON FILE AT THIS REPAIR STATION UNDER ORDER NUMBER <u>4085</u> DATE <u>2/16/98</u> SIGNED <u>John H. Smith</u> FOR BAMA AIR, INC. REPAIR STATION FPR3963D				

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG			
DATE 19 <u>98</u>	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
2/19	2999.6	Tach	REMOVED AND RETURNED BRTS MARKS WITH NEW SLICE MARK 6364. LEFT SH: 96110741 RIGHT SH: 96110739, INSPECTED NUT CHAINEST AND PINGS SET TIMING, DISK CHECK W/ADAP 75 R/L R/L ADP SET IN. LEAK CHECK AT MARK BASE AFTER ENGINE RUN, NO LEAKS NOTED. REMOVED OIL FILTER KIT PIN CO-300-1, STC # 5884095W NO CONFORM ATTACHES TO THIS AIRCRAFT, REINSTALLED ORIGINAL OIL SCREEN. REPOSITIONED OILER RECORDER ON CYLINDER TO CORRECT EXHAUST VALVE POSITION THE MAIN MANIFOLD RUN ENGINE NO LEAKS NOTED. THE AIRCRAFT AIRFRAME, AIRCRAFT ENGINE, PROPELLER OR APPLIANCE IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT RULES AND THE FEDERAL AVIATION REGULATIONS AND RECEIVED FOR RETURN TO SERVICE. REPAIR STATION UNDER NO. 4100 DATE 2/19/98 SIGNED <u>Demetrius</u> FOR NAME CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG			
DATE 19 <u>98</u>	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
2-22	3042.3	Tach	REPAIRED LH EXHAUST CLAMP, REPLACED ALL SPAT HOSES, CHANGED OIL, INSPECTED SCREEN FOR METAL - NONE FOUND, REFUELED WITH BRTS OF REDSHELL 80 OIL, LEAK CHECKED GOOD REPLACED INTAKE FILTER, REMOVED AND REINSTALLED EXHAUST STACKS AND MUFFLERS TO BE OVERHAULED BY DAVIDLEY AVIATION CRS # NTSR069N, REPLACED CARB FUEL LINE FITTING, C/W AD 76-07-12 BENDIX SW BY OPERATION - CHECKED GOOD, NEXT DUE @ 3142.3 C/W AD 81-15-03 BRACKET AIR FILTER BY INSPECTION NO DEFECTS, NEXT DUE @ 3142.3 C/W AD 96-09-06 BRACKET GASKET BY INSPECTION - NO DEFECTS NEXT DUE @ 3142.3 HRS CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG			
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10hrs	
19 99			Comp TEST #1 75/80 #2 74/80 #3 75/80 #4 74/80 #5 74/80 #6 74/80 DATE 12-22-98 NO IT 3042.3 I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>ANNUAL</u> INSPECTION AND IS APPROVED FOR RETURN TO SERVICE. A DETAILED REPORT OF REPAIRS IS ON FILE AT MOORE COUNTY AIRPORT, PINEHURST, NC UNDER WORK ORDER # 4025 FAA APPROVED REPAIR STATION #Q2RR743L. <i>Michael David</i>
CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE			

ENGINE MAINTENANCE LOG			
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10hrs	
12/5/99	Tach 3042.8 726.8 SmoH		performed Comp Check #1 74/80 #2 74/80 #3 75/80 #4 74/80 #5 74/80 #6 75/80 Changed Oil, Inspected oil screen for METAL - none found. Refilled with 8 qts of Penosil 15W50 oil. Replaced Crankshaft plug. Inspected all Fuel and Oil Lines all OK Lubricated and Center Cables. Ground Ron Engine NO leaks noted I certify that this engine has been inspected in accordance with an Annual Inspection and was determined to be in an Airworthy condition and returned to service this date 12/5/99 Removed AD 71111 99-23 Rev. 1. (Small) removed AEP 1791700 ITA
4-5-00	Tach 3066		changed oil / cleaned Filter - JDS 237783310
7-11-00	Tach 3091		changed oil / cleaned Filter - JDS 237783310
10-16-00	Tach 3116		changed oil / cleaned Filter - JDS 237783310
CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE			

ENGINE MAINTENANCE LOG			
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
6-1-01	TACH	3123.8	performed annual inspection per Cessna and Loewer check list. Comp check #1 73/80 #2 71/80 #3 74/80 #4 74/80 #5 74/80 and #6 82/80 changed oil, inspected oil screen OK. Serviced with 80W of AeroShell 15W50 oil. Inspected all fuel and oil lines. Lub and engine control point. Ground run engine all OK. Donald V. Bennett AEP 1791788-1A I certify that this engine has been inspected in accordance with an annual inspection and was determined to be in an airworthy condition.
	SMOH	807.8	
Review AD			Donald V. Bennett AEP 1791788-1A
Title 2010-23 PCL			

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

ENGINE MAINTENANCE LOG			
DATE	ACCUMULATED TOTALS		Description of Inspection, Repair and Overhaul Enter here general data with reference to inspections, alterations and repairs and overhaul. ALL DATA must be endorsed with the name, rating and certificate number of either the FAA Repair Station or the mechanic.
	Hours	10ths	
11/09/02	TACH	3155.1	performed 100hr annual inspection per Continental service manual and local checklist. Compression tests as follows: #1 72/80, #2 72/80, #3 74/80, #4 74/80, #5 72/80, #6 72/80. Drained oil, inspected oil screen - check OK. Serviced engine with 80W of AeroShell 80W. Inspected fuel & oil lines. Lubed & inspected all engine controls. Cleaned & regapped spark plugs. Reviewed recurring AD's - 94-05-85R1 N/A at this time due to overhaul or cylinder removal. Ground run engine - check OK.
	SMOH	839.1	
A/C REG # 1478F			DATE 1/9/2002
TOTAL A/C TIME 3155.1 HRS.			TACH TIME 3155.1
I CERTIFY THAT THIS A/C HAS BEEN INSPECTED IN ACCORDANCE WITH AN AIRCRAFT ENGINE INSPECTION AS PER FAR 43.41(b) AND DETERMINED TO BE IN AN AIRWORTHY CONDITION AND REPAIR TO SERVICE.			
Donald V. Bennett			24565224-1A

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

Description of Inspection, Repair and Overhaul


Enter here general data with reference to inspections, alterations and repairs and overhaul.
ALL DATA must be endorsed with the name, rating and certificate number of either the FAA
Repair Station or the mechanic.

CARRY ACCUMULATED TOTALS FORWARD TO TOP OF NEXT PAGE

Service
Information
Letter Number

[illegible]





YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	-------------------	-----------------------------	---

July 18, 2004 TACH: 3251.3 TSMOH: 935.0
 Performed 100-hr inspection I/A/W Cessna Service Manual 100 Series and Teledyne Continental Service Manual. Cleaned engine and performed differential compression check; #1 64/80, #2 67/80, #3 68/80, #4 70/80, #5 68/80, #6 62/80. Installed new Autolite spark plugs. Drained oil, filled with 6qts. of Acronshell 100W and installed new oil filter CH48108. Lubed all controls. Complied with the following Airworthiness Directives; AD72-06-05 R2 Marvel Schebler carburetors by installation of new parts from Precision Airmotive (throttle shaft P/N CF13-1531) and lever 12B57. All other AD's P/C/W or N/A at this time. This engine has had a 100-hr inspection and been found to be in an airworthy condition at this time.
 David R. Gantt A&P 229410156

AP 229410156

July 18, 2004 TACH: 3251.3 TSMOH: 935.0
 An annual inspection has been performed on this engine per Cessna Service manual 100 Series and Teledyne Continental Service Manual. This engine has been found to be in an airworthy condition at this time.
 Chris L. Wright A&P4229462321A

AP4229462321A

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	-------------------	-----------------------------	---

NORTH ALABAMA AVIATION
 P.O. BOX 70
 TANNER AL 36671

Reg # 1478F S/N: CESSNA TSMOH: 935.0
 Date: 05-05-2005 WO # ENG TT: 3260.1 Tach: 3260.1
 Engine annual inspection completed this date I/A/W CESSNA INSPECTION REPORT AS A GUIDE AND F.A.R. 43 APP. D. A.D.'s checked thru Rev. 2005-09 ENGINE OIL SERVICED WITH 8 QTS SHELL V100, INSPECTED OIL SCREEN NO CONTAMINATION NOTED. ENGINE COMPRESSION 1-78/80, 2-70/80, 3-75/80, 4-74/80, 5-74/80, 6-78/80. Leak check carried out - no leaks noted. REPLACED #2 RISER WITH NEW P/N 0450338-14. ENGINE RUN IN COMPLETED. I certify this engine and propeller has been inspected in accordance with an annual inspection and has been found to be in an airworthy condition.
 Stan Smith
 STAN SMITH A&P 410964385 IA

YEAR 2005	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
07-27	3266.19			Changed Eng. Oil using 8 qts. 15W50 Aero Shell. Johnny L. Clark ACP 253803915
08-29	3270.31			Removed Left mag. Replaced with new mag. Slick mtr 6364 S/N 85881653 Set mag timing. Ran Eng. 45. Check OK. Johnny L. Clark ACP 253803915
12-13-05	3286.33			Changed Eng. Oil using 7 qts. 15W50 Aero Shell. Checked & Cleaned Oil Screen. Johnny L. Clark ACP 253803915

YEAR 2006	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
05-25	3293.77		3293.77	Cleaned & Gaped Plugs, Checked mag. Timing. Lubed Control Cables & Push Rods. Checked Compression #1 65/80 #2 65/80 #3 70/80 #4 60/80 #5 70/80 #6 68/80. I Certify That This Aircraft Eng. Has been Inspected I/A/V at annual inspection and was found to be in air worthy condition Johnny L. Clark ACP 253803915 I.A.
11-13	3305.18		3305.18	Changed Engine oil. 15W/50 qts. of Aero Shell 15W/50 qts. Ray Downum owner of aircraft

YEAR 2007 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
05-16	3322.59		3322.59	Changed Eng. Oil Using 2qt's AeroShell 15V50. Cleaned & Gaped Plugs, Checked mag. Timing. RPM Oil Screen, Compression Checked. #1 70/80 #2 70/80 #3 72/80 #4 68/80 #5 72/80 #6 68/80. I Certify That This Aircraft Eng. has been Inspected I/A/V on annual inspection and was found to be in airworthy condition. Johnny L. Clark A/P 253803915 I.A.
2008 05-27 SMALL	3339.05 1029.39		3339.05	Cleaned & Gaped Plugs, Checked mag. Timing. Checked Gas Calculator, Replaced Carb. Fuel Valve. Compression Checked #1 70/80 #2 68/80 #3 68/80 #4 68/80 #5 68/80 #6 74/80 I Certify That This Eng. has been Inspected I/A/V on annual inspection and was Determined to be in airworthy condition. THIS Date 05-27-2008, Johnny L. Clark A/P 253803915 I.A.
YEAR 2008 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
05/27	3339.05		3339.05	CHANGE ENG OIL. 75 Rte. Aero Shell 15/80, Dirty Engine Air Filter cleaned
2009 06-02	3356.41		3356.41	Replaced plugs Champion REM38E. Checked mag. Timing. Replaced Air Filter Plw BA 6108. Changed Eng. Oil Using Aero Shell 15V50. Checked & Cleaned Oil Screen. Compression Checked #1 70/80 #2 68/80 #3 68/80 #4 70/80 #5 68/80 #6 70/80 I Certify that This Eng. has been Inspected I/A/V on annual inspection and was Determined to be in airworthy condition This Date 06-02-09. Johnny L. Clark A/P 253803915 I.A.
SMALL	1046.11			

YEAR	RECORDING	TODAY'S	TOTAL	Description of Inspections, Tests, Repairs and Alterations
DATE	TACH	FLIGHT	TIME IN	Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
	TIME		SERVICE	

01-26-2010
N1478F S/N 54973 tach. 3373.08
Changed oil using aero shell w100 checked oil screen.
Replaced o-ring in quick drain fitting.

Johnny L. Clark A&P 253803915

06-25-2010 0300 s/n 3454-D-6D Tack 3395.76 T.T.3395.76
SMOH 1085.46

Cleaned & gaped plugs, checked Mag. Timing, changed oil
Using 7 Qts. aero shell 15 W 50, checker screen. Compression
Checked #1. 70/80 #2. 70/80 #3. 68/80 #4. 70/80 #5. 70/80
#6 70/80. ...

I certify that this Eng. Has been inspected I/A/W. an annual
inspection and was determined to be in airworthy condition
This date 06-25-2010.

Johnny L. Clark
Johnny L. Clark A&P2538039151A.



YEAR	RECORDING	TODAY'S	TOTAL	Description of Inspections, Tests, Repairs and Alterations
DATE	TACH	FLIGHT	TIME IN	Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
	TIME		SERVICE	

2011
03-13 3419.31

Changed Eng. OIL Using 7 Qts. Aero Shell
15W50. Checked & Cleaned OIL Screen.
Johnny L. Clark A&P 253803915.

07-08-11 Cont. 0-300-D S/N 3454-D-6-D Tack 3427.65
T.T. 3427.65 SMOH 1117.35
Cleaned & gaped plugs, checked Mag. Timing, compression
Checked #1. 70/80 #2. 70/80 #3. 70/80 #4. 70/80 #5. 70/80 #6. 70/80.
Replaced air filter P/N BA6108. Lubed control cables.
AD'S checked through 2011-13.

I certify that this Engine has been inspected in accordance with an
annual inspection and was determined to be in airworthy
Condition this date 07-08-2011.
Johnny L. Clark A&P2538039151A.
Johnny L. Clark

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				07-20-2012 Continental O-300-D S/N 3454-D-6-D Tack 3451.91 Total time 3451.91 SMOH 1141.61 Changed oil using 7 qt. aero shell 15 w 50. checked & cleaned Oil screen, cleaned & gaped plugs, checked Mag. Timing. Checked compression #1. 70/80 #2. 70/80 #3. 70/80 #4. 70/80 #5. 70/80 #6 70/80. AD'S checked through 2012-14. I certify that this engine has been inspected in accordance with An annual inspection and was determined to be in airworthy Condition this date 07-20-2012. Johnny L. Clark A&P2538039151A. <i>Johnny L. Clark</i>
				07-20-2013 O-300D Tack 3465.02 T.T. 3465.02 SMOH 1154.72 Cleaned & gaped plugs, checked Mag. Timing. Cleaned oil screen Checked fuel screen. Changed oil using 7 Qt. Aero shell 15W50. Compression checked #1. 76/80 #2. 76/80 #3. 70/80 #4. 74/80 #5. 70/80 #6. 74/80. AD's Checked through 2013-14. I certify that this engine has been inspected in accordance with An annual inspection and was determined to be in air worthy Condition this date 07-20-2013. Johnny L. Clark A&P2538039151A. <i>Johnny L. Clark</i>
				08/07/14 Cont. O-300 D S/N 3454-D-6-D Tack 3471.94 Hobbs 3502.4 T.T. 3471.04 SMOH 1161.64 Cleaned & gaped plugs, checked mag. Timing. Changed eng. Oil Using 7 qt. 15 W 50 Aero shell. Checked oil screen. Compression Checked #1. 70/80 #2. 70/80 #3. 70/80 #4. 70/80 #5. 70/80 #6. 70/80 I certify that this engine has been inspected in accordance with An annual inspection and was determined to be in airworthy Condition this date 08/07/2014. Johnny L. Clark A&P2538039151A. <i>Johnny L. Clark</i>
				08/12/2015 N1478F. Cont. O-300-D S/N 3454-D-6-D Tack 3480.43 T.T. 3480.43 SMOH 1170.13 Cleaned & gaped plugs, checked Mag. Timing. Changed oil Using 7 Qt. phillips 20 W 50. Compression checked #1. 70/80 #2. 70/80 #3. 70/80 #4. 70/80 #5. 70/80 #6. 70/80. I certify that this engine has been inspected in accordance with An annual inspection and was determined to be in airworthy Condition this date 08/12/2015 Johnny L. Clark A&P2538039151A. <i>Johnny L. Clark</i>

[illegible]

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	-------------------	-----------------------------	---



N1478F

Powerplant Entry
S/N: 3454-D-6-D

03/22/22

TSMO: 1228.0

TACH: 3502.3

Performed an Annual Inspection with reference to the most recent Continental maintenance and service manuals. Removed, inspected, cleaned, and reinstalled all spark plugs. Cylinder differential compressions as follows;

#1 72/80 #2 70/80 #3 71/80 #4 70/80 #5 72/80 #6 70/80.

Drained oil and removed oil filter, no metal found in filter. Installed new Champion CH48108-1 oil filter and serviced with 7qts Aeroshell 15W50. Engine run and leak check found satisfactory. Checked biweekly AD list through this date. Complied with ADs as follows:

I certify this powerplant has been inspected in accordance with the scope and detail of CFR Part 43 Appendix D Annual Inspection and found to be in airworthy condition.

IA 3652221
Chris Martin

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE
--------------	---------------------------	-------------------	-----------------------------

Inspections, Tests, Repairs and Alterations

Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

DATE

TAOH
TIME

PERMIT

TIME IN
SERVICE



N1478F
Powerplant Entry
S/N: 34541-D-6-D

03/23/23
Tach:3554.55
HOBBS:3502.4

Inspections Performed

Engine was inspected in accordance with an Annual Inspection per Continental Maintenance Manual. Additional information on file under WO #230515.

Maintenance Performed

Performed the maintenance listed below to comply with all inspection and repair requirements related to the Annual Inspection per Continental Maintenance Manual, and any other items approved for this maintenance visit.

- Cylinder differential compressions are as follows:
- 1.) 72/80 2.) 68/80 3.) 70/80 4.) 68/80 5.) 66/80 6.) 72/80 MO:44
- Removed, inspected, cleaned, and reinstalled all spark plugs
- Drained oil and cleaned oil screen
- No metal found in oil screen. Oil sample taken for analysis by Aviation Laboratories. Serviced with 7qts of W15W-50 Oil and 1 pt of Camguard. Operational and leak check found satisfactory.

I certify this powerplant has been inspected in accordance with the scope and detail of CFR Part 43 Appendix D Annual Inspection and found to be in airworthy condition.

IA 3652221
Chris Martin