

AIRCRAFT LOG

MOONEY AIRCRAFT, INC.

REMARKS

N

Propeller

CONDITION — MAINTENANCE — REPAIRS

Hub

Blade Design

Blade Series

Pitch

Diameter

Engine

LYCOMING

Model

O-360

Serial No.

L-1526-361

Rated H. P.

Bore

Receiver

Material

Trans. ATLA

Manufacturer

CHALCO

Serial No.

Output

Generator

DUNLY

Model

E, CALIF.

Serial No.

T

Amp.

Volt

Start

S. N. T. CL

Mo. 13, MINN.

ST. LOUIS, MO

Serial No.

Volts

Pow

V. A. OH.

Serial No.

Volts

REMARKS

DATE

1966

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

CERTIFICATE OF AIRWORTHINESS
FORM 1362 ISSUED THIS DATE

4/6

4/6/66

MOONEY AIRCRAFT, INC.

DOA-SW-1

BY

Gilbert A. Gustenberg

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

4-18-66 Installed 2 ea. Navco MK12A(360)
VOA 4 (2) VP-10 Broadband antenna, see
337 Tach 1.5
EW 15 79 lb EW 45.0 Useful load 99 lb.

Dugosh Aircraft Serv. Co. Inc.
P. O. BOX 931 PHONE GL 7-7230
KERRVILLE MUNICIPAL AIRPORT
KERRVILLE, TEXAS

Charles L. Dugosh
AF 646025X

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

5/12/66

It is certified that this AK has been inspected All A D's thruaccordance with a 100 hr inspection 66-11-100 hrand found to be in airworthy condition. TT=193 hrs

6/13/66

It is certified that this A/C has been inspected inaccordance with a 100 hr inspectionand found to be in airworthy condition. TT=193 hrsCHANGED MAIN TIRE
NOSE TIRE
INSTALLED NEW BRAKEAll A/D's Due 6/9/66implies1452174

FLIGHT LOG

[illegible]

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

7/20/66

It is certified that this *A/C* has been inspected in
accordance with a *100 hour* inspection
and found to be in airworthy condition.

All AD's complied with
when 8/20/66
Lawrence J. Lund
HVF 1652774

TT-392

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

8/24/66

It is certified that this *a/c* has been inspected in
accordance with a *two hour* inspection

and found to be in airworthy condition.

all AD's thru 8/8/66 TT-571
complied with

Lawrence H. Hume
AUG 1652774

FLIGHT LOG

[illegible]

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

It is certified that this *7/C* has been inspected in*9/27/66*accordance with a *Visual* *Worst* inspection.*759*

and found to be in airworthy condition.

All ADS thru 66-22-1 complied
Lawrence Hummel *1652774* *14th*

FLIGHT LOG

[illegible]

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

It is certified that this *etc* has been inspected in

11/11/66

accordance with a *wo hour* inspection

IT 940

and found to be in airworthy condition.

All ADB's thru 66-24-3 complied with

wo[#] 52

Lawrence Hamel AP 1652774

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

12/13/66

It is certified that this a/c has been inspected in

TT 1031

accordance with a 100 hour inspection WO# 92

and found to be in airworthy condition.

All AD's thru 66-28-6 complied with
Lawrence Hummel, 1652774

1/13/67

It is certified that this a/c has been inspected in

TT 1123

accordance with a 100 hour inspection WO# 156

and found to be in airworthy condition.

All AD's thru 66-30-7 complied with
1652774 with Lawrence Hummel

FLIGHT LOG

DATE	NATURE OF FLIGHT	No. of Pass.	TIME OF FLIGHT		TIME IN AIR		Miles Flown	REPAIRS — ADJUSTMENTS REMARKS	SIGNATURE	LICENSE NUMBER
			Up	Down	Hours	Min.				
1/21/67	Landing gear actuator removed and new actuator installed							TT 117 P/N 4196-00-1C Glen W. Perry WGT 1884		
2-9-67	It is certified that this aircraft has been inspected in accordance with the inspection requirements of the FAR and found to be in airworthy condition.							a/c has been inspected in w/hour inspection	TT 1223	
								wgt 190 ADS N/A		
								Lawrence Hesel ATP 1652774		
TOTALS FORWARD										
TOTALS TO DATE										

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

3/21/67

It is certified that this a/c has been inspected in
accordance with 100 hour inspection

T1 1323

WOF 235

and found to be in airworthy condition

Lawrence H. Hurl A# 1652774

AD's
N/A

FLIGHT LOG

[illegible]

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

MATTITUCK AIRBASE INC.

REPAIR STATION 3538

I CERTIFY THAT THIS AIRCRAFT
HAS BEEN INSPECTED IN ACCORD-
ANCE WITH A PERIODICINSPECTION AND WAS DETERMINED
TO BE IN AIRWORTHY CONDITION.

SIGNED

DATE 5/18/67TOTAL TIME 1421

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

6/14/67

It is certified that this A/C IT-1612
has been inspected in accordance
with a 100 hr inspection and
found to be airworthy cond.
Serviced Ldg gear
Actuator as per Ser 171

Edmund Whann
AIP 1665889

FLIGHT LOG

[illegible]

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

12/1/67 It is certified that this A/C has been inspected in accordance with a 600 hr inspection and found to be in airworthy condition.

Larry G. Truitt RHP 1754465

8/5/67 Replaced gear tube assy P/N 915019. Adjusted preload as per manufacturers specs. Retraction test done, Amp draw checked on gear meter, OK.

Calvin R. [Signature]
RHP 1665597

FLIGHT LOG

DATE	NATURE OF FLIGHT	No. of Pass.	TIME OF FLIGHT		TIME IN AIR		Miles Flown	REPAIRS — ADJUSTMENTS REMARKS	SIGNATURE	LICENSE NUMBER
			Up	Down	Hours	Min.				
AUG 11 1967										
I Certify that this <u>Aircraft</u> <u>TF-1912</u> been inspected in accordance with <u>100h</u> inspection and found airworthy. EDWIN G. PENNEY A & P No. 1668889 Signed <u>Edwin Penney</u>										
TOTALS FORWARD										
TOTALS TO DATE										

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

67

Aug 27

It is certified that this *AP* has been inspected in *TT 2012*
W.O.# 389
 accordance with a *100 hrs.* inspection
 and found to be in airworthy condition.

Lanny G. Truhill A/P 1754463

Sept 11/67

It is certified that this *AP* has been inspected in *TT 2012*
W.O.# 404
 accordance with a *100 hrs.* inspection
 and found to be in airworthy condition.

Lanny G. Truhill A/P 1754463

A.D'S M/A

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

Oct 1 1967I Certify that this engine hasTT-2151been inspected in accordance with a 100 hr

inspection and found airworthy.

EDWIN G. PENNEY

A & P No. 1668889

Signed

Edw Penney

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

TACH 2480

TETERBORO AIRCRAFT SERVICE, INC.
TETERBORO, NEW JERSEY

It is certified that this aircraft has been inspected in
accordance with a annual inspection
and found to be in airworthy condition.

1-4-68

Date

Harold J. Miller ^{PA} 1210911

Authorized Signature

F. A. A. Repair Station # 4395
AUTHORIZED CESSNA DEALER

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

Oct 28-69 Total task time 2455

Clean and pack all wheel bearings
Install one new bearing cap.

Install one new brake lining

Check and lubricate all control rolls.

Check and lubricate landing gear
retraction test.

install one new tire L.S.

Repair wing tip see AC 337

Paint battery Box

Harry C Brown

A-10288147

FLIGHT LOG

[illegible]

REMARKS

DATE

INSPECTION — MAINTENANCE — REPAIRS — ALTERATIONS

Date Oct 26- 69 time in service 2454 hrsI certify that this aircraft and/or engine has
been inspected in accordance with a annual
inspection and was determined to be in

Airworthy Condition

Mechanic's Signature Harry C BrownCertificate Number LA 288 147

MEMORANDUM

DATE

AD'S.

65-6-5 Dukes fuel pump N/A

66-20-4 A/C N/A

67-22-7 Ser # N/A

67-23-6 N/A

A-P 1668889



AIRCRAFT LOG

MOONEY M20C N953MA #3372

10/22/71 - 5/12/87

DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

INSPECTION REMINDER



The next annual inspection of this
aircraft required by Federal Aviation
Regulations is due:

DATE

MAY 1, 1980

FAA Form 8520-2

RECORD OF OWNERSHIP

928-2583

I. Schwartzman - MIKE COHEN Box 338
(OWNER) (STREET ADDRESS)
Central Valley N.Y.
(CITY & STATE) (DATE PURCHASED) (DATE SOLD)

(OWNER) (STREET ADDRESS)

(CITY & STATE) (DATE PURCHASED) (DATE SOLD)

(OWNER) (STREET ADDRESS)

(CITY & STATE) (DATE PURCHASED) (DATE SOLD)

AIRCRAFT DATA

(THIS PAGE MUST BE FILLED OUT COMPLETELY)

MANUFACTURER MOONEY

MODEL M20 C SERIAL NO. 3372

REGISTRATION NO. N 953 MA

DATE MANUFACTURED _____

MAXIMUM WEIGHT _____

TYPE _____

ENGINE MAKE LYCOMING

MODEL O-360-A1D


SERIAL NO. L9615-36A

PROPELLER: MAKE HARTZELL

MODEL HC-C24K1BF

BLADE MODEL SIN AH2520

AIRCRAFT LOG

YEAR		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
					to whom it MAY CONCERN	Nov 2, 1974
					Due to WATER DAMAGE, the ORIGINAL Log books of MOONEY N953 MA WERE found to be difficult to READ. It has BEEN DETERMINED that MOONEY N 953 MA HAS 1000 hours SINCE MAJOR by Muttituck Airbase Inc. Long Island, N.Y. May 26, 1967	
					JANE RHODES Notary Public, State of New York Residing in Orange County My Comm. expires Mar. 31, 1973	 Jane Rhodes

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR		DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.
MO.	DAY	
11-9-71		I CERTIFY THAT THIS AIRCRAFT HAS BEEN THOROUGHLY INSPECTED ACCORDING TO AN ANNUAL INSPECTION & DETERMINED TO BE AIRWORTHY George R. Williams A&E 12266 IA
1-20-72		Thing KX-160 Nav-Com installed in place of Mk-12A which was removed at an unknown date.

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
22	MAR	1972	(TACK 2405)			
					Replaced Gear Motor & Landing Gear	
					Links in compliance with Mooney	
					SB M20-177 Instruction II & III	
					<i>Galbraith</i> NYP 1892694	
27	Dec	1972	The above Landing Gear Link			
			Installation is in accordance with			
			AD 72-12-2			

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

[illegible]

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
					CONN MOONEY SALES DANBURY, CONNECTICUT	
					DATE <u>27 Dec 1971</u> TACK READS <u>2550</u>	
					complete AC lubrication F&W AD 72-12-2	
					Replace landing Lt Brake, Re-shim nose	
					gearino horn, CW 5320-169, Rebuild Lt	
					Master cyl - Replace Rt Master cyl, Repl	
					Nose shock absorbers	
					I CERTIFY THAT I HAVE INSPECTED THIS (ENGINE) (AIR FRAME) IN ACCORDANCE	
					WITH (AN) 100 HOUR ANNUAL INSPECTION AND FOUND IT TO BE IN AIRWORTHY	
					CONDITION.	
					ENGINE TOTAL TIME <u>2550</u> SMOH <u>1149</u>	
					REPAIR STATION # _____	
					<u>G. H. P. Sturges</u> A & P <u>1892694</u>	

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
CONN MOONEY SALES DANBURY, CONNECTICUT						
DATE <u>27 Dec 1971</u> TACK READS <u>2550</u> Complete AC lubrication FAW AD72-12-2 Replace landing Lt Brake, Re-shim nose gearino horn, CW SS 20-169, Rebuild Lt master cyl - Replace Rt Master cyl, Replace nose shock absorbers I CERTIFY THAT I HAVE INSPECTED THIS (ENGINE) (AIR FRAME) IN ACCORDANCE WITH (AN) 100 HOUR ANNUAL INSPECTION AND FOUND IT TO BE IN AIRWORTHY CONDITION. ENGINE TOTAL TIME <u>2550</u> SMOH <u>1149</u> REPAIR STATION # _____ <u>G. H. P. Stout</u> A & P <u>1892694</u>						

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR 72

MO. DAY

DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS

Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.

12 27 CHECKED 100 HR. INSP. ON OPPOSITE PAGE.

I certify that this aircraft engine has been

inspected in accordance with a 100 hour / an

annual inspection and was determined to be

in an airworthy condition. Total time 2550 hrs.

Date 12-27-72

Signed H. Morrarty

Harold Morrarty, IA 734240

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR		DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.
MO.	DAY	
		INSTALLED NAREO AT-50 TRANSPONDER on right side of instrument panel. Ramp checked using TIC Type T-23A for proper 4096 coding and 1090mc frequency. New E.W. 1597# New EWCG 44.75" New U.L. 978# STANWYCK AVIONICS ORANGE COUNTY AIRPORT MONTGOMERY, NEW YORK 12549 The appliance identified on reverse side was repaired and inspected in accordance with current regulations of the Federal Aviation Administration and is approved for return to service. Pertinent details of the repair are on file at this Repair Station under Work Order. NO. <u>170</u> DATE <u>May 10, 1973</u> FAA CERTIFIED REPAIR STATION NO. 1187 SIGNED <u>Wm J. Stanwyck</u> (signature of authorized Representative)

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR 73

MO. DAY

DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS

Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.

4/26/73 reinstall prop ~~at~~ overhauled by Sensenich
model HC C2 YK - IAF ser # AW 2520
overhauled 4/26/73 blade # F766A-2
track time 26/3 ~~Wm~~ Kayo - 1A1363668.

5	31	INSTALLED ELT-EBC-102A. Wm. F. Fulck AP 489302
---	----	--

7	1	73 - tech time 2650 - aircraft inspected and lubricated in accordance with 100 hr insp. Change oil + filter.
---	---	--

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR 73		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
11	18	2700			Aircraft inspected in accordance with a 100 hr inspection Aircraft lubricated Dustall Kit #17 (Nose wheel steering bushings) New left main tire, new brake linings. Fiberglass bottom of battery box. Engine top overhauled. I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH A 100 HR INSPECTION AND DETERMINED TO BE IN AIRWORTHY CONDITION. W. H. Kops.	

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR	73	DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS
MO.	DAY	Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.
		TT 2700. Date: <u>11-23-73</u>. I certify that this Aircraft has been inspected in accordance with a PERIODIC Inspection and was determined to be in Airworthy Condition. WILLIAM KAPS I.A. 1363668. <i>Wm Kaps</i>
12	25	Tech 2708 - New O-rings both master brake cylinders
4	30	Install new master instrument filter
4	30	Artificial Horizon rebuilt & re-installed.
		<i>Wm Kaps - 1A1363668 AIF</i>
6	30	Tech 2811 - Aircraft inspected & lubricated in accordance with a 100 hr. inspection

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR		DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS
MO.	DAY	
5	15	75 Installed overhauled & certified Altitude (United Inst) SN 83044 model LA-72-11 overhauled 5/8/75 by Cons. Instruments. A+B-1A. W/K 1363668# 4351
5	15	75 2926 tach time - check battery, add water, check & add hydraulic fluid.
5	25	2927 tach - new battery (Kebat Elec)
6	19	Prop inspected (AD 75-07-05) by Jensinich Corp, Lancaster, PA.
7	14	New brake linings both main gears. Inspected engine mounts for cracks (AD 75-09-08) none found.

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

[illegible]

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR		DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.
MO.	DAY	
		I certify that this Aircraft/Engine has been inspected in accordance with an Annual inspection and was determined to be in airworthy condition. Name <u>John P. Dennis</u> License # <u>AAP 1693927</u> Date <u>4/15/76</u> Sky Acres Airport, LaGrangeville, N.Y. Pushed landy Gear replaced Electric fuel boost pump Engine still L96/5-36R 2 still after major oil by engine A-10, Inc. Run in & test flown OK SC/W Fuel 91-170 wheel Static System 5/2 664 Altair Duty 7/31/75 to slatted.

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

[illegible]

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR		DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.
MO.	DAY	
		Sep 18, 1976 - Removed defective VOR-4 annu-converter and replaced with NEW NARCO VOR-40, S/N 24804. Calibrated VOR + LOC circuits. No weight change. - Checked Narco AT-50 Transponder TSO C 746 class II, S/N 15EP9, CN 209 C2 and system complies with FAR 91.177. No 337 filed for this replacement. Wm. J. Sturwald
		Stanwyck Aviation FAA RS# 118-7 Orange County Airport Montgomery, N.C. 12549

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR

MO. DAY

DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS

Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.

APR. 21, 1977 3056:53 ALL A.D.'S CHECKED &
LISTED IN BACK OF BOOK. Ed. Hooper.
ADD 110678.

Total aircraft time 304:53 hours, total

APR-26-1977 I certify that this aircraft

has been inspected in accordance with ■

Annual inspection and was determined to

be in airworthy condition.

Signed E. J. Thompson

name Edward E. Sharples

1110678

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR	MO.	DAY	DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS
			Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.
4	9	78	Removed prop for A.D. removed D.G and altimeter for check and/or overhaul tach time 3141 - now 180 since gear AD dissassembly due at 200 since AD
4	29	78	REINSTALLED PROPELLER. Ed. Sharpley A+P 1110678 Ed. Sharpley A+P 1110678
			ADIA aircraft time <u>3141.74</u> hours, date <u>APR 29, 1978</u>
			I certify that this aircraft
			has been inspected in accordance with a
			ANNUAL inspection and was determined to
			be in airworthy condition.
			Signed <u>Ed. Sharpley</u>
			Name Edward E. Sharpley
			# <u>4110678</u>

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
					Installed chrome brake disks, lubricate entire airplane. Remove & inspect gear actuator, inspect rear spar. Install landing light cover.	
					3173:67	
					gear actuator 3373	
					removal due 3373	
					rear spar due 3673	
					ANNUAL inspection and was determined to be in airworthy condition. Signed <u>Ed. Sharplee</u> Name Edward E. Sharplee	

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR 79		DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS
MO.	DAY	
7	12	79 Performed static check according to procedures and requirements of Appendix E Section A and Part 43 and 91.170. No water or leaks detected in system. Leak rate not required spec.
		Robert Walker
		CRS 118-40
12	28	Install Brockett Air filter

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
5	17	80	tach time	3303	lubricate & inspect entire airplane. Cycle gear. Check all rod end bearings & idlers. [Actuator removal due 3373 Rear spar due 3673 Control wheel due 3597 Check engine mount for cracks. several bushings & bolts in retraction system will be replaced.	
					THROVAL inspection Accomplished 5-17-80 Aircraft found to be Airworthy Company Bill K. Shattuck # 04158-A1	

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR		DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.
MO.	DAY	
6/6/80		Bench checked ANICO AT-50 Transponder, TSO'd C746 class II S/N 15EP9, CN 209C2. and system complies with FAR 91.177. <i>[Signature]</i> RS-118-5 Orange County Airport Montgomery, NC 28119
6/8/80		3308 hrs. Replace carb air duct, nose wheel tire, landing light.
8/10/80		New linings rt. brake. New battery. Battery box leak repaired & modified for easier removal. Worn landing gear bushings replaced & gear lubricated. Gear torque checked & retraction tested.

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
5	17	81	TACH: 3388		AD 77-17-04 DUE @ 3597 HRS.	
					AD 75-23-04 (LANDING GEAR) C/W PER PART I+II S/B M-20-190	
					AD 75-09-08 (ENG. MOVVT) C/W BY INSP, AD 73-21-01 (LANDING	
					GEAR) C/W PER S/B M20-32. AD'S CHECKED TO THIS DATE.	
					I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED	
					IN ACCORDANCE WITH AN <u>ANNUAL</u> INSPECTION	
					AND FOUND TO BE AIRWORTHY. J. C. Corson	
					1A1837707	
					S.B. M20-169 (steering horn bolt)	
					Actuator removal due 3588	

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR 8/

MO. DAY

DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS

Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.

7	5	3404 hrs; replace nose gear leg and all worn bolts & bushings in nose gear steering.
---	---	--

7	19	3410 hrs. S.1. M20 ⁵ 43 (static system (modification)) replace step retraction boot.
---	----	--

Replace fuel sump drains & brush coat both tanks
Replace seat belts - front seat shoulder
harness per Mooney drawing #950111

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR		DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.
MO.	DAY	
5	16	82 TACH: 3457.73 AD 75-23-04 (LANDING GEAR) C/W PER S/B M-20-190, AD 75-09-08 (ENG MOUNT) C/W BY INSP, AD 73-21-01 (LANDING GEAR) C/W PER S/B M-20-32. AD NOTES CHECKED TO THIS DATE. I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND FOUND AIRWORTHY. G. C. Carson 1H1837707 Lubricate entire airplane. Replace PC servo boots.

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

[illegible]

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR 84

MO. DAY

DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS

Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.

3 22

Tail Root fairing + flap gap fairing
Replace tube, left main tire

DATE 5/7/84 T.T. IN SERVICE 3567 E.L.T. Bath. Due 4/85

I CERTIFY THAT THIS Aircraft HAS BEEN INSPECTED
IN ACCORDANCE WITH A Annual INSPECTION AND
WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

A.D. Conformity Check through 84-07
Installed tail root fairings and flap gap seals
in accordance with STC. SA 444 3 NM.
See 337.

John Ray (IA) 156523327

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR 84		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
5	17				Performed Biannual Transponder check per requirements of FAR 91.177 and met all specs.	Robert Walker CRS 118-90
9	10	3595			Prop tips damaged in ground strike. Exchange prop from N.E Prop installed by N.E. Airlines. P.C. gyro removed and sent to Cons. Inst. for overhaul. D.G. rebuilt by Consolidated Inst.	

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR

MO. DAY

DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS

Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.

DATE 5/21/85 I.T. IN SERVICE 3640


I CERTIFY THAT THIS Aircraft HAS BEEN INSPECTED
IN ACCORDANCE WITH A Annual INSPECTION AND
WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

AD. Conformity Check Through 85-08

John Hengst (IA) 156523327
Control Wheel insp AD performed.

INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS

AIRCRAFT LOG

YEAR <u>87</u>		RECORDING TACH. READING	TIME THIS FLIGHT	TOTAL TIME	REMARKS	SIGNATURE
MO.	DAY					
10	17	3667			This date we moved prop for balance and track ck re-installed torque and sub prop mounting hardware. Run-up and head ck OK End of M day HAP 3740217Y	
DATE <u>5/8/86</u>		T.T. IN SERVICE <u>3680.8</u>		E.L.T. Expt <u>2/15/87-91-172</u> Per <u>5/86</u>		
I CERTIFY THAT THIS <u>Aircraft</u> HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>Visual</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.				A.D. <u>85-24-03</u> Ya-Inspected fuel tanks in accordance with Mooney S.B. M-20-230 and found to be OK. Inspected fuel caps per S.B. M-20-229 - And found to be OK. Replaced left tire & tube. Lubed & Inspected Airframe. S.E.E. AD. Section - AD. Conformity Check through <u>86-4</u>		
				<u>(FA) 156523327</u>		

CARRY TOTAL TIME TO TOP OF NEXT PAGE

AIRCRAFT LOG

YEAR <u>86</u>		DESCRIPTION OF INSPECTIONS, REPAIRS AND ALTERATIONS Certificated mechanics or repair facilities must endorse all inspections and repairs with name, rating & Cert. No.
MO.	DAY	
10	16	Removed MK-12A and VOA-4 and replaced with a Narco Escort II and an Apollo 611. Both installed per manufacturers manuals. Both ramp checked satisfactorily. Narco transmitter moved to center stock and Biannual check performed per FAR 91.177. UT and Balance corrected and added to the papers. 337 Form completed and added also. Robert Walker CRS 118-40
5/12/87	TTIS 3738	I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. FOR WORK ACCOMPLISHED SEE INSPECTION V-LIST THIS DATE. ck AD's TO ISSUE 87-08 INSPECTIONS ARE DUE EVERY 12 CALENDER MONTHS <u>Alumnist 1A1530898</u>

AIRWORTHINESS DIRECTIVES

A.D. NO.	METHOD OF COMPLIANCE	DATE	SIGNATURE OF CERTIFICATED MECHANIC OR REPAIR FACILITY
72-12-2	New links installed	3-22-72	Conn Mooney
75-07-05	Prop overhauled	6-19-75	Lensenich Corp
75-09-08	inspect engine mounts		
75-23-04	C/W Prop M20190	17/30/75	
75-09-08	Inspect C/W Engine	4/15/76	
73-21-1	Lubed Gear. + Re Rigged	4/15/75	
75-23-04	Electric Gear Motor @ 3640	5/21/85	
73-23-01	Lubed Landing gear + Flight Controls @ 3640 Due 3740		
75-09-08	Engine Mount Cracks checked @ 3640 Due @ 3740		
77-17-04	Control Wheel Shaft @ 3640 Due 4140.		

AIRWORTHINESS DIRECTIVES

A.D. NO.	METHOD OF COMPLIANCE	DATE	SIGNATURE OF CERTIFICATED MECHANIC OR REPAIR FACILITY
	<i>AIRFRAME</i>		
66-07-05	L.G. N/A.		
67-23-06	DUKES FUEL PUMP N/A.		
73-21-01	L.G. C/W		
75-04-09	L.G. N/A.		
75-09-18	ENG. MT. FUSP. OK.		
75-23-04	L.G. 100HH FASH. C/W		
76-10-05	LEAKING FUEL N/A.		
76-07-12	BRADIX SW. C/W.		
77-17-4	Control Wheel by inspection		Tech 3097.00
77-12-06	HARTZELL PROP C/W	4-29-78	NEW ENGLAND PROP. SERV.
78-25-08	ORACKATT AIR FILTER	N/A.	

AIRWORTHINESS DIRECTIVES

A.D. NO.	METHOD OF COMPLIANCE	DATE	SIGNATURE OF CERTIFICATED MECHANIC OR REPAIR FACILITY
	READING		
59-10-07	BARNER PLUMBS C/W.		
64-16-05	FUEL PUMP. C/W		
66-20-04	OIL FILTER N/A.		
73-23-01	PISTON PIN N/A		
75-08-09	OIL PUMP N/A.		
80-25-07	STEWART WARNER COOLER N/A		
	ACCESSORIES.		
73-7-4	BARNER PLUMBS C/W		
74-26009	" " C/W		
66-5-4	MANUEL SCHAUB. C/W		

AIRWORTHINESS DIRECTIVES

A.D. NO.	METHOD OF COMPLIANCE	DATE	SIGNATURE OF CERTIFICATED MECHANIC OR REPAIR FACILITY
69-24-3	MAHVER SCHED. N/A.		
72-6-5	" " C/W.		
76-16-02	AIRBORNE VACUUM TUMP. N/A.		
	PROP.		
75-07-05	HARTZEL PROP. C/W. O'HAVEN		
77-12-06	" " "	4-29-78	NEW HAVEN PROP. SERV.
	INST.		
67-26-4	GAHWIO ALT. C/W.		
81-15-03	Brackett air filter N/A	7/10/81	

AD's

PERIODIC INSPECTION COMPLIANCE

CERTIFICATION	TOTAL TIME	DATE	SIGNATURE OF CERTIFICATED MECHANIC OR REPAIR FACILITY
AD. 85-24-03 Mooney %w. Inspected fuel tanks in accordance with Mooney S.B. M20-230 And found to be O.K. Inspected fuel caps per S.B. M20-229 and found to be O.K. John Neave (ISA) 156523327			
AD. 75-23-04 Electric gear, Lubed per Paragraph "B", Paragraph "A" Due @ 3780 - John Neave (ISA) 156523327			
73-21-01 Lubed Landing gear, Next Due @ 3780 or Next Annual Inspection John Neave (ISA) 156523327			
75-09-08 Engine Mounts - Inspected, Next Due @ 3780 - John Neave (ISA) 156523327			
AD. 84-26-02 Induction Air filters %a - Brachett filter installed - John Neave (ISA) 156523327			

